


CERTIFIED COPY



GA OF GROUND FLOOR
ALL SLAB 150THK

GA OF TYPICAL FLOOR
ALL SLAB 150THK

SLAB SCHEDULE			
SLAB	SHORT SPAN	LONG SPAN	
TR	SUPPORT TOP MID SPAN BOTTOM	SUPPORT TOP	MID SPAN BOTTOM
TD	10@150/C	10@150/C	10@150/C

BEAM MKD.	BEAM SIZE	SUPPORT REINFORCEMENT			SPAN REINFORCEMENT		
		TOP	BOTTOM	STIRRUPS	TOP	BOTTOM	STIRRUPS
GBX-1	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-2	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-3	250x300	3-16T	3-16T	1T@125C/C	3-16T	3-16T	1T@200C/C
GBX-4	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-5	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBX-6	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-7	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBX-8	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-9	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBX-10	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBX-11	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-12	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBX-13	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-14	250x300	3-16T	3-20T	1T@125C/C	3-16T	3-20T	1T@200C/C
GBX-15	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-16	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBX-17	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-18	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBX-19	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBX-20	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBY-1	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBY-2	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBY-3	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBY-4	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBY-5	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBY-6	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBY-7	250x300	3-16T	3-20T	1T@125C/C	3-16T	3-20T	1T@200C/C
GBY-8,10,13	400x300	4-25T +4-20T	4-25T	1T@125C/C(L)	4-25T +4-20T	4-25T +4-20T	1T@125C/C(L)
GBY-9	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBY-11	250x300	3-16T	3-20T	1T@125C/C	3-16T	3-20T	1T@200C/C
GBY-12	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBY-14	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBY-15	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
GBY-16	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
GBY-17	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C

BEAM MKD.	BEAM SIZE	SUPPORT REINFORCEMENT			SPAN REINFORCEMENT		
		TOP	BOTTOM	STIRRUPS	TOP	BOTTOM	STIRRUPS
TBX-1	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-2	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-3	250x300	3-20T +3-16T	3-25T	1T@125C/C	2-20T	3-25T	1T@200C/C
TBX-4	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-5	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-6	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-7	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-8	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-9	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-10	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-11	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-12	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-13	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-14	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-15	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-16	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-17	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-18	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-19	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-20	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-21	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-22	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-23	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-24	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-25	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-26	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-27	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-28	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-29	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-30	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-31	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-32	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-33	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-34	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-35	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-36	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-37	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-38	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-39	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-40	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-41	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-42	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-43	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-44	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-45	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-46	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-47	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-48	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-49	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-50	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-51	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-52	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-53	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C
TBX-54	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T +3-16T	1T@200C/C
TBX-55	250x300	3-25T +3-16T	3-25T	1T@125C/C	2-25T	3-25T	1T@200C/C

PROJECT
PLAN PROPOSAL U/R - 142 OF KMC
BUILDING RULE 2009 FOR
CONSTRUCTION OF A B-G-V STORED
COMMERCIAL BUILDING AT
PRE. NO - 149, MAHATMA GANDHI
ROAD, KOLKATA - 700007.

WARD - 43 BHOUGH - V
TITLE
GA OF FIRST FLOOR & TYPICAL FLOOR
FLOOR BEAM & SLAB SCHEDULE

- ALL DIMENSIONS ARE IN MM EXCEPT NOTED
- GRADE OF CONCRETE M40
- GRADE OF STEEL F460

For Zircon Dealers Pvt. Ltd.
An Constituted Authority of
1) Eminent Projects Pvt. Ltd.
2) Builders & Contractors S.A.M.
SIGNATURE OF OWNER & SEAL

ARCHITECTS' CERTIFICATE
THE PLOT HAS BEEN INSPECTED BY ME AND ON THAT BASIS I DO
CERTIFY WITH FULL RESPONSIBILITY THAT THE PROPOSED BUILDING
PLAN HAS BEEN DRAWN AS PER PROVISION OF K.M.C. BUILDING
RULE 2009 AS AMENDED FROM TIME TO TIME IN COMPLIANCE WITH
RULE 142 OF KMC B/R 2009. THE PLOT IS DEMARCATED BY
BOUNDARY WALL ON ALL SIDES. THE SITE PLAN AND LOCATION PLAN
CONFIRMS THE SITE.

DEBATOOSH SAHU
Architect & Urban Designer
MARCH, 19th, FLOOR, AID,
Regn. No. CA/99/12268
SIGNATURE OF ARCHITECT & SEAL

STRUCTURAL ENGINEERS' CERTIFICATE
THE STRUCTURAL DESIGN AND DRAWINGS OF BOTH FOUNDATION &
SUPERSTRUCTURE OF THE BUILDING HAS BEEN MADE BY ME
CONSIDERING ALL POSSIBLE LOADS INCLUDING THE SEISMIC LOAD
AS PER THE NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT
IT IS SAFE AND STABLE IN ALL RESPECTS.

BIBEK BIKASH MULLICK
E. S. E. - 1/75
KOLKATA MUNICIPAL CORPORATION
BIBEK BIKASH MULLICK
SIGNATURE OF STRUCTURAL ENGINEER & SEAL

KOUSHIK SENGUPTA
B. E. CIVIL, M. E. STRUCTURAL ENGINEERING
STRUCTURAL REVIEWER (M.C.)
E. S. E. - 1/75 (2)
SIGNATURE OF STRUCTURAL REVIEWER & SEAL

DESIGNED BY: P. M. CONSULTANT
CHECKED BY: P. M. CONSULTANT
SCALE: 1/50, 1/25
DATE: 19/03/2019

ARCHITECT
ESPACE
KOLKATA
S.A. DR. SARAT BANERJEE ROAD, KOLKATA-700027
Tel: 9330854329 / 4199
e-mail: espace@rediffmail.com
WEBSITE: www.espaceindia.com

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT