



THE PLAN SHOWING FOR OF PROPOSED G+4 STORED RESIDENTIAL APARTMENT OF SMT. SIKHA DAS, W/O- LATE RAMENDU BHUSAN DAS, AT MOUZA SEKHPURA, J.L. NO.- 172, R.S. PLOT NO.- 6 (PART), IN AT STREET RD NO. 05, IT- PASCHIM MIDNAPORE


REPRESENTATIVE STRATOR & R OF 'S.S. 1) SRI Y. S/O.- LATE ROY, 2) SRI S/O.- LATE S/O.- P.S.- 21101, DIST.




FRONT ELEVATION
SCALE: (1:100)




CROSS SECTION OF X-X'
SCALE: (1:100)




SITE PLAN
SCALE: (1:200)
DIMENSION ARE IN MM.




TYPICAL DETAIL OF R.C.C. BEAM




TYPICAL DETAIL OF R.C.C. SLAB



TYP. DETAILING OF FLOATING SLAB



TYPICAL DETAIL OF STAIR CASE




CROSS SECTION OF CHAJJA
SCALE: (1:20)

FOUNDATION TO ALL FLOOR LEVEL	
SCHEDULE OF COLUMN X-SECTION	
COLUMN SIZE	SECTION WITH MAIN STEEL
300 X 300	
CONCRETE MIX	LINKS
SECTION WITH MAIN STEEL	8MM TOR LATERAL TIE @ 125 C/C


AREA UTILIZATIONS STATEMENT	
AREA OF TOTAL LAND	269.429 SQ.M.
COVERED AREA IN PROPOSED GROUND FLOOR	100.817 SQ.M.
COVERED AREA IN PROPOSED FIRST FLOOR	100.817 SQ.M.
COVERED AREA IN PROPOSED SECOND FLOOR	100.817 SQ.M.
COVERED AREA IN PROPOSED THIRD FLOOR	100.817 SQ.M.
COVERED AREA IN PROPOSED FOURTH FLOOR	100.817 SQ.M.
TOTAL COVERED AREA	504.085 SQ.M.
GROUND COVERAGE	37.42 %
FAIR	1.871
HEIGHT OF THE BUILDING	15.40 M.

SCHEDULE OF OPENING			
S.L. NO.	SYMBOLS	REFERENCE	SIZE
1.	D	DOOR	1200 X 2100
2.	D1	DOOR 1	800 X 2100
3.	D2	DOOR 2	750 X 2100
4.	W	WINDOW	1200 X 1500
5.	W1	WINDOW 1	1200 X 1000
6.	W2	WINDOW 2	1200 X 1000
7.	V	VENTILATOR	200 X 300
8.	V1	VENTILATOR 1	200 X 300


- NOTE OF SPECIFICATION:
- ALL DIMENSIONS ARE IN MILLIMETER.
 - ALL P.C.C SHALL BE 1:3:6
 - ALL R.C.C SHALL BE 1:2:4
 - ALL 150MM BRICK WORK SHALL BE IN 1:4
 - ALL 120MM BRICK WORK SHALL BE IN 1:4
 - ALL REINFORCEMENT SHALL CONFORM TO IS CODE
 - IN ALL R.C.C WORK COMPENSATION, IF POSSIBLE SHALL BE 10MM TO 20MM
 - SAND SHALL BE CORNERUMDUM AND SILT CONTENT SHALL BE NEGIGIBLE
 - COVER BEARING 25MM IN SLABS 12 25MM IN COLUMNS 25MM SIDE AND BOTTOM
 - OTHER DETAILS SHALL BE AS PER DESIGN.
 - 100 TH R.C.C ROOF SLAB DETAILS: MAIN BAR - 8 @ 125 MM C/C AT MID SPAN L2 @ 145 MM C/C AT SUPPORT L4
 - 100 TH R.C.C ROOF SLAB DETAILS: MAIN BAR - 8 @ 125 MM C/C AT MID SPAN L2 @ 145 MM C/C AT SUPPORT L4
 - 100 TH R.C.C ROOF SLAB DETAILS: MAIN BAR - 8 @ 125 MM C/C AT MID SPAN L2 @ 145 MM C/C AT SUPPORT L4




PROPOSED GROUND FLOOR PLAN
SCALE: (1:100)




PROPOSED SECOND FLOOR PLAN
SCALE: (1:100)




PROPOSED FOURTH FLOOR PLAN
SCALE: (1:100)




PROPOSED FIRST FLOOR PLAN
SCALE: (1:100)



PROPOSED THIRD FLOOR PLAN
SCALE: (1:100)



DETAILS OF SEPTIC TANK & SOAK PIT
SCALE: 1:50



TERRACE PLAN
SCALE: (1:100)