



No.AAI/ER/NOC(107/8)/२४

Dated: 22.09.2022

To

DSK Real Estate Ltd.
"Sagar Estate" 3rd Floor
2, Clive Ghat Street
Unit No.1, Kolkata – 700001

Sub: Revalidation of height clearance NOC.

Sir,

Reference may be made to your application on revalidation of NOC for height clearance w.r.t NOC ID BEHA/EAST/B/101112/027.

The NOC for height clearance issued vide letter no.AAI/ER/NOC(107/8)/104-07 dated 15.01.2014 for the permissible top elevation of 160 M AMSL (One Hundred and Sixty meters AMSL) is revalidated up to 14.01.2026, under same terms and conditions as mentioned in NOC and mitigation measures as follows:

The mitigation measures as mentioned under sub Para (a), (b) & (c) shall be adopted to fulfill the requirements of;

- i. A pilot's need to be made aware of potentially hazardous condition; and
- ii. The responsibility of the state to publish deviations from standards that would otherwise be assumed under licensing status.
 - a) The Airport Operator should publish the obstacle, to fulfill the above requirement, before its penetration of the Obstacle Limitation Surface. It is the responsibility of the applicant/owner to notify the Airport Operator/Airport Director accordingly.
 - b) The day marking and night lighting shall be provided by the applicant/owner as per the guidelines specified in DGCA Civil Aviation Requirement Series B Part -1 Section 4, in co-ordination with and to the satisfaction of the Airport Operator/Airport Director.
 - c) Any Temporary structure such as crane, being used for the purpose of construction, should not exceed the permissible top elevation without the written permission of the Airport Operator/Airport Director.

DSK Real Estate Ltd. is obligated to implement safety measures in coordination with the Airport Director, Kolkata Airport and In-charge, Behala Airport.

The NOC letter will not be revalidated any further.

(Sandip Basu)
Jt.General Manager(Aero)ER
For General Manager(ATM)ER