

3



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Haranjit Singh, Taranjit Singh, Amrik Singh, Northern Cargo Services, Narula Infrastructure Pvt. L Date: 27-07-2017

20, B.T. Road, P.S.-Chitpur,
Kolkata-700002

System Generated Auto Assessment for Height Clearance

1. Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR 751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations has assessed the site data filled by the applicant.

2. Assessment details for Height Clearance:

NOCID : **BEHA/EAST/B/072717/234908**

Applicant Name : **Anirban Bakshi**

Type of Structure : **Building**

Site Address : **338, Brijji Road, R.S. plot no.-13, R.S. Khatian no.-106, J.L. no.-26, P.S.-Patuli, Ward no.-110, Borough-XI under KMC, Kol-700094**

Site Coordinates : **88 23 31.89-22 28 38.53, 88 23 32.374-22 28 39.080, 88 23 32.923-22 28 38.034, 88 23 33.241-22 28 38.357,**

Site Elevation AMSL in **10 M**
Mtrs as Submitted by
Applicant:

Your site is located at a distance 10636 mts from ARP and lies in the grid W19 of the published CCZM of Behala airport. The Permitted top elevation for this grid is 150 mts.

Since the requested top elevation 62 mts in AMSL is below CCZM permitted top elevation, the NOC for height clearance is not required from Airports Authority of India.

3. This assessment is subject to the terms and conditions as given below:

a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the one, provided by the applicant, this NOC will become invalid.

b. The assessment is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

c. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This assessment for height is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

d. This assessment has been issued w.r.t. the Civil Airports as notified in GSR 751(E). Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport.

Page 1/2



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

This assessment is system auto generated and thus does not require any signature

Designated Officer

Region Name: EAST

Address: General Manager Airports
Authority of India, Regional
Headquarter, Eastern Region,
N.S.C.B.I Airport,
Kolkata-700052

Email ID: gmatmer@aai.aero

Contact No: 033-25111293

Page 2/2

भारतीय सर्वेक्षण विभाग
SURVEY OF INDIA

BY HAND

दूरभाष Telephone
कार्यालय Office - 2287-5732/5733
फैक्स Fax - 2280-0196
ई-मेल E-mail -



पश्चिम बंगाल एवं सिक्किम
भू-स्थानिक आंकड़ा केंद्र
WEST BENGAL AND SIKKIM
GEO-SPATIAL DATA CENTRE
13, वुड स्ट्रीट, 13, WOOD STREET,
कोलकाता-16, KOLKATA -16.
(प.ब.) (W.B.) भारत INDIA

सं० No. T- 2064 /42-A(BCM)(Genl)

तारीख Date: 19.05.2017

To
HARANJIT SINGH, TARANJIT SINGH, AMRIK SINGH,
NORTHERN CARGO SERVICE, NARULA INFRASTRUCTURE PVT. LTD.
20, B.T. ROAD, P.S.- CHITPUR,
KOLKATA-700002.

SUB : SUPPLY OF AIRPORT N.O.C. - REG.

Ref. : Your Letter No.TCG/SI/01 dated 18.05.2017.

Sir,


With reference to your letter cited above it is intimated that the estimated cost to provide proposed data (Co-ordinates, Height and distance of four points) is Rs.33,000/- (Rupees thirty three thousand only).

So, you are requested to deposit Rs. 33,000/- (Rupees thirty three thousand only) in the under mentioned bank account through NEFT/RTGS only :-

Name of the Account Holder : RPAO, Kolkata
Name of the Bank : Union Bank of India, 15, India Exchange Place, Kolkata - 700001
Nature of Account : Receipt / Challan
Bank Account No. : 301602840903000
IFS Code : UBIN0530166
MICR Code : 700026003

Print out of e-receipt with Bank Name, Branch Name, UTR No., Date of Deposit etc. be submitted in this office mentioning the NEFT transaction ID.

If the Indenter and the Depositor is different, then authorization letter must be submitted.


(RUP KUMAR DAS)
OFFICER SURVEYOR
TECHNICAL OFFICER
FOR DIRECTOR



Northern Cargo Service

20, B. T. Road, Kolkata - 700 002
Phone : 2258-2559, Fax : 2557-5409
E-mail : northerncargoservice@gmail.com

To
The Manager,
Corporation Bank
Dharmotolla
Kolkata

DT: 30.05.2017

Re: A/c: 015201601000066

Sub: Request for 'RTGS/NEFT' in Favour of 'RPAO, KOLKATA'

Dear Sir,

Please find a cheque bearing no: 814650 dated 30/05/2017 for Rs 33,000/- (Thirty Three Thousand Only) for transferring the proceeds through 'RTGS'/NEFT Details of the favouring drawee is as under:

NAME : RPAO, KOLKATA
BANK : UNION BANK OF INDIA
BRANCH : INDIA EXCHANGE PLACE, KOL-1.
A/C NO : 301602840903000
IFSC CODE : UBIN0530166

Please do the needful and oblige.

Thanking You,

Yours faithfully.

For Northern Cargo Service

Partner

