



PROJECT: PROPOSED B-G+XII+SERVICE FLOOR (IN BETWEEN 10TH & 11TH FLOOR) STORED RESIDENTIAL BUILDING AT PREMISES NO- 46, SHAKESPEARE SARANI, WARD NO- 63, BOROUGH NO- VII, KOLKATA-700 017, WITHIN THE KOLKATA MUNICIPAL CORPORATION.

ARCHITECTS: MAHESHWARI & ASSOCIATES  
 RAJ BABA  
 37A, BAKER ROAD, 2ND FLOOR, ALIPORE, KOLKATA-72  
 TEL.: 65228584, www.architectmaheshwari.com

CONTENTS: ELEVATIONS & SECTIONS

SUBMISSION DRAWING

| NORTH            | DRG. NO. | MA/AR/HA/BR/ND/SUB/DS |
|------------------|----------|-----------------------|
| REV. DATE        | REV. NO. |                       |
| SCALE: 1:100     | DEALT    | M.B.                  |
| DATE: 15.07.2021 | CHECKED  | B.M.                  |

- NOTES:
1. ALL DIMENSIONS ARE IN MM, UNLESS OTHERWISE MENTIONED.
  2. ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125 THK. IF NOT STATED IN 1:4 CEMENT SAND MORTAR.
  3. ALL ELEVATION PROJECTIONS ARE 600 MM, PROJECTED.
  4. DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
  5. GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe500 RESPECTIVELY.
  6. R.C.C. FRAMED STRUCTURE.
  7. ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN.
  8. FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C. 2016 TO BE FOLLOWED.
  9. OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:7.
  10. DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C. (1:2:4).

I DO HEREBY DECLARE WITH FULL RESPONSIBILITY THAT I DO HEREBY DECLARE WITH FULL RESPONSIBILITY THAT I SHALL ENGAGE U.S.A. E.S.E. G.T.E. & S.R. DURING CONSTRUCTION. I SHALL FOLLOW THE INSTRUCTION OF U.S.A. E.S.E. G.T.E. & S.R. DURING CONSTRUCTION OF THE BUILDING (AS PER PLAN) & M.C. AUTHORITY WILL NOT BE RESPONSIBLE FOR STRUCTURAL STABILITY OF THE BUILDING & ADJOINING STRUCTURE IF ANY SUBMITTED DOCUMENT ARE FAKE. THE M.C. AUTHORITY WILL PROVIDE THE SANCTION PLAN. THE CONSTRUCTION OF U.S.W. IS TAKEN UNDER THE GUIDANCE OF ARCHITECTS BEFORE STARTING OF BUILDING FOUNDATION.

ANAND NEOTIA  
 CONSTITUTED ATTORNEY  
 OF FAMILY PROPERTIES  
 NAME OF OWNER

UNDERSIGNED HAS INSPECTED THE SITE AND CARRIED OUT SOIL INVESTIGATION THEREON. IT IS CERTIFIED THAT THE EXISTING SOIL OF THE SITE IS ABLE TO CARRY THE LOAD COMING FROM THE PROPOSED CONSTRUCTION AND THE FOUNDATION SYSTEM PROPOSED HEREIN IS SAFE & STABLE IN ALL RESPECT FROM GEO-TECHNICAL POINT OF VIEW.

JISHU PAL  
 NO. 132  
 NAME OF G.T.E.

SANJIV GUHA  
 E.S.R. NO. - ESR/188/16  
 NAME OF STRUCTURAL REVIEWER

SANJIV J. PAREEK  
 E.S.E. NO. - 1104  
 NAME OF STRUCTURAL ENGINEER

NAME OF ARCHITECT: KAMAL KUMAR PERMAL  
 CA-95-18679  
 NAME OF ARCHITECT

BUILDING PERMIT NO: 2022070065  
 DATE: 23.07.2022  
 VALID UP TO: 22.07.2027  
 DIGITAL SIGNATURE OF SANCTIONING AUTHORITY  
 SIGNATURE OF ASSISTANT ENGINEER (C)  
 SIGNATURE OF EXECUTIVE ENGINEER (C)