

SITE PLAN
SCALE 1 : 100

EAST SIDE ELEVATION
SCALE 1 : 100

FRONT (SOUTH) ELEVATION
SCALE 1 : 100



SECTION R-R
SCALE 1 : 100



SECTION P-P
SCALE 1 : 100



ROOF PLAN
SCALE 1 : 100



SECTION S-S



PLAN OF CHLORINATING CHAMBER
SCALE 1 : 100

PLAN OF SEPTIC TANK
SCALE 1 : 50



125 TH. BRICK WALL FOUNDATION
SCALE 1 : 10

SECTION THR. C-C



TYP. COLUMN FOOTING STRUCTURAL DETAIL
SCALE : 1:50





TABLE FOR SEPTIC TANK				
NO OF USERS	L1	L2	B	F
SEPTIC TANK 100 USERS	3800	1900	2100	1400

TREE COVER CALCULATION

PERMISSIBLE:
(2820.55 X 15%)/ 6000 = 7.05%
1128.45 X 7.05% = 79.56 sqm.
PROPOSED:
84.61 sqm.

WASTE WATER DISCHARGE CALCULATION

THIS IS TO STATE THAT THE WASTE WATER RECYCLING SYSTEM WILL NOT BE REQUIRED FOR THE FOLLOWING BUILDING AS THE TOTAL WASTE WATER DISCHARGE IS LESS THAN 40,000 LTRS PER DAY CONSIDERING DISCHARGE WATER = (4 PERSONS X 130 LTR.X8 TENEMENT) +(6 PERSONS X130 LTR5X16 TENEMENT)= 13040 LTRS.



GROUND FLOOR PLAN
SCALE : 1:100