FOI-1288

FORM 4

[See Rules 9(3) and 10(5)]

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.1

PERMIT NO. P14190440018660000001TSE

1. (a) Name of the applicant (user)

(b) Son/Daughter of

(c) Address of the applicant

(d) Category of farmer (Please tick) (in case of irrigation well)

(e) Serial No. of application Form and date of submission

(f) Specimen signature of the user

Location particulars—

(a) District

(b) Block, Mouza, J. L. No., Plot No.

(c) Municipality/Corporation Ward No./Borough No., Holding No.

Particulars of the proposed well and pumping device

(a) Type of the well

(b) Approx. depth of the well (m)

(c) Purpose of the well

(d) Assembly size (for tube well)

(e) Approx. strainer length (for tube well)

(f) Diameter (for dug well)

(g) Type of pump to be used

(h) H. P. of the pump

Operational device

Rate of withdrawal (m3/hr.)

(k) Maximum allowable running hours per day

Shri/Smt. Chetak Vyapar (P) Ltd

0)4561

N.A.

: Khamar & Bishnupur, PO& PS-Rajarhal Small Farmer/Marginal Farmer/Others

:BP/A-0780, SI-NO-35; 10.2.2016

Rajarhat; Bishnupur; 44; 186.

Tube well

Infrastructure

mm.X 150 mm.

M.A.m.

Submersible

Electric Motor

4hors/day

This permit authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground Geological sunning hours / day as shown at SI. (3) (k), and is valid subject to water at a rate not exceeding that as shown at S1. (3)(1) the observance of the conditions stated overleaf,

Place: North 24 Parganas

Date: 03.10.16

Conditions :

(1) In case of any change of ownership of the proposed well, fro

No change of location, design, rate of withdrawal and pumping made without prior permission of the Competent Authority. A

In case, any of the particulars / information furnished by the at any subsequent stage, this permit is liable for cancellation

Any other condition imposed by the concerned Authority.

Geologist &

Member Secretary D.L.A. North 24 Pargar

proposed well as indi Geological Sub-Disnit shall lead to cancellation of this perbarases or issuance of this permit is found to be incorrect during verification

Signature of the Issuing Authority

- Roof Top Rain Water harvesting for surface storage.
- Excavation of pond of size 150 ft X 50 ft with 2 m depth.
- Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
- The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydrogeological conditions that may prevail afterwards.
- 5. Arrangement of water meter conforming to ISO standards should be installed at the outlet point of tube well discharge for daily water consumption. The user should maintain a log book for daily water withdrawal which may be monitored by the Govt. representatives in a regular manner.
- 6. STP & recycling of the treated water.
- 7. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges /taxes for drawls of ground water on annual basis, should be borne by the applicants for operating their tube wells in a continuous manner.
- Metering System is necessary to ascertain the quantity of water utilize (daily log book to be maintained by the users).
- One observation well should construct to know the availability & impact of ground water withdrawal on water table of that area.

Specifications:

- a. Size 2" upto a depth to be used as bore well
- b. Pin point location will be identified by the SWID representatives.
- The cost will be borne by the user.

Geologist & Member Secretary, DLA, Barasat

Geological Sub Division No. III/D

S.W.I.D., Barasat

FORM 4

[See Rules 9(3) and 10(5)]

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY) PERMIT FOR SINKING OF NEW WELL

0) 4563

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]

PERMIT NO. PH 1904400115 000000 1756

1. (a) Name of the applicant (user)

(b) Son/Daughter of

(c) Address of the applicant

(d) Category of farmer (Please tick) (in case of irrigation well)

(e) Serial No. of application Form and date of submission

(f) Specimen signature of the user

Location particulars-

(a) District

(b) Block, Mouza, J. L. No., Plot No.

(c) Municipality/Corporation Ward No./Borough No., Holding No.

Particulars of the proposed well and pumping device

(a) Type of the well

(b) Approx. depth of the well (m)

(c) Purpose of the well

(d) Assembly size (for tube well)

(e) Approx. strainer length (for tube well)

(f) Diameter (for dug well)

(g) Type of pump to be used

(h) H. P. of the pump

Operational device

Rate of withdrawal (m3/hr.)

(k) Maximum allowable running hours per day

Shri/Smt. Chetak Vyapaz (p) Ltd.

M-A.

Khamouz & Bishnupwz, POS PS- Rajouzhod, Small Farmer/Marginal Farmer/Others ta-700135.

BP/A-0779, SI-NO-37; 10-2-2016.

Jagen A Sanglin

North 24 Pargornes. Rajarhot; Bishnupur; 44; 115.

Tube well

>60 m

Infra Asseture

M.A.m.

Submorsible.

Electric Motor

4 hrs/day

This permit authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground one sping hours / day as shown at Sl. (3) (k), and is valid subject to water at a rate not exceeding that as shown at SI. (3)(j) 33 the observance of the conditions stated overleaf.

Place: North 24 Pangaman. Date: 03.10.2016

Conditions :

In case of any change of ownership of the proposed well, fres

No change of location, design, rate of withdrawal and pumping de (2) made without prior permission of the Competent Authority. An

In case, any of the particulars / information furnished by the a at any subsequent stage, this permit is liable for cancellation.

Any other condition imposed by the concerned Authority.

Sigr Gue Charles ang Authority Member Secretary D.L.A. North 24 Parganas
obtained. Geological Sub-Divn. IIID
proposed well as indicated at SI. Blood Spot this certificate shall be

issuance of this permit is found to be incorrect during verification

- 1. Roof Top Rain Water harvesting for surface storage.
- Excavation of pond of size 150 ft X 50 ft with 2 m depth.
- Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
- The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydro geological conditions that may prevail afterwards.
- 5. Arrangement of water meter conforming to ISO standards should be installed at the outlet point of tube we discharge for daily water consumption. The user should maintain a log book for daily water withdrawal which me be monitored by the Govt. representatives in a regular manner.
- 6. STP & recycling of the treated water.
- 7. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges /taxes for drawl ground water on annual basis, should be borne by the applicants for operating their tube wells in a continuanner.
- Metering System is necessary to ascertain the quantity of water utilize (daily log book to be maintained by users).
- One observation well should construct to know the availability & impact of ground water withdrawal on water to
 of that area.

Specifications:

- a. Size 2" upto a depth to be used as bore well
- b. Pin point location will be identified by the SWID representatives.

c. The cost will be borne by the user.

Geologist & Member Secretary, DLA, Barasat

Geological Sub Division No. III/D

S.W.I.D., Barasat

F9-1289

[See Rules 9(3) and 10(5)]

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)

PERMIT FOR SINKING OF NEW WELL

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]

PERMIT NO PH 9044006860000001TSE

1. (a) Name of the applicant (user)

(b) Son/Daughter of

(c) Address of the applicant

(d) Category of farmer (Please tick) (in case of irrigation well)

(e) Serial No. of application Form and date of submission

(f) Specimen signature of the user

Location particulars—

(a) District

(b) Block, Mouza, J. L. No., Plot No.

(c) Municipality/Corporation Ward No./Borough No., Holding No.

Particulars of the proposed well and pumping device

(a) Type of the well

(b) Approx. depth of the well (m)

(c) Purpose of the well

(d) Assembly size (for tube well)

(e) Approx. strainer length (for tube well)

(f) Diameter (for dug well)

(g) Type of pump to be used

(h) H. P. of the pump

Operational device

(k) Maximum allowable running hours per day

Rate of withdrawal (m3/hr.)

(k) Maximum allowable running hours per day

Livis / day

This permit authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground hours / day as shown at Sl. (3) (k), and is valid subject to water at a rate not exceeding that as shown at Sl. (3)(j) ap

the observance of the conditions stated overleaf.

Place: North 24 Pargenas

03.10.16 Date:

Conditions :

In case of any change of ownership of the proposed well, fresh r No change of location, design, rate of withdrawal and pumping device

made without prior permission of the Competent Authority. Any In case, any of the particulars / information furnished by the ap

at any subsequent stage, this permit is liable for cancellation,

Any other condition imposed by the concerned Authority

Shri/Smt. Chetak Vyapovz (P) Ltd.

0) 4562

N.A.

Khamar & Bishnupur, PO&PS-Rajarhat; Small Farmer/Marginal Farmer/Others -700

BP/A-0780-SL-HO-38; 10-2-2016

en · A · Songen

North 24 Porgamas.

Rajarhat; Bishnupwz: 44; 680

Tube wold

>60m

Infrastructure

M.A.m.

Submersible

Electrice Motor.

L.A. North 24 Pare

d shall lead to cancellation of this permit.

or issuance of this permit is found to be incorrect during verification

- 1. Roof Top Rain Water harvesting for surface storage.
- 2. Excavation of pond of size 150 ft X 50 ft with 2 m depth.
- Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
- The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydrogeological conditions that may prevail afterwards.
- Arrangement of water meter conforming to ISO standards should be installed at the outlet point of tube well discharge for daily water consumption. The user should maintain a log book for daily water withdrawal which may be monitored by the Govt. representatives in a regular manner.
- 6. STP & recycling of the treated water.
- 7. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges /taxes for drawls of ground water on annual basis, should be borne by the applicants for operating their tube wells in a continuous manner.
- 8. Metering System is necessary to ascertain the quantity of water utilize (daily log book to be maintained by the users).
- One observation well should construct to know the availability & impact of ground water withdrawal on water table of that area.

Specifications:


- a. Size 2" upto a depth to be used as bore well
- b. Pin point location will be identified by the SWID representatives.
- c. The cost will be borne by the user.

(3/03/6/

Geologist & Member Secretary, DLA, Barasat

Geological Sub Division No. III/ D

S.W.I.D., Barasat



FORM 4

(See Rules 9(3) and 10(5),

(EMBLEM OR HOLOGRAM OF THE CONCERNED AUTHORITY)
PERMIT FOR SINKING OF NEW WELL

0 14560

[U/S 7(3)(b) / 7(4)(b) / 7(5)(a) of the West Bengal Ground Water Resources (Management, Control and Regulation) Act 2005.]

PERMIT NO. P1419029004530000001 TSE

1. (a) Name of the applicant (user)

(b) Son/Daughter of

(c) Address of the applicant

(d) Category of farmer (Please tick) (in case of irrigation well)

(e) Serial No. of application Form and date of submission

(f) Specimen signature of the user

2. Location particulars-

(a) District

(b) Block, Mouza, J. L. No., Plot No.

(c) Municipality/Corporation
Ward No./Borough No., Holding No.

. Particulars of the proposed well and pumping device

(a) Type of the well

(b) Approx. depth of the well (m)

(c) Purpose of the well

(d) Assembly size (for tube well)

(e) Approx. strainer length (for tube well)

(f) Diameter (for dug well)

(g) Type of pump to be used

(h) H. P. of the pump

(i) Operational device

(i) Rate of withdrawal (m3/hr.)

(k) Maximum allowable running hours per day

Shri/Smt. Chetak Wapar (1) Ltd.

M.A.

: Khamar & Bishnupwz, PO & PS-Rajorhat,

Small Farmer/Marginal Farmer/Others

entre Control (1997), sella del Maria de Maria del M

:BP/A-0774, SL-NO-38; 10.2.2016.

Segen · A. Seym

North 24 Parganas.

Rajarkat; Khamaz; 29; 453;

Tube well

> gom

Infrastructure

100 mm X 150 mm.

m.

M.A.m.

Submersible

3.5

Electric Molon

30

Eberaldon

This permit authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3)(j) and for running hours / day as shown at Sl. (3) (k), and is valid subject to the observance of the conditions stated overleaf.

Place: North 24 Parganas

Date: 03.16.16

Conditions:

(1) In case of any change of ownership of the proposed well, free

(2) No change of location, design, rate of withdrawal and pumping d made without prior permission of the Competent Authority. Any

(3) In case, any of the particulars / information furnished by the a at any subsequent stage, this permit is liable for cancellation.

(4) Any other condition imposed by the concerned Authority

Sov. of WB

Signature of the Strate Authority
Member Secretary
D.L.A. North 24 Parganas

Geological Sub-Divn. IIID

e proposed well as indicated at SI. (2Bates at this certificate shall be a shall lead to cancellation of this permit.

for issuance of this permit is found to be incorrect during verification

- Roof Top Rain Water harvesting for surface storage.
- Excavation of pond of size 150 ft X 50 ft with 2 m depth.
- Chemical Quality Test Report from BIS approved Laboratory in each year to be submitted to the Geologist & Member Secretary, DLA.
- The Certificate of Permit will be reviewed in every year from the date of issuance of Permit-based on local hydrogeological conditions that may prevail afterwards.
- 5. Arrangement of water meter conforming to ISO standards should be installed at the outlet point of tube well discharge for daily water consumption. The user should maintain a log book for daily water withdrawal which may be monitored by the Govt. representatives in a regular manner.
- STP & recycling of the treated water.
- 7. The enhanced rate if any in future (including the rates revised retrospectively) of fees/ charges /taxes for drawls of ground water on annual basis, should be borne by the applicants for operating their tube wells in a continuous manner.
- Metering System is necessary to ascertain the quantity of water utilize (daily log book to be maintained by the users).
- One observation well should construct to know the availability & impact of ground water withdrawal on water table of that area.

Specifications:

- a. Size 2" upto a depth to be used as bore well
- b. Pin point location will be identified by the SWID representatives.
- c. The cost will be borne by the user.

Geologist & Member Secretary, DLA, Barasat

Geological Sub Division No. III/ D

S.W.I.D., Barasat