NOTE:- EXISTING ROAD LVL.-50 PROPOSED FGL. +100 FROM EXISTING ROAD LVL.

KEY PLAN
SCALE -1:4000

SITE PLAN
SCALE -1:600

MASTER PLAN
(SHOWING THE TYPICAL FLOOR PLAN)

PUBLIC OPEN SPACE
AREA REQUIRED : 3828.63 SQM. (8%)
AREA PROVIDED: 3965.56 SQM. (8.3%)

RESERVED FOR FACILITIES
AREA REQUIRED: 3350.05 SQM. (7%)
AREA PROVIDED: 3399.74 SQM. (7.13%)

APPROVED
Plan No.:- Isolapur/plot/sr/2018/212 Dated:- 24/11/2018
Memo No.:- 1025 Dated:- 24/11/2018
Mallay Kumar Pal
Assistant Engineer incharge P.M.D
Dr. Pabitr Das
Chairman
RAJPUR-SONARPUR MUNICIPALITY

FOR OFFICE USE

RAJPUR-SONARPUR MUNICIPALITY

Checked by
Sub-Assistant Engineer
Local Office Engineer-in-Charge
RAJPUR-SONARPUR MUNICIPALITY

SIGN OF S.A.E

CHECKED BY	SCALE	SHEET SIZE	DRAWING NO	DATE
SIGNATURE REMARK	1:600	A0	SHEET NO 2 OF 12	05.02.2019
NORTH				

SHEET TITLE
MASTER PLAN (SHOWING THE TYPICAL FLOOR PLAN),
SITE PLAN & KEY PLAN

ARCHITECT
Subir Kumar Basu
CONSULTING ARCHITECTS & ENGINEERS
4, BROAD STREET
KOLKATA-700019

BUILDING SANCTION NO. -120/CB/08/18
DATED- 24/04/2015, 194/REV/CB/08/16
DATED-20/01/2017
DIST.-24 PARGANAS (S),KOLKATA-700150
MUNICIPALITY,WARD NO. -8.
MOUZA- JAGANNATHPUR,NISCHINTAPUR,
TEHARI ,L.L. NO.- 51,53,52 P.S. - SONARPUR
UNDER RAJPUR - SONARPUR
1365, 1340, 1005, 345, 671, 669, 2480, 948,
446, 448, 436, 436, 447, 1-101 R, KHATIAN NO -1257,895,
484, 463, 463, 490, 454, 476, 475, 481, 473, 500, 437, 434,
480, 460, 461, 450, 460, 494, 501, 497, 498, 505, 499, 452, 483,
NO. -477,479, 462, 458, 483, 496, 491, 492, 449, 495, 487, 488,

PROJECT NAME:
PROPOSED ALTERATION & ADDITION OF ONE FLOOR OVER G+11 STORIED RESIDENTIAL BUILDING TOWERS (EXCEPT TOWER 1 & 2) AT HOLDING NO. 111, L.R.DAG

SIGN OF ARCHITECT
INDRANIL BASU
Registered Architect
Registration No.- CA/2011/51032

SIGN OF OWNER
Director
For DEVALOKE DEVELOPERS LTD.

OWNER : DEVALOKE DEVELOPERS LTD.

SIGN OF STRUCTURAL ENGINEER
M.Sc. (CE)
B.E.E. (Electrical), Jadavpur U.N.
A.M.I.E. (Civil & Structural), Calcutta
ASE/ Executive (Structural Design)
Eastern Railway
M.I.V.I. / 2005 / 1
Mayukh Sen

I HAVE ATTENDED / CHECKED THE GENERAL DRAWING AND DESIGN DETAILS OF THIS PROJECT WHICH HAS BEEN DONE CONFORMING RESPECTIVE I.S. CODE INCLUDING ANNEX AND THE ANNUAL BUILDING CODE OF INDIA AND ENFORCED AT PRESENT. NOTE IS TAKEN AND I'M SATISFIED THAT THE DESIGN ADOPTED IS SAFE & STABLE AGAINST ANY RISKING AND LATERAL LOAD AND WILL BE IN FOR WORKABLE USE

SIGN OF G.E.O. (TECHNICAL ENGINEER)
ALOK ROY
Executive Director(Technical Services)
Rajpur-Sonarpur Municipality
No.- 588 / DTC Eng.- Cell-1

SPECIFICATIONS:
1. EXCAVATION TO BE DONE UP TO REQUIRED DEPTH AS PER SOIL CONDITION.
2. ALL CONCRETE WORK SHALL BE DONE WITH MINIMUM M15 GRADE CONCRETE.
3. ALL BRICK WORK SHALL BE DONE WITH CEMENT MORTAR RATIO 1:6 AND 12.5 MM THICK PLASTER WITH CEMENT MORTAR RATIO 1:4 FOR INTERNAL SURFACE AND 1:3 FOR EXTERNAL SURFACE.
4. CEMENT TO BE USED IN RCC WORKS IS ORDINARY PORTLAND CEMENT.
5. ALL CONCRETE OF RCC WORKS IS DESIGNED BY REGISTERED STRUCTURAL ENGINEER.
6. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
7. ALL CONCRETE WORKS SHALL BE CURED FOR MINIMUM 14 DAYS AFTER CASTING.
8. ALL CONCRETE WORKS SHALL BE DONE UNDER THE SUPERVISION OF QUALIFIED ENGINEER.
9. ALL CONCRETE WORKS SHALL BE DONE WITH MECHANICAL VIBRATOR.
10. ALL STEEL REINFORCEMENT SHALL BE FREE FROM RUST, OIL AND GREASE.
11. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
12. ALL CONCRETE WORKS SHALL BE DONE WITH MECHANICAL VIBRATOR.
13. ALL CONCRETE WORKS SHALL BE CURED FOR MINIMUM 14 DAYS AFTER CASTING.
14. ALL CONCRETE WORKS SHALL BE DONE UNDER THE SUPERVISION OF QUALIFIED ENGINEER.
15. ALL BRICK WORK SHALL BE DONE WITH MINIMUM M15 GRADE CONCRETE.
16. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
17. ALL CONCRETE WORKS SHALL BE CURED FOR MINIMUM 14 DAYS AFTER CASTING.
18. ALL CONCRETE WORKS SHALL BE DONE UNDER THE SUPERVISION OF QUALIFIED ENGINEER.
19. ALL BRICK WORK SHALL BE DONE WITH MINIMUM M15 GRADE CONCRETE.
20. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
21. ALL CONCRETE WORKS SHALL BE CURED FOR MINIMUM 14 DAYS AFTER CASTING.
22. ALL CONCRETE WORKS SHALL BE DONE UNDER THE SUPERVISION OF QUALIFIED ENGINEER.
23. ALL BRICK WORK SHALL BE DONE WITH MINIMUM M15 GRADE CONCRETE.
24. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
25. ALL CONCRETE WORKS SHALL BE CURED FOR MINIMUM 14 DAYS AFTER CASTING.
26. ALL CONCRETE WORKS SHALL BE DONE UNDER THE SUPERVISION OF QUALIFIED ENGINEER.
27. ALL BRICK WORK SHALL BE DONE WITH MINIMUM M15 GRADE CONCRETE.
28. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
29. ALL CONCRETE WORKS SHALL BE CURED FOR MINIMUM 14 DAYS AFTER CASTING.
30. ALL CONCRETE WORKS SHALL BE DONE UNDER THE SUPERVISION OF QUALIFIED ENGINEER.

THE STRUCTURAL DESIGN & DRAWING OF BOTH FOUNDATION & SUPERSTRUCTURE OF THE BUILDING AS PER THE NATIONAL BUILDING CODE OF INDIA & CERTIFIED THAT IT IS SAFE & STABLE IN ALL RESPECT.

DETAIL AREA CALCULATION OF PHASE-3

SANCTION FLOOR AREA	EXISTING FLOOR AREA	PROPOSED FLOOR AREA
NO. OF FLOORS G+11	G+11	G+12
GR. FLOOR 4338.08 SQM	4338.08 SQM	
TYPICAL FLOOR 4252.26 SQM	4252.26 SQM	
TOTAL 47651.04 SQM	47651.04 SQM	