


← 9 M WIDE INTERNAL ROAD →



DOOR SCHEDULE		
MKD	WIDTH	LINTEL
FCD	1000	2100
FCD1	1200	2100
D1	750	2400
D2	900	2400
D3	1000	2400
D4	1200	2400
D5	1500	2400
D6	1800	2400

WINDOW SCHEDULE			
TYPE	WIDTH	HEIGHT	REMARKS
W1	1800	1650	GLAZED SHUTTER
W2	1500	1650	DO
W3	1450	1300	DO
W4	1200	1650	DO
W5	1000	1100	DO
V1	600	900	DO
V2	900	900	DO

NOTE - LINTEL LEVEL FOR V1 & V2 IS 2100 MM.

DECLARATION OF ARCHITECT

CERTIFIED WITH FULL RESPONSIBILITY THAT THE BUILDING PLAN HAS BEEN DRAWN UP AS PER PROVISION OF K.M.C. BUILDING RULES 2009 AS AMENDED FROM TIME TO TIME AND THAT THE SITE CONDITIONS INCLUDING THE WIDTH OF THE ABUTTING ROAD CONFORM WITH THE PLAN AND WHICH HAS BEEN MEASURED AND VERIFIED BY ME.

IT IS A BUILDABLE SITE AND NOT A TANK OR FILLED UP TANK

V. Chadha
Architect
Council of Architects
Regd. No. - CA/88/1176
V. CHADHA
ARCHITECT
REGD. NO. CA/88/1176
SIGNATURE OF ARCHITECT

DECLARATION OF STRUCTURAL ENGINEER

THE STRUCTURAL DESIGN AND DRAWING OF BOTH FOUNDATION AND SUPER STRUCTURE OF THE BUILDING HAS BEEN MADE BY ME CONSIDERING ALL POSSIBLE LOADS INCLUDING SEISMIC LOAD AS PER THE NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT IT IS SAFE AND STABLE IN ALL RESPECTS. SOIL TESTING HAS BEEN DONE BY MR. JISHNU PAL (M/S SPM GEOSURVEY, 628 MM GHOSH ROAD, KOLKATA-700014) THE RECOMMENDATION OF SOIL TEST REPORT HAS BEEN CONSIDERED DURING STRUCTURAL CALCULATIONS.

SANJIV J. PAREKH
M.E. (STRUCT.), M.E. (CONSTR. ENGRG.),
B.C.E., FIE (F-0182024),
E. S. E. No. 104 (1) K.M.C.
SANJIV J. PAREKH
E.S.E. NO. 104 (1) K.M.C.
SIGNATURE OF STRUCTURAL ENGINEER

SANJIB GUHA
BSC, BCE, FIE (F-15654-5)
CHARTERED ENGINEER
ENLISTED STRUCTURAL
REVIEWER 88/16 K.M.C. (SANJIB GUHA
E.S.E. NO. 1/88 K.M.C.
SIGNATURE OF STRUCTURAL REVIEWER

UNDERSIGNED HAS INSPECTED THE SITE AND CARRIED OUT SOIL INVESTIGATION THEREON. IT IS CERTIFIED THAT THE EXISTING SOIL OF THE SITE IS ABLE TO CARRY THE LOAD COMING FROM THE PROPOSED CONSTRUCTION AND THE FOUNDATION SYSTEM PROPOSED HEREIN IS SAFE & STABLE IN ALL RESPECT FROM GEO-TECHNICAL POINT OF VIEW.

JISHNU PAL
B.Tech (Civil), M.E (Geo-tech)
K.M.C. Reg. No. G.T/11/32
G.TER/NKDA/10/0043
22/RJ/SN/G-T-1/2016
HMC Reg. No. 88/16 K.M.C. (JISHNU PAL-G.T./11/32)
SIGNATURE OF GEO TECH ENGINEER

DECLARATION OF OWNER

I DO HEREBY DECLARE WITH FULL RESPONSIBILITY THAT I SHALL ENGAGE ARCHITECT & E.S.E DURING CONSTRUCTION. I SHALL FOLLOW THE INSTRUCTIONS OF ARCHITECT & E.S.E DURING CONSTRUCTION OF THE BUILDING (AS PER B.S PLAN). K.M.C. AUTHORITY WILL NOT BE RESPONSIBLE FOR STRUCTURAL STABILITY OF THE BUILDING AND ADJOINING STRUCTURE IF ANY SUBMITTED DOCUMENTS ARE FOUND TO BE FAKE. THE K.M.C. AUTHORITY WILL REVOKE THE SANCTION PLAN THE CONSTRUCTION OF WATER RESERVOIR AND SEPTIC TANK WILL BE UNDERTAKEN UNDER THE GUIDANCE OF E.S. ARCHITECT BEFORE STARTING OF BUILDING FOUNDATION WORK. PLOT IS IDENTIFIED BY ME DURING INSPECTION.

Saumya Patodia
MR SAUMYA VARDHAN PATODIA
SIGNATORY OF
TRINITY INFAPARK LLP
SIGNATURE OF OWNERS

BLOCK 1 - GROUND FLOOR PLAN

BLOCK 1	BSP	CUT OUT & DUCTS	STAIRWAY	LIFT LOBBY	NET COVER AREA
BASMENT FLOOR	107.89	0	10.46	0	97.43
GROUND FLOOR	2099.50	0	32.25	12	2055.25
1ST FLOOR	1378.67	63.22	36	12	1267.45
2ND FLOOR	2099.50	103.31	36	12	1948.19
3RD FLOOR	2099.50	103.31	36	12	1948.19
4TH FLOOR	2099.50	103.31	36	12	1948.19
5TH FLOOR	2099.50	103.31	36	12	1948.19
6TH FLOOR	2082.62	103.31	36	12	1921.31
7TH FLOOR	2099.50	103.31	36	12	1948.19
8TH FLOOR	2099.50	103.31	36	12	1948.19
TOTAL	16255.68	786.39	330.71	108	17040.58

PROPOSED G+8 STORED (36 M) BUSINESS BUILDING FOR BLOCK 1,2,3; G+6 (25.2 M) ASSEMBLY BUILDING FOR BLOCK 4 AND G+5 STORED (22.185 M) FOR BLOCK 5 (CONSIDERING U/R 69A (1)(b) OF KMC BUILDING RULE-2009 READ WITH U/S - 393A OF KMC ACT 1980) AT PRE. NO.-22, GOBRA ROAD, P.S.- BENJAPUR, WARD NO.-59, BOROUGH-VII, KOLKATA-700014.

ARCHITECTS :
THE DESIGN CELL
2A, COOPER STREET
KOLKATA 700 026.

TITLE : BLOCK 1 - GROUND FLOOR PLAN			
DATE	SCALE	DRWG. NO.	DRAWN BY
18.05.18	1:100	01	

CERTIFIED COPY

Plan for Water Supply arrangement including S.E.M.I., G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection/sanction.

Before starting any Construction the site must conform with the plans sanctioned and all the conditions as proposed in the plan should be fulfilled. The validity of the written permission to execute the work is subject to the above conditions.

No rain water pipe should be fixed or discharged on Road or Footpath. Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work.

Design of all Structural Members including that of the foundation should conform to Standards specified in the National Building Code of India.

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building in case unfiltered water from street main is not available.

All Building Materials to be used & construction should conform to standards specified in the National Building Code of India.

Non-Commencement of Erection/ Re-Erection within Five year will Require Fresh Application for Sanction

DEVIATION WOULD MEAN DEMOLITION

THE SANCTION IS VALID U# TO 04.11.2023

CONSTRUCTION SITE SHALL BE MAINTAINED FREE FROM AIR POLLUTION ACCORDING TO UNDERTAKING SUBMITTED AS PER AMENDMENT DT. 31.01.2019 VIDE NO. 59/M/A/O/C/4/SR-72017 OF SCHEDULE-IV OF KMC BUILDING RULE 2009

Approved By: M.B.C. m.c.c. H.V. No. 557 dt. 05/03/2019
The Building Committee



APPROVED
Sd/-
ASSISTANT ENGINEER (C)
BOROUGH NO. VII

Approved subject to Compliance of requisition of West Bengal Fire Services, if any.

" Provision for use of solar energy in the form of solar heater and / or solar photo-cells shall be provided as required under Rule 147 of Building rules, 2009 and completion certificate will not be issued in case of building without having such provision "

The building materials that will be stacked on Road/Passage or Foot-path beyond 3-months or after construction of G. Floor, whichever is earlier may be seized forthwith by the K.M.C. at the cost and risk of the owner.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQ. TO BREEDING AS REQUIRED U/S 496 (1) & (2) OF C.M.C. ACT 1989. IN SUCH MANNER SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS, VATS, BASEMENT CURING SITES, OPEN RECEPTACLES ETC. MUST BE EMPYTED COMPLETELY TWICE A WEEK.

BUSINESS BUILDING

OFFICE OF THE EXECUTIVE ENGINEER,
BUILDING BOROUGH-VII
DATE: 04/01/23
THE K.M.C. CORPORATION

CERTIFIED COPY

KOLKATA MUNICIPAL CORPORATION
BUILDING DEPARTMENTS
CERTIFIED COPY OF B.S. PLAN
No. 2022070134 Dt. 05/11/23
Borough No. VII
Asstt. Engr. (C) Bldg. Br. VII K.M.C.
Executive Engineer Bldg. Br. VII K.M.C.



DOOR SCHEDULE	
MKO	WIDTH
FCD	1000
FCD1	1200
D1	750
D2	900
D3	1000
D4	1200
D5	1500
D6	1800

WINDOW SCHEDULE			
TYPE	WIDTH	HEIGHT	REMARKS
W1	1800	1650	GLAZED SHUTTER
W2	1500	1650	DO
W3	1450	1300	DO
W4	1200	1650	DO
W5	1000	1100	DO
V1	600	900	DO
V2	900	900	DO

NOTE - LINTEL LEVEL FOR V1 & V2 IS 2100 MM.

DECLARATION OF ARCHITECT
 I, THE ARCHITECT, HEREBY CERTIFY THAT THE BUILDING PLAN HAS BEEN PREPARED AND DRAWN IN ACCORDANCE WITH THE PROVISIONS OF THE BUILDING ACT, 1986 AND THE BUILDING REGULATIONS, 1987 AND THE NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT IT IS SAFE AND SOUND AND FIT FOR OCCUPANCY. I HAVE CONSIDERED THE ADJACENT BUILDINGS AND THE SITE CONDITIONS INCLUDING THE WIDTH OF THE ABUTTING ROAD CONFIRM WITH THE PLAN AND WHICH HAS BEEN MEASURED AND VERIFIED BY ME.
 IT IS A BUILDABLE SITE AND NOT A TANK OR FILLED UP TANK

SIGNATURE OF ARCHITECT
 V. Girish
 Registered Architect
 Reg. No. CH/81136
 V. CHANDRA
 ARCHITECT
 REG. NO. CAB/11784

DECLARATION OF STRUCTURAL ENGINEER
 THE STRUCTURAL DESIGN AND DRAWING OF BOTH FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING HAS BEEN PREPARED AND DRAWN IN ACCORDANCE WITH THE PROVISIONS OF THE BUILDING ACT, 1986 AND THE BUILDING REGULATIONS, 1987 AND THE NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT IT IS SAFE AND SOUND AND FIT FOR OCCUPANCY. I HAVE CONSIDERED THE ADJACENT BUILDINGS AND THE SITE CONDITIONS INCLUDING THE WIDTH OF THE ABUTTING ROAD CONFIRM WITH THE PLAN AND WHICH HAS BEEN MEASURED AND VERIFIED BY ME.
 IT IS A BUILDABLE SITE AND NOT A TANK OR FILLED UP TANK

SIGNATURE OF STRUCTURAL ENGINEER
 S. SAIVIJAY PAREKH
 S.E.E. NO. 10470 K.M.C.
 S. SAIVIJAY PAREKH
 REGISTERED STRUCTURAL ENGINEER
 REG. NO. 2184

SIGNATURE OF GEO TECH ENGINEER
 S. SAIVIJAY PAREKH
 S.E.E. NO. 10470 K.M.C.
 S. SAIVIJAY PAREKH
 REGISTERED GEO TECH ENGINEER
 REG. NO. 2184

SIGNATURE OF STRUCTURAL REVIEWER
 UNDESIGNED HAS INSPECTED THE SITE AND CARRIED OUT SOIL INVESTIGATION THEREON. IT IS CERTIFIED THAT THE EXISTING SOIL IS OF GOOD QUALITY AND THE FOUNDATION SYSTEM PROPOSED IS SAFE AND STABLE IN ALL RESPECTS FROM GEO-TECHNICAL POINT OF VIEW.

DECLARATION OF OWNER
 I, THE OWNER, HEREBY DECLARE WITH FULL RESPONSIBILITY THAT I SHALL BE RESPONSIBLE FOR THE CONSTRUCTION OF THE BUILDING IN ACCORDANCE WITH THE INSTRUCTIONS OF ARCHITECT & E.E. DURING CONSTRUCTION. I AM NOT RESPONSIBLE FOR THE STABILITY OF THE BUILDING AND ADJOINING STRUCTURE IF ANY COLLAPSE OCCURS DURING OR AFTER THE COMPLETION OF THE BUILDING. I WILL REVOKE THE SANCTION PLAN IN THE EVENT OF NON-COMPLIANCE WITH THE INSTRUCTIONS OF ARCHITECT & E.E. DURING CONSTRUCTION. I WILL REVOKE THE SANCTION PLAN IN THE EVENT OF NON-COMPLIANCE WITH THE INSTRUCTIONS OF ARCHITECT & E.E. DURING CONSTRUCTION.


ARCHITECTS :
 THE DESIGN CELL
 2A, COOPER STREET
 KOLKATA 700 026.

TITLE : BLOCK 2 - 6th FLOOR PLAN & EAST ELEVATION


DATE: 18.05.18
 SCALE: 1:100
 DRWG. NO.: 03
 DRAWN BY:

PROPOSED G + 8 STORED (36 M) BUSINESS BUILDING
 FOR BLOCK 2, 4 AND 5 STORED 152.85 M. BUILDING FOR BLOCK 4 AND 5 STORED 152.85 M. BUILDING FOR BLOCK 5 (CONSIDERING U/R 69A (4)(b) OF KMC BUILDING RULE 2009 READ WITH U/S - 393A OF KMC ACT 1980) AT PRE. NO. 22, GOBRA ROAD, P.S. - KOLKATA-700014.



ARCHITECTS :
 THE DESIGN CELL
 2A, COOPER STREET
 KOLKATA 700 026.



BLOCK 2 - EAST ELEVATION



BLOCK 2 - SIXTH FLOOR PLAN



CERTIFIED COPY

Plan for Water Supply arrangement including
S.E.M.U. G. & C. H. reference should be
submitted to the Engineer in Charge for
supply and the sanction obtained before
proceeding with the work of Water Supply and
sanction should be obtained before
proceeding with the work.

No other pipes should be laid or
discharged on Road or Footpath
except the Water Supply pipes. The
sanction obtained from the
Engineer in Charge should be
produced when the work is
commenced.

A suitable pump has to be provided
for lifting water from the main in the
building where water is not available.
The pump should be of the
following type:-

THE SANCTION IS VALID
FOR THE PERIOD OF 5 YEARS
FROM THE DATE OF ISSUANCE.

APPROVED
By: *[Signature]*
ASSISTANT ENGINEER (I)
BRISBANE, QLD.

CONSTRUCTION SITE SHALL BE MAINTAINED
TO PREVENT ROAD TO BE DAMAGED AS REQUIRED
BY THE BY-LAWS OF THE CORPORATION.
LIFT WELLS, SINKS, WASTEWATER COLLECTING SITES, OPEN
TRINCHES, ETC. MUST BE COVERED COMPLETELY
WITH ADEQUATE

BUSINESS BUILDING

CERTIFIED COPY

KOULATA MUNICIPAL CORPORATION
CERTIFIED COPY OF S.S. PLAN
No. 2022010 (14) D. 05/1/23

By: *[Signature]*
ASSISTANT ENGINEER (I)
BRISBANE, QLD.

Approved by: *[Signature]*
The Building Committee

APPROVED

BUSINESS BUILDING

OFFICE OF THE ENGINEER IN CHARGE
D. No. *05/1/23*
K.M.M.C.

DOOR SCHEDULE		
MKD	WIDTH	LINTEL
FCD1	1200	2100
D1	750	2400
D2	900	2400
D3	1000	2400
D4	1200	2400
D5	1500	2400
D6	1800	2400

WINDOW SCHEDULE			
TYPE	WIDTH	HEIGHT	REMARKS
W1	1800	1650	GLAZED SHUTTER
W2	1500	1650	DO
W3	1450	1300	DO
W4	1200	1650	DO
W5	1000	1100	DO
V1	600	900	DO
V2	900	900	DO

NOTE - LINTEL LEVEL FOR V1 & V2 IS 2100 MM.

DECLARATION OF ARCHITECT
 CERTIFIED WITH FULL RESPONSIBILITY THAT THE BUILDING PLAN HAS BEEN DRAWN UP AS PER PROVISION OF K.M.C. BUILDING RULES 2009 AND THE NATIONAL BUILDING REGULATIONS 1989. THE ARCHITECT HAS INCLUDED THE WIDTH OF THE METAL ROAD CONCRETE IN THE PLAN AND WHICH HAS BEEN MEASURED AND VERIFIED BY ME. IT IS A BUILDABLE SITE AND NOT A TANK OR FILLED UP TANK.

SIGNATURE OF ARCHITECT
 V. CHADHA
 ARCHITECT
 REG. NO. CH/88/1178
 V. CHADHA
 REG. NO. CH/88/1178

DECLARATION OF STRUCTURAL ENGINEER
 THE STRUCTURAL DESIGN AND DRAWING OF FOUNDATION AND SUPER STRUCTURE OF THE BUILDING HAS BEEN MADE BY ME. THE DESIGN IS IN ACCORDANCE WITH THE NATIONAL BUILDING REGULATIONS 1989 AND THE NATIONAL BUILDING REGULATIONS 1989. THE DESIGN IS SAFE AND STABLE IN ALL RESPECTS. SOIL TESTING HAS BEEN DONE AND THE RECOMMENDATION OF SOIL TEST REPORT HAS BEEN CONSIDERED DURING STRUCTURAL CALCULATIONS.

SIGNATURE OF STRUCTURAL ENGINEER
 S. SAMIJI
 REG. NO. SA/10/1000
 S. SAMIJI
 REG. NO. SA/10/1000

SIGNATURE OF STRUCTURAL REVIEWER
 S. SAMIJI
 REG. NO. SA/10/1000
 S. SAMIJI
 REG. NO. SA/10/1000

SIGNATURE OF GEO TECH ENGINEER
 S. SAMIJI
 REG. NO. SA/10/1000
 S. SAMIJI
 REG. NO. SA/10/1000

DECLARATION OF OWNER
 DO HEREBY DECLARE WITH FULL RESPONSIBILITY THAT I SHALL ENGAGE ARCHITECT & E.S.E DURING CONSTRUCTION. I SHALL FOLLOW THE INSTRUCTIONS OF ARCHITECT & E.S.E DURING CONSTRUCTION. K.M.C AUTHORITY WILL NOT BE RESPONSIBLE FOR STRUCTURAL DAMAGE TO THE BUILDING AND ANY DAMAGE TO STRUCTURE. ANY SUBMITTED DOCUMENTS AND DRAWINGS BY ARCHITECT & E.S.E AUTHORITY WILL REVOKE THE SANCTION PLAN. THE CONSTRUCTION OF THE BUILDING SHALL BE IN ACCORDANCE WITH THE SANCTION PLAN UNDER THE GUIDANCE OF THE ARCHITECT & E.S.E. THE STARTING OF BUILDING FOUNDATION WORK IS IDENTIFIED BY ME DURING INSPECTION.

SIGNATURE OF OWNER
 S. SAMIJI
 REG. NO. SA/10/1000
 S. SAMIJI
 REG. NO. SA/10/1000


SIGNATURE OF ARCHITECT
 V. CHADHA
 ARCHITECT
 REG. NO. CH/88/1178
 V. CHADHA
 REG. NO. CH/88/1178

SIGNATURE OF ARCHITECT
 V. CHADHA
 ARCHITECT
 REG. NO. CH/88/1178
 V. CHADHA
 REG. NO. CH/88/1178


SIGNATURE OF ARCHITECT
 V. CHADHA
 ARCHITECT
 REG. NO. CH/88/1178
 V. CHADHA
 REG. NO. CH/88/1178

SIGNATURE OF ARCHITECT
 V. CHADHA
 ARCHITECT
 REG. NO. CH/88/1178
 V. CHADHA
 REG. NO. CH/88/1178


SIGNATURE OF ARCHITECT
 V. CHADHA
 ARCHITECT
 REG. NO. CH/88/1178
 V. CHADHA
 REG. NO. CH/88/1178



BLOCK 1 - EAST ELEVATION



BLOCK 1 - SIXTH FLOOR PLAN



Arch. Regd. (C)
 B.K.A.M.C.
 K.M.C.

Arch. Regd. (C)
 B.K.A.M.C.
 K.M.C.

TITLE - BLOCK 1 - 6th FLOOR PLAN & EAST ELEVATION

DATE: 18.05.18
 SCALE: 1:100
 DRWG. NO: 03
 DRAWN BY: [Signature]



CERTIFIED COPY

KOLKATA MUNICIPAL CORPORATION
 BUILDING DEPARTMENT'S
 No. 202 & D. POETTY DI. 01/1/2019
 Borough No. 17
 Assistant Engineer
 K.M.C.C.
 Bldg. Br. VII



CERTIFIED COPY

Before starting any construction the plan must conform with the plans sanctioned and all the work should be done in accordance with the conditions. The validity of the written permission is subject to the above conditions.

Design of all Structural Members including that of the foundation shall conform to Standards specified in the National Building Code of India.

All Building Materials to be used in construction should conform to the standards specified in the National Building Code of India.

Non-Commencement of Erection/Re-Erection within the time specified in the sanction.

CONSTRUCTION SITE SHALL BE MAINTAINED FREE FROM POLLUTION ACCORDING TO THE PROVISIONS OF THE AIR POLLUTION CONTROL ACT, 1986 AND THE AIR POLLUTION CONTROL RULES, 1987 AND THE AIR POLLUTION CONTROL (AMENDMENT) RULES, 2008.

Approved by M.L.E. No. 557 at 05/10/2019
 The Building Committee

APPROVED
 ASSISTANT ENGINEER (D)
 Bldg. Br. VII
 K.M.C.C.

Approved by M.L.E. No. 557 at 05/10/2019
 The Building Committee
 Approved by M.L.E. No. 557 at 05/10/2019
 The Building Committee

The sanction is valid for a period of 3 months from the date of issue. If the work is not completed within this period, the sanction will be deemed to be cancelled. The validity of the sanction may be extended by the K.M.C.C. at the cost and risk of the owner.

BUSINESS BUILDING


OFFICE OF THE EXECUTIVE ENGINEER,
 BUILDING DEPARTMENT,
 K.M.C.C.,
 Bldg. Br. VII

Plan for Water Supply arrangement including the details of the water supply system to be submitted to the Office of the Executive Engineer before the sanction is issued. The validity of the sanction is subject to the above conditions.

No rain water pipes should be fixed or installed in any part of the building. Drainage pipes should be submitted to the Building Engineer's Office for approval before proceeding with the drainage work.

A suitable pump has to be provided, i.e. pumping unfiltered water for the distribution to the flushing systems and urinals in the building to use unfiltered water from street water supply.

REVISIONS TO BE SUBMITTED
 UP TO 10% OF THE TOTAL AREA



Provision for use of other energy in the form of solar heater and/or solar photovoltaic cells shall be provided as required under Rule 147 of Building Rules, 2002. This provision shall be subject to the availability of solar energy and the sanction will not be issued in case of building without having such provision.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED UNDER RULE 147 OF BUILDING RULES, 2002. ALL OPEN WELLS, WATER COLLECTION TANKS, OPEN DRAINAGE SYSTEMS, ETC. MUST BE EMPTIED COMPLETELY TWICE A WEEK.