



**SIXTH FLOOR PLAN**  
SCALE - 1:150

| DOOR/WINDOW SCHEDULE | MARK      | OPENING SIZE | LINTEL | SEL  | MFRG.     | OPENING SIZE     | LINTEL | SEL |
|----------------------|-----------|--------------|--------|------|-----------|------------------|--------|-----|
| D                    | 2000X2450 | 2450         | -      | FCD1 | 1200X2450 | 2450             | -      | -   |
| D1                   | 1500X2450 | 2450         | -      | R.S  | 1500X2450 | 2450             | -      | -   |
| D2A                  | 1200X2450 | 2450         | -      | -    | -         | -                | -      | -   |
| D2                   | 1000X2450 | 2450         | -      | W1   | 2400X2450 | BEAM BOTTOM      | 150    | -   |
| D3                   | 900X2450  | 2450         | -      | W2   | 2100X2450 | BEAM BOTTOM      | 150    | -   |
| D4                   | 800X2450  | 2450         | -      | W2B  | 1800X2450 | BEAM BOTTOM      | 150    | -   |
| SD                   | 3800X2450 | 2450         | -      | W2B  | 2100X1550 | BEAM BOTTOM      | 1250   | -   |
| SD1                  | 3000X2450 | 2450         | -      | W2C  | 1500X1550 | BEAM BOTTOM      | 1250   | -   |
| SD2                  | 1500X2450 | 2450         | -      | W3   | 1400X2450 | BEAM BOTTOM      | 150    | -   |
| SD3                  | 2100X2450 | 2450         | -      | W4   | 900X2450  | BEAM BOTTOM      | 150    | -   |
| SD4                  | 2800X2800 | 2800         | -      | W4G  | 900X1550  | BEAM BOTTOM      | 1250   | -   |
| SD5                  | 5000X2800 | 2450         | -      | W5   | 1200X1550 | BEAM BOTTOM      | 1250   | -   |
| SD6                  | 3400X2800 | 2800         | -      | W5G  | 1200X2450 | BEAM BOTTOM      | 150    | -   |
| SD7                  | 3600X2450 | 2450         | -      | W6   | 750X1550  | BEAM BOTTOM      | 1250   | -   |
| SD8                  | 4025X2450 | 2450         | -      | W6G  | 750X2450  | BEAM BOTTOM      | 150    | -   |
| SD9                  | 4150X2800 | 2800         | -      | W7   | 600X1550  | BEAM BOTTOM      | 1250   | -   |
| SD10                 | 4550X2800 | 2800         | -      | W8   | 900X1550  | BEAM BOTTOM      | 1250   | -   |
| SD11                 | 4775X2800 | 2800         | -      | C.G  | VARIABLE  | AS PER ELEVATION | -      | -   |
| SD12                 | 2775X2800 | 2800         | -      | -    | -         | -                | -      | -   |
| SD13                 | 3075X2800 | 2800         | -      | -    | -         | -                | -      | -   |
| SD14                 | 3750X2800 | 2800         | -      | -    | -         | -                | -      | -   |
| FCD                  | 1500X2450 | 2450         | -      | -    | -         | -                | -      | -   |

**NOTES:**

- ALL DIMENSIONS ARE IN MM.
- ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED.
- ALL EXTERNAL WALLS ARE 100mm THICK R.C.C AND 200 THICK BRICK WALL. ALL INTERNAL WALLS ARE 150mm THICK OR 200mm THICK BRICK WALL OR 100mm THICK CONCRETE WALLS UNLESS OTHERWISE SPECIFIED.
- ALL STAIRCASE AND LIFT SHALL BE PRESURIZED.
- 2 HRS FIRE RATING STAIRCASE, LIFT AND CORRIDOR.
- ALL ELECTRICAL ROOMS HAVE 2 HRS RATING WALL.
- FIRE REFUGE AREA NOT LESS THAN 15 SQM WITH FCD AT ENTRANCE.
- ALL TOILETS ARE ARTIFICIALLY LIGHTED AND MECHANICALLY VENTILATED.
- SPRINKLER SHALL BE PROVIDED.
- THE DEPTH OF THE UNDERGROUND WATER RESERVOIR & S.F.P SHALL NOT EXCEED THE DEPTH OF THE FOUNDATION.
- ALL PRECAUTIONARY MEASURES SHALL BE TAKEN TIME TO TIME DURING CONSTRUCTION OF WORK.

**DECLARATION OF OWNER**

I DO HEREBY UNDERTAKE WITH FULL RESPONSIBILITY THAT I SHALL ENGAGE L.B.A & E.S.E. DURING CONSTRUCTION OF THE BUILDING (AS PER B.S. PLAN). I SHALL FOLLOW THE INSTRUCTION OF L.B.A & E.S.E. DURING CONSTRUCTION OF THE BUILDING AND THE FOUNDATION SYSTEM PROPOSED HEREIN IS SAFE & STABLE IN ALL RESPECT FROM GEO-TECHNICAL POINT OF VIEW.

**CERTIFICATE OF GEO-TECHNICAL ENGINEER.**

UNDERSIGNED HAS INSPECTED THE SITE AND CARRIED OUT SOIL INVESTIGATION THEREON. IT IS CERTIFIED THAT THE EXISTING SOIL OF THE SITE IS ABLE TO CARRY THE LOAD COMING FROM THE PROPOSED CONSTRUCTION AND THE FOUNDATION SYSTEM PROPOSED HEREIN IS SAFE & STABLE IN ALL RESPECT FROM GEO-TECHNICAL POINT OF VIEW.

**CERTIFICATE OF STRUCTURAL ENGINEER.**

CERTIFY THAT THE STRUCTURAL DRAWING AND DESIGN OF BOTH THE FOUNDATION AND SUPER STRUCTURE OF THE BUILDING HAS BEEN MADE BY ME CONSIDERING THE SOIL TEST REPORT (AS PER THESE RULES) AND THE REGULATIONS MADE UNDER THE ACT (I) AND ALSO CONSIDERING ALL POSSIBLE LOADS. SEISMIC LOAD AND THE MOMENTS GENERATED BY THE PROPOSED STRUCTURE AS PER THE BUREAU OF INDIAN STANDARD AND NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT IT IS SAFE AND STABLE IN ALL RESPECT AND THESE PROVISIONS SHALL BE ADHERED TO DURING THE CONSTRUCTION. SOIL TEST HAS BEEN DONE BY ALOK ROY GUPTA (I) CE 6A, MILAN PARK KOLKATA 700084. THE RECOMMENDATION OF SOIL TEST REPORT HAS BEEN FOLLOWED DURING PREPARATION OF STRUCTURAL DESIGN CALCULATION.

**CERTIFICATE OF ARCHITECTS.**

I CERTIFY THAT ALL THE ARCHITECTURAL DRAWINGS OF THE PROJECT AT PREMISES NO. 257/A, DESHPAN SASHMAL ROAD, WARD NO. - 94, BOROUGH NO. X, P.S. JADAVPUR, KOLKATA - 700033, INDIA, HAVE BEEN PREPARED BY ME COMPLYING WITH THE KOLKATA MUNICIPAL CORPORATION BUILDING RULES, 2009. I SHALL BE HELD RESPONSIBLE IF ANY INCORRECT INFORMATION FURNISHED BY ME OR ANY VIOLATION OF THE PROVISION OF KOLKATA MUNICIPAL CORPORATION BUILDING RULES, 2009 IS FOUND IN ANY OF THE DRAWINGS AND DOCUMENTS. SIGNED BY ME AND SUBMITTED TO THE SANCTIONING AUTHORITY FOR OBTAINING SANCTION SHALL BE LIABLE FOR PENAL ACTION AS PER LAWS FOR THE TIME BEING IN FORCE.

**BUILDING PERMIT NO: 2021100111 DT: 13-DEC-2021**

**VALID FOR FIVE YEARS FROM DATE OF SANCTION**

SIGNATURE OF ASSISTANT ENGINEER \_\_\_\_\_ SIGNATURE OF EXECUTIVE ENGINEER \_\_\_\_\_

**PROJECT:**  
PROPOSED PARTLY (B+G+XXVII) TOWER 1, (G+XXVII) TOWER 2, (G+XXVIII) TOWER 3 & (G+XXIX) TOWER 4 (BLDG. HEIGHT 102.90M.) 5 STORED RESIDENTIAL BUILDING AT PREMISES NO. 257/A, DESHPAN SASHMAL ROAD, WARD NO. - 94, BOROUGH NO. X, P.S. JADAVPUR, KOLKATA - 700033. U/S 393 A OF KMC BUILDING RULES 2009. READ ALONG WITH RULE 69 A (1) (3) OF KMC BUILDING RULES 2009.

**TITLE:**  
SIXTH FLOOR PLAN

**ARCHITECT:**  
**ABIN DESIGN STUDIO**  
ARCHITECTURE | INTERIOR | EXHIBITION | PRODUCT DESIGN | GRAPHICS  
REG. PROFESSIONAL CHARTER KOLKATA 20020 INDIA  
E-MAIL: contact@abindesignstudio.com

**DATE:** 28.06.2021 **REV. NO.:** \_\_\_\_\_ **NORTH**

**SCALE:** 1:150 **DRAWING NO.:** \_\_\_\_\_

**DRAWN BY:** C.P. **CTC/SANC/A08**

**CHKD. BY:** P.P.

THIS DRAWING IS THE SOLE PROPERTY OF ABIN DESIGN STUDIO AND IS NOT TO BE USED, COPIED OR CIRCULATED IN ANY MANNER OTHER THAN THE PURPOSE FOR WHICH IT IS ISSUED WITHOUT THEIR WRITTEN PERMISSION.