

Tele: 011-23060231/5216

Regd Post *Am*

विंग कमांडर

संक्रिया निदेशालय
वायु यातायात सेवाएँ
वायु सेना मुख्यालय
नई दिल्ली -110 106

Air HQ/S 17726/4/ATS (Ty BM -MDXXXIX)

23 Jul 13

Shri Naresh Kumar Agrawal
C/o Advanced Contractors and Engineers (P) Ltd
1st Floor, Uttarapan Market Complex,
Hill Cart Road, Pradhan Nagar
Siliguri-734003

**ISSUE OF NOC FOR CONSTRUCTION OF RESIDENTIAL BUILDING AT PLOT
NO. 561(P), 562(P) NEAR CIRCUIT HOUSE, BESIDE NH-31, PRADHAN NAGAR,
SILIGURI, (WB) BY SHRI NARESH KUMAR AGRAWAL**

1. Reference is made to your application dated 08 Mar 13.
2. Annexed please find an ink signed copy of 'No Objection Certificate' on the subject issued vide GoI letter MoD No. Air HQ/S 17726/4/ATS (PC-MCCXIX)/ Dy No.396/F/D (Air-II) dated 16 Jul 13. You may please acknowledge the receipt of this letter.

Yours faithfully,

Am
(अंकुर मुदगल)

विंग कमांडर

संयुक्त निदेशक औप्स (वा या से)

Annexure:- As stated (ink signed copy)

New Delhi, the 16th July, 2013.

To

Shri Naresh Kumar Agarwal
C/o Advanced Contractors and Engineers (P) Ltd.
1st Floor, Uttarapan Market Complex,
Hill Cart Road, Pradhan Nagar,
Siliguri – 734003.

Subject : Issue of 'NOC' for construction of residential building at Plot No. 561(P), 562(P) near Circuit House, beside NH-31, Pradhan Nagar, Siliguri, (WB) by Shri Naresh Kumar Agrawal.


Sir,

I am directed to refer to your application dated 08.03.2013 on the above subject and to say that Air HQ has no objection for construction of 45 meters high residential building (B+G+11) project on Plot No. 561(P), 562(P), near Circuit House, beside NH-31, Pradhan Nagar, S.M.C Ward No. 45, Siliguri (WB), subject to the following conditions:-

- a) The vertical extent (highest point) of the buildings at Latitude 26° 44' 17" N Longitude 88° 25' 05" E shall not exceed 45 meters above ground level/ 170 meters above mean sea level. No extension or structure permanent or temporary (eg. Antennas, munties, lift machine room, overhead water tank, cooling towers, sign boards etc) shall be permitted above the cleared height.
- b) Standard obstruction lightings to be provided by the company. The lights shall be switched 'ON' during night and poor visibility. Provision shall be made for standby power supply to the light to keep them 'ON' during power failure.
- c) Periodic maintenance of obstruction lightings is to be carried out by the housing society/owner/tenants at regular intervals to keep them in visible/serviceable condition.
- d) A garbage treatment plant shall be installed prior to the construction of buildings for the purpose of avoiding bird activity. The plant shall be shown to the AOC/his nominated representative at AF Stn Bagdogra on installation.
- e) No light or combination of lights which by reason of its intensity, configuration or colour may cause confusion with aeronautical ground lights of an airport shall be installed at the site at any time during or after the construction of the building.
- f) The commencement, completion of works inclusive installation of obstruction lights are to be intimated to AOC, AF Stn Bagdogra and CATCO, HQ EAC, Nonglyer, Upper Shillong, Meghalaya – 793009, Shillong. Failure to render these certificates within the stipulated time may lead to cancellation of NOC.
- g) The validity of this NOC is five years from the date of issue. If the construction for which NOC has been issued, does not complete within five years of issue or found to be in deviation from original proposal the NOC shall be deemed null and void. It will be the responsibility of the applicant to obtain fresh NOC for the proposal.
- h) Required security clearance should be obtained through MHA/IB of the foreign Nationals/Indian representative employed/to be employed by the company in India.

2. You are also requested to obtain No Objection from other concerned Government Organization/Agencies as required.

Yours faithfully,



(A.S. Chowdhury)

Under Secretary to the Government of India