



RECOMMENDED  
 Assistant Engineer  
 Dist. Engr. Office  
 Malda District, Malda  
 Date: 10/11/2022  
 Signature: [Signature]  
 M. No. 110, P.S. MALDA  
 WITHIN DISTRICT OF MALDA




FRONT ELEVATION




TANK PLAN  
SCALE-1:50



SECTION THROUGH T - T'  
SCALE-1:50



PLAN OF UNDERGROUND SEWAGE TREATMENT PLANT  
CAPACITY - 85 KLD  
SCALE :- 1:50



SECTION A-A  
SCALE :- 1:50

<b>PROJECT :</b> PROPOSED B+G+X STORED RESIDENTIAL CUM COMMERCIAL BUILDING AT R.S./L.R. PLOT NO. 1032/1207, 1030, 1031 RECORDED IN L.R. KHAITAN NO. 4069, 1674, 3745 SITUATED IN MOUZA-SAHAPUR, J.L. NO. 110, P.S. MALDA WITHIN DISTRICT OF MALDA	<b>CONTENTS :</b> ELEVATION	<b>SUBMISSION DRAWING</b> NORTH DRG. NO. MA/ MALDA / SUB / ARCH/ S-01 REV. DATE SCALE DATE 10.11.2022 DEALT YASHU CHECKED	<b>CERTIFICATE OF OWNER/DEVELOPER :</b> CERTIFIED THAT I HAVE GONE THROUGH THE BUILDING RULES OF WEST BENGAL MUNICIPAL BUILDING RULES 2007 AND ITS AMENDMENTS ALSO UNDERTAKE TO ABIDE BY THOSE RULES DURING & AFTER THE CONSTRUCTION OF THE BUILDING. Signature: [Signature] ARCHITECT <b>MAHESHWARI &amp; ASSOCIATES</b> 'RAJ BABA' 37A, BAKER ROAD, 2ND FLOOR, ALIPORE, KOLKATA-27 TEL : 65228584, www.architectmaheswar.com	<b>Certificate of Structural Engineer</b> I HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF PROPOSED B+G+X STORED RESIDENTIAL CUM COMMERCIAL BUILDING AT MALDA, HAVE BEEN PERSONALLY INSPECTED AND DO CONFORM TO THE REQUIREMENTS OF THE BUILDING RULES 2007 AND ITS AMENDMENTS. THIS ALSO TO CERTIFY THAT RELEVANT AND NECESSARY SAFETY MEASURES SUCH AS FIRE AND BRACING, SEISMIC RESISTANCE (WHEREVER APPLICABLE) AT THE BUILDING ARE ALSO ENCLOSED WITH THE APPLICATION FOR APPROVAL OF THE PLAN TO THE COMPETENT AUTHORITY. Signature: [Signature] SANJIV J. PAREKH M.E. (STRUCT.), M.E. (CONST. ENG.), B.C.E., FE-4 (1000-4) E.S.E. No. 104 (J) K.M.C. Reg. No. 2078/CLASS-1/15	<b>CERTIFICATE OF ARCHITECT</b> I HEREBY CERTIFY THAT PLANS, ELEVATIONS AND SECTIONS AND OTHER CONSTRUCTION DETAILS OF PROPOSED RESIDENTIAL, COMMERCIAL AND OTHER BUILDING AT MALDA, HAVE BEEN PERSONALLY INSPECTED AND DO CONFORM TO THE REQUIREMENTS OF THE BUILDING RULES 2007 AND ITS AMENDMENTS. THIS ALSO TO CERTIFY THAT RELEVANT AND NECESSARY SAFETY MEASURES SUCH AS FIRE AND BRACING, SEISMIC RESISTANCE (WHEREVER APPLICABLE) AT THE BUILDING ARE ALSO ENCLOSED WITH THE APPLICATION FOR APPROVAL OF THE PLAN TO THE COMPETENT AUTHORITY. Signature: [Signature] KAMAL KUMAR PERMAL CA-95-18673	<b>NOTES :</b> 1. ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED. 2. ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125 THK. 3. IF NOT STATED IN 1:4 CEMENT SAND MORTAR. 4. ALL ELEVATION PROJECTIONS ARE 80 MM PROJECTED. 5. DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION. 6. GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe80 RESPECTIVELY. 7. R.C.C. FRAMED STRUCTURE. 8. ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN FOLLOWED. 9. FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C. 2016 TO BE FOLLOWED. 10. OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:7. 11. GRAMP PROOF COURSE TO BE PROVIDED WITH P.C.C. (1:2:4).	<b>SCHEDULE OF DOORS &amp; WINDOWS</b> <table border="1"> <thead> <tr> <th>DOORS</th> <th>NO.</th> <th>WIDTH</th> <th>HEIGHT</th> <th>WINDOWS</th> <th>NO.</th> <th>WIDTH</th> <th>HEIGHT</th> <th>REMARKS</th> </tr> </thead> <tbody> <tr> <td>D1</td> <td>1200</td> <td>2250</td> <td>W1</td> <td>1900</td> <td>1950</td> <td>300</td> <td></td> <td></td> </tr> <tr> <td>D2</td> <td>200</td> <td>2250</td> <td>W2</td> <td>1200</td> <td>1950</td> <td>300</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>750</td> <td>2250</td> <td>W3</td> <td>1500</td> <td>1950</td> <td>300</td> <td></td> <td></td> </tr> <tr> <td>D4</td> <td>1500</td> <td>2250</td> <td>W4</td> <td>800</td> <td>1950</td> <td>300</td> <td></td> <td></td> </tr> <tr> <td>D5</td> <td>2000</td> <td>2250</td> <td>W5</td> <td>1500</td> <td>2250</td> <td>1000</td> <td></td> <td></td> </tr> <tr> <td>D6</td> <td>2250</td> <td>2250</td> <td>W6</td> <td>1500</td> <td>1950</td> <td>300</td> <td></td> <td></td> </tr> <tr> <td>D7</td> <td>1850</td> <td>2250</td> <td>W7</td> <td>1200</td> <td>1950</td> <td>300</td> <td></td> <td></td> </tr> <tr> <td>D8</td> <td>1200</td> <td>2250</td> <td>W8</td> <td>1200</td> <td>1950</td> <td>300</td> <td></td> <td></td> </tr> </tbody> </table>	DOORS	NO.	WIDTH	HEIGHT	WINDOWS	NO.	WIDTH	HEIGHT	REMARKS	D1	1200	2250	W1	1900	1950	300			D2	200	2250	W2	1200	1950	300			D3	750	2250	W3	1500	1950	300			D4	1500	2250	W4	800	1950	300			D5	2000	2250	W5	1500	2250	1000			D6	2250	2250	W6	1500	1950	300			D7	1850	2250	W7	1200	1950	300			D8	1200	2250	W8	1200	1950	300		
DOORS	NO.	WIDTH	HEIGHT	WINDOWS	NO.	WIDTH	HEIGHT	REMARKS																																																																																
D1	1200	2250	W1	1900	1950	300																																																																																		
D2	200	2250	W2	1200	1950	300																																																																																		
D3	750	2250	W3	1500	1950	300																																																																																		
D4	1500	2250	W4	800	1950	300																																																																																		
D5	2000	2250	W5	1500	2250	1000																																																																																		
D6	2250	2250	W6	1500	1950	300																																																																																		
D7	1850	2250	W7	1200	1950	300																																																																																		
D8	1200	2250	W8	1200	1950	300																																																																																		