



Plan for Water Supply arrangement including SEMILI G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply and deviation may lead to disconnection/dem.

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building incase unfiltered water from street main is not available.

No rain water pipe should he for discharged on Road or for Drainage plan should be substituted at the Borough Executive Engineer's Office and the sanction obtained hefere proceeding with the de-

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

DEVIATION WOULD MEAN DEMOLITION

THE SANCTION IS VALI .D
UP TO ... 23 1 2029

BUILDING PERMIT

No. 2023 58 00 9 9

Date 24 1 2 4 Borough No. WAX

EX. Engineer / Asst. Engineer

Bor. No. MAIN Bor. No. VIII

The building materials that will be stacked on Read/Passage or Foet-path beyond 3-months or after construction of G. Floor, whichever is earlier may be seized forthwith by the K.M.C. at the cost and risk of the owner.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED U/S 496 (1) & (2) OF CMC ACT 1980. IN SUCH MANNER SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS, VATS, BASEMENT CURING SITES, OPEN RECEPTACLES ETC. MUST BE EMPITED COMPLETELY TWICE A WEEK.

All Building Materials to necessary & construction should conform's to standered specified in the National Building Code of India.

Non Commencement of Election/ Re-Erection within Five year will Require Fresh Application for fance



RESIDENTIAL BUILDING





Plan for Water Supply arrangement including SEMIL1 G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply and deviation may lead to disconnection/dem.

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building incase unfiltered water from street main is not available.

No rain water pipe should he fix discharged on Road or finance plan should be substituted at the Borough Executive Engineer's Office and the sanction obtained hefere proceeding with the dr

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

DEVIATION WOULD MEAN DEMOLITION

THE SANCTION IS VALI .D UP TO.. 23 1 2029

BUILDING PERMIT

No. 2023 0 8 00 9 9

Date 2 4 1 2 4 Borough No. VALL

Ex. Engineer / Asst. Engineer

Bor. No. Mall. Bor. No. VIII

The building materials that will be stacked on Read/Passage or Foet-path beyond 3-months or after construction of G. Floor, whichever is earlier may be seized forthwith by the K.M.C. at the cost and risk of the owner.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED U/S 496 (1) & (2) OF CMC ACT 1980. IN SUCH MANNER SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS, VATS, BASEMENT CURING SITES, OPEN RECEPTACLES ETC. MUST BE EMPITED COMPLETELY TWICE A WEEK.

All Building Materials to necessary & construction should conform's to standered specified in the National Building Code of India.

Non Commencement of Election/ Re-Erection within Five year will Require Fresh Application for hance

REVEIVED A CONTENTS NOT VERHED AS

RESIDENTIAL BUILDING

