CERTIFIED COPY

KOLKATA MUNICIPAL CORPORATION
BUILDING DEPARTMENT
CERTIFIED COPY OF B.S. PLAN
No. 2018160816 Dt. 5/12/2018.
Borough No. XVI
Assistant Engineer XVI Executive Engineer XVI

RESIDENTIAL BUILDING | DEVIATION WOULD MEAN DEMOLITION

No rain water pipe should be fixed or discharged on Road or Footpath. Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work

"CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED U/S 496(1) & (2) OF CMC ACT1980, IN SUCH MANNER SO THAT ALL WATER COLLECTIONS PARTICULARLY LIFE WELLS, VATS, BASEMENT SURING SITES OPEN RECEPTACLES ETC AS EMPTIED COMPLETELY TWICE & WEAR"

Before starting any Construction the site must conform with plans sanctioned and all the conditions as proposed in the plan should be fulfilled

The validity of the written permission to execute the work is subject to the above conditions.

Non Commencement of Erection/ Re-Erection within Two Year will Require Fresh Application for Sanction.

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building incase unfiltered water from street main is not available.

All Building Materials to necessary & construction should conform's to standered specified in the National Building Code of India.

Plan for Water Supply arrangement including SEMILI G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may leed to disconnection/demo

Design of all Structural Members including that of the foundation should conform to Standards specified in the National Building Code of I

CHECKED AND VERIFIED

A.E.(C)/S.A.E.(C)
XVI XVI

2018160841

BUILDING DEPARTMENT
18 DEC 2018
THE KOL. MUNICIPAL CORP.

Bl.B- 2nd to 13th floor

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

Structural plan and desing calculation as submitted by the structural engineer have been kept with B. P. No. 2018160816 Date 18/12/18 for record of the Kolkata Municipal Corporation without verification No deviation from the submitted structural plan should be made at the time of erection without submitting fresh structural plan along with design calculation and stability certificate in the prescribed from, necessary steps should be taken for the safety of the adjoining premises public and private properties and safety of human life during construction.

EXECUTIVE ENGINEER/ASSTT. ENGINEER
BOROUGH NO.- XVI