



ROOF LEV.
24th FL. LEV.
23th FL. LEV.
22th FL. LEV.
21th FL. LEV.
20th FL. LEV.
19th FL. LEV.
18th FL. LEV.
17th FL. LEV.
16th FL. LEV.
15th FL. LEV.
14th FL. LEV.
13th FL. LEV.
12th FL. LEV.
11th FL. LEV.
10th FL. LEV.
9th FL. LEV.
8th FL. LEV.
7th FL. LEV.
6th FL. LEV.
5th FL. LEV.
4th FL. LEV.
3rd FL. LEV.
2nd FL. LEV.
1st FL. LEV.
P.L.

SCHEDULE OF DOORS & WINDOWS

TYPE	SILL	INTEL	SIZE	TYPE	SILL	INTEL	SIZE
D1	2100	1800x2100	W1	900	2100	1800x2100	
D2	2100	1500x2100	W2	900	2100	1500x2100	
D3	2100	1200x2100	W3	900	2100	1200x2100	
D4	2100	800x2100	W4	900	2100	800x2100	
D5	2100	750x2100	W5	900	2100	750x2100	
D6	2100	1800x2100	W6	900	2100	1800x2100	
D7	2100	1200x2100	W7	900	2100	1200x2100	
D8	2100	1200x2100	W8	900	2100	1200x2100	
D9	2100	1200x2100	W9	900	2100	1200x2100	
D10	2100	1200x2100	W10	900	2100	1200x2100	
D11	2100	1200x2100	W11	900	2100	1200x2100	
D12	2100	1200x2100	W12	900	2100	1200x2100	
D13	2100	1200x2100	W13	900	2100	1200x2100	
D14	2100	1200x2100	W14	900	2100	1200x2100	
D15	2100	1200x2100	W15	900	2100	1200x2100	
D16	2100	1200x2100	W16	900	2100	1200x2100	
D17	2100	1200x2100	W17	900	2100	1200x2100	
D18	2100	1200x2100	W18	900	2100	1200x2100	
D19	2100	1200x2100	W19	900	2100	1200x2100	
D20	2100	1200x2100	W20	900	2100	1200x2100	
D21	2100	1200x2100	W21	900	2100	1200x2100	
D22	2100	1200x2100	W22	900	2100	1200x2100	
D23	2100	1200x2100	W23	900	2100	1200x2100	
D24	2100	1200x2100	W24	900	2100	1200x2100	

GENERAL NOTES

1. ALL DIMENSIONS ARE IN MM.

2. ALL EXTERNAL WALLS 200 THK & INTERNAL WALLS 75 THK UNLESS OTHERWISE MENTIONED.

3. ALL MASONRY WORKS ARE BOUNDED BY CEMENT MORTAR (1:6) & (1:4).

4. EXTERNAL PLASTER IS 25 THK & INTERNAL PLASTER IS 12MM THK WITH 14 MESH TYPAR.

5. ALL CONC. GRADE IS M20 (1:1.5:3).

ASPS DEVELOPERS LLP
 Chartered Accountants
 Constituted Attorney

SIGNATURE OF OWNER

CERTIFICATE OF GEO-TECHNICAL ENGINEER

IT IS CERTIFIED THAT THE COMPREHENSIVE GEO-TECHNICAL REPORT ON SOIL INVESTIGATION HAS BEEN PREPARED BY ME FOR DESIGN AND CALCULATION OF THE FOUNDATION BY ANALYSING THE SOIL SAMPLE FOR ESTIMATING THE BEARING CAPACITY OF THE SOIL ON WHICH FOUNDATION OF THE STRUCTURE WILL BE CONSTRUCTED. I SHALL ALSO CHECK THE NATURE OF THE SOIL AFTER EXCAVATION AT SITE SO THAT FOUNDATION IS EXTENDED UP TO APPROPRIATE DEPTH THAT HAS BEEN PROPOSED IN THE GEO-TECHNICAL REPORT.

For C. S. Testing Company Pvt. Ltd.
 Geotechnical Consultant

D. M. Nayak, MD
 BE (Civil), Ph.D. (Geotech)

SIGNATURE OF GEO-TECHNICAL ENGINEER

CERTIFICATE OF STRUCTURAL ENGINEER

CERTIFIED THAT THE STRUCTURAL DESIGN & DRAWINGS OF BOTH FOUNDATION & SUPER STRUCTURE OF THE BUILDING HAS BEEN MADE BY ME CONSIDERING ALL POSSIBLE LOADS INCLUDING THE SEISMIC LOAD AS PER THE NATIONAL BUILDING CODE OF INDIA & CERTIFIED THAT IT IS SAFE & STABLE IN ALL RESPECTS.

Utpal Santra
 UTPAL SANTRA
 B.E. (M.C.E. IST)
 MIE (MCI) 2014
 MNC Engineering Solutions Pvt. Ltd.
 Chand. E.S.E. No. 108

SIGNATURE OF ARCHITECT

CERTIFICATE OF ARCHITECT

THE U.B.A. HAS CERTIFIED ON THE PLAN ITSELF WITH FULL RESPONSIBILITY THAT THE BUILDING PLAN HAS BEEN DRAWN UP AS PER PROVISIONS OF M.C.A. BUILDING RULES 2005, AS AMENDED FROM TIME TO TIME AND THAT THE SITE CONDITIONS INCLUDING THE WIDTH OF THE ADJACENT ROAD CONFORM WITH THE PLAN AND IS A BUILDABLE SITE AND NOT A TANK OR A FILLER UP TANK.

Rajkumar Agarwal
 Architect
 Member of Council of
 Architecture CA / 94 / 17940

SIGNATURE OF ARCHITECT

TITLE

SECTION AT-AA

PROJECT

PROPOSED PLAN OF G+XIV (06+4 M. H.) STORED RESIDENTIAL BUILDING AT PRE NO. 45, CHRISTOPHER ROAD, WARD NO-58, BOROUGH-VII, P.S. TANGRA, KOLKATA-700046.

DATE	DP/NO	DEALT	CHECKED	SHEET
17/03/18	ARCH/2015/361	SMITH	NAYAK	36 OF 13

SCALE 1:100

ARCHITECT

RAJ AGRAWAL & ASSOCIATES
 88, ROY'S STREET, CALCUTTA

SECTION AT - AA