

Valid Upto 02/05/2020

ANY DEVIATION SHALL BEAN PENULTION

PARTY'S COPY

Executive Engineer
Building Plan
Bidhanagar Municipal Corporation

13-04-19

APPROVED
Bidhanagar Municipal Corporation
Pouso Bhawan, P-4 SA, Sector-II
Kolkata-700107

No. BMC/B&N/III/3AAA(1/18)
Date: 02/05/2020

- Received Subject to:
- 1) Building rules for Bidhanagar Municipal Corporation shall have to be observed carefully.
 - 2) No wastage of water shall be made check valve must be provided in ground/under ground & overhead reservoir.
 - 3) In no case water from rain water pipe and the surface drainage should be connected to the house sewer directly or through any yard gully.
 - 4) Plan showing internal sewer system and water supply lines have got to be separately sanctioned.
 - 5) Before starting any construction it should be satisfied that the site dimensions conforms with that of plans sanctioned and all the conditions as proposed in the plan shall be fulfilled.
 - 6) Road and footpath shall not be encroached by dumping of building materials, making of mortars etc. without prior permission.
 - 7) Prior to commencement of construction Appendix shall have to be submitted.

CHECKED BY
13-04-19

Assistant Engineer
Bidhanagar Municipal Corporation

During construction following measures are to be strictly taken to reduce the effects of dust pollution from building construction sites

- Properly covering all building materials stacked at site like cement bags, sand, lime & stone chips.
- Using water sprays or sprinklers to keep the dust down during activities such as concreting, plastering, breaking concrete and piling activities.
- Washing the wheels of vehicles leaving the site, if they are carrying mud or waste.
- Putting up solid barriers around the site.
- Properly covering trucks & vehicles that enter and leave the site-carrying building materials and building debris.
- Cleaning and watering the road and footpath adjacent to the site at frequent intervals.
- Using dust bags, spraying water when using stone cutters and making the working area wet before using the machineries.
- Not burning waste materials at site which causes smoke containing carbon monoxide and a range of poisonous substances.

Executive Engineer
Building Plan
Bidhanagar Municipal Corporation

13-04-19