



**DECLARATION OF E.S.E.**  
THE STRUCTURAL DESIGN DRAWING OF BOTH FOUNDATION AND SUPER STRUCTURE OF THE BUILDING HAS BEEN MADE BY ME CONSIDERING ALL POSSIBLE LOADS INCLUDING SEISMIC LOAD AS PER NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT IT IS SAFE AND STABLE IN ALL RESPECTS. SOIL TESTING HAS BEEN DONE BY S.CHAKRABORTY OF M/S MAS OF 4 GAFFA MAIN ROAD, KOL. THE RECOMMENDATIONS OF SOIL TEST REPORT HAS BEEN CONSIDERED DURING STRUCTURAL CALCULATIONS.

SUBIR C. SANJAL  
E.S.E. NO. 057  
E.S.A. NO. 056  
UNDER RAJPUR-SONARPUR MUNICIPALITY

**L.B.S. DECLARATION**  
CERTIFIED WITH FULL RESPONSIBILITY THAT THE BUILDING PLAN HAS BEEN DRAWN UP AS PER PROVISION OF AMC BUILDING RULES 2004 AS AMENDED FROM TIME TO TIME & THAT THE SITE CONDITION INCLUDING THE ADJUTING ROAD CONFORMS WITH THE PLAN WHICH HAS BEEN MEASURED AND VERIFIED BY ME. IT IS A BUILDABLE SITE AND NOT A TANK OR FILLED UP TANK. THE LAND IS DEMARCATED BY BOUNDARY WALL. THE LOT IS BEYOND 500 M FROM CAL OF E.M BY PASS. THE CONSTRUCTION OF U.G. WATER TANK AND SEPTIC TANK WILL BE COMPLETED BEFORE STARTING OF BUILDING FOUNDATION WORK.

SUBIR C. SANJAL  
E.S.E. NO. 057  
E.S.A. NO. 056  
UNDER RAJPUR-SONARPUR MUNICIPALITY

**DOOR & WINDOW SCHEDULE**

MARK.	SIZE	MARK.	SIZE
W1	1800x2100	D	1200x2100
W2	1500x1350	D1	1050 x 2100
W3	1200x1350	D2	900 x 2100
W4	900x1200	D3	750x2100
W5	600x600		

- NOTES**
1. ALL DIMENSIONS ARE IN MM.
  2. ALL EXTERNAL WALLS ARE 200 TH. AND INTERNAL WALLS ARE 75 TH. IF NOT STATED OTHERWISE
  3. SCALE: 1:100
  4. SAFE BEARING CAPACITY OF SOIL 7 MT/SQ.M. ASSUMED
  5. DEPTH OF SEPTIC TANK AND SEMI U.G. WATER RESERVOIR WILL NOT EXCEED THE DEPTH OF BUILDING FOUNDATION
  6. ALL SORTS OF PRECAUTIONARY MEASURE WILL BE TAKEN AT THE

- SPECIFICATIONS**
1. 75 TH. 1ST. CLASS BRICK SOLING IN FOUNDATION & FLOOR
  2. 150 TH. 1.34 (CEMENT SAND & K30A) CEMENT CONCRETE IN FOUNDATION & FLOOR
  3. FOUNDATION BRICK WORK WILL BE 1ST CLASS BRICK WITH 1:6 CEMENT MORTAR
  4. 125 TH. & 75 TH. PARTITION BRICK WORK WILL BE 1:5 CEMENT MORTAR
  5. 200TH. EXTERNAL WALLS WILL BE 1:6 CEMENT MORTAR
  6. 25 TH. P.C. WILL BE 1:2:4 WITH PROPER WATER PROOFING COMPOUND
  7. R.C.C. CONC. M/M WILL BE 1:2:4 CEMENT SAND & STONE CHIPS
  8. ROOF AND LIME TERRACING WILL BE 100 TH. WITH THEIR PROPER MATERIALS AND MIXING
  9. CEILING AND ALL R.C. PLASTER WILL BE 12mm. TH. 1:4 CEMENT MORTAR
  10. 25 MM. TH. P.F.S. FLOORING
  11. GRADE OF CONCRETE M - 20.
  12. ALL BUILDING MATERIALS WILL BE AS PER I.S. CODE & C.B.C. 1984

**PROJECT**  
REVISED SANCTION PLAN OF G+XII & BASEMENT + G+XI STORED STORED RESIDENTIAL BUILDINGS AT HOLDING NO. 57, VIVEKANANDA SARANI; R.S. DAG NO. 43, 45, 47, 47/1126, 48, 48/1127, 49, 50 ; WARD NO. 26, J.L. NO. 56; R.S.KHATIAN. NO. 261, 413, 262, 833, 910, 262 ; MOUZA :- UKILA PAIKPARA; P.S. - SONARPUR, DIST. - 24 PGS(S). UNDER RAJPUR SONARPUR MUNICIPALITY. VIDE SANCTION PLAN NO - 2524/CB/26/46 DATED-23.04.2013

NAME OF THE OWNER= HARANATH DAS & OTHERS

SHEET CONTAINS:-  
BLOCK - A & SERVICE BLOCK  
(FLOOR PLANS & SECTIONS)

BLOCK - A & SERVICE BLOCK	N	DRAWN: SWATI	SCALE: 1:100
		CHECKED: S.S.	DATE: 24.01.14
		APPROVED: S.S.	JOB NO.

Sanyalson Associates  
Consultant Pvt. Ltd.  
CONSULTANT PLANNER & STRUCTURAL ENGINEERS  
P-157 KANUNGO PARK - KOLKATA-94

DWG NO. 04/06 REV - 01

**CHECKED & OK**  
S.A.E. [Signature]  
**APPROVAL OF S.A.E.**  
OFFICE USE ONLY

**APPROVED**  
Date: 25/02/2014  
[Signature]  
Rajpur-Sonarpur Municipality