



**CONDITIONS**

1. The lift and its installation shall be worked and maintained in conformity with the provisions of the West Bengal Lifts and Escalators Act, 1955, and the West Bengal Lift Rules, 1958, in so far as these are applicable in this case.

2. If the holder of this licence does not reside in the town or village in which the lift has been erected, he shall within one month from the date of this licence appoint an agent who shall be resident in the town or village in which the lift has been erected. The agent so appointed shall be responsible for the working and maintenance of the lift in conformity with the provisions of the West Bengal Lifts and Escalators Act, 1955, in so far as these are applicable in this case. The name of every such agent shall be communicated to the Inspector of Lifts and to the Commissioner of Police in Kolkata or to the District Magistrate elsewhere. Any change of agent shall also be similarly notified.

3. The holder of this licence or his agent if any, shall, within one month from the date of this licence, appoint a person or firm who is in possession of a valid certificate of registration for maintenance of the lift installation and shall communicate the name of such person or firm to the Inspector of Lifts and also in the city of Kolkata to the Commissioner of Police and to the District Magistrate elsewhere. Any change of person or firm so appointed, shall also be similarly notified.

4. No additions or alternations to the lift and installation shall be carried out without prior approval by the Chief Electrical Inspector, West Bengal.

5. If the holder of this licence ceases to have interest in the lift installation for which the licence is issued, the licence shall be deemed to be invalid and it shall be returned to the Chief Electrical Inspector, West Bengal.

6. Lift should be operated by authorised lift attendant whose name and authorisation number should be intimated.

  
Chief Electrical Inspector,  
West Bengal.

Name of the holder of the licence	Date of expiry	Date of issue