

1:300 & 1/4

DATE SUBMITTED: 16.12.13

PROJECT NO: 161213001

1. DOOR SCHEDULE:

S.No	Code	Width	Height	Material
1	D1	1500	2100	2150
2	D2	1200	2100	2150
3	D3	1000	2100	2150
4	D4	900	2100	2150
5	D5	800	2100	2150
6	D6	700	2100	2150
7	D7	600	2100	2150
8	D8	500	2100	2150
9	D9	400	2100	2150
10	D10	300	2100	2150

2. WINDOW SCHEDULE:

S.No	Code	Width	Height	Material
1	W1	1800	1800	2150
2	W2	1500	1800	2150
3	W3	1200	1800	2150
4	W4	900	1800	2150
5	W5	600	1800	2150
6	W6	300	1800	2150
7	W7	1200	1200	2150

- NOTE :- NO FLAMMABLE ARTICLES CAN BE USED IN STORE.
- NOTES:
1. ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED.
 2. ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125/75 THK IF NOT STATED IN 1:4 CEMENT SAND MORTAR.
 3. ALL CHAJJAS ARE 100THK & 500 MM. PROJECTED.
 4. DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
 5. GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe415 RESPECTIVELY.
 6. R.C.C. FRAMED STRUCTURE.
 7. ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN.
 8. FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C. 1984 TO BE FOLLOWED.
 9. OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:7.
 10. DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C. (1:2:4).

CERTIFICATE OF OWNER:

CERTIFIED THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVERT IT FOR OUR USE, OR ALLOW IT TO BE USED FOR SEPARATE FLATS / PER FLOOR. CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING RULES FOR RAJARHAT GOPALPUR MUNICIPALITY IN VOGUE AND ALSO UNDER TAKE TO ABIDE BY THOSE RULES DURING AND AFTER CONSTRUCTION OF THE BUILDING. CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMMENCEMENT BEFORE 7 DAYS AND COMPLETION WOULD BE REPORTED WITHIN 30 DAYS. WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN UNDER RAJARHAT MUNICIPAL CORPORATION. WE WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISE IN FUTURE.

CERTIFICATE OF STRUCTURAL STABILITY:

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLOT HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.

MITHU SHANKAR SARKAR
 ARCHITECT
 SIGNATURE OF ARCHITECT

MAHESH KUMAR RAJARAMAN
 M.Sc. M.C.E. (Struct)
 B.E. (1974) & C.M.D.
 (1978) REGISTERED IN
 RAJARHAT MUNICIPAL CORPORATION
 SIGNATURE OF STRUCTURAL ENGINEER

Signature of Structural Reviewer: _____
 SIGNATURE OF GEOTECHNICAL ENGINEER






PROJECT NAME:

PROPOSED PLAN OF B+G+VII STORED INDUSTRIAL, RESIDENTIAL CUM MERCANTILE BUILDING AT R.S.DAG NO. -3999,3412,3413 & 3416 DIST.-NORTH 24-PGS. MOUZA GOPAL PUR, J.L.NO.-2, WARD NO.-3, UNDER RAJARHAT GOPALPUR MUNICIPALITY, BIDHANNAGAR MUNICIPAL CORPORATION.

TITLE:
 GROUND FLOOR PLAN WITH SITE, SITE PLAN, LOCATION PLAN & DETAIL OF U.G.W.R

SCALE	DRAWN BY	CHECKED BY
	MITHU	MITHU
	DATE	DRG. NO.
	16.12.13	MAYA/090/CORP/03

MAS & MOD ARCHITECTS
 Hitech Chambers, 84 B/ Topika Road (S), 2nd floor, Unit 2R, Melkote 700 046
 P: +91 33 22851043
 E: mayar2003@gmail.com
 W: www.masandmod.com



UNDER GROUND WATER RESERVOIR (FOR FIRE)
 SIZE - 16.14 x 5.0 x 3.0
 CAPACITY - 1,50,000 LIT.
 (SURFACE STRENGTH NOT LESS THAN 45 MPa)

UNDER GROUND WATER RESERVOIR (FOR FIRE)
 SIZE - 16.14 x 5.0 x 3.0
 CAPACITY - 1,50,000 LIT.

UNDER GROUND WATER RESERVOIR (FOR FIRE)
 SIZE - 16.14 x 5.0 x 3.0
 CAPACITY - 1,50,000 LIT.

UNDER GROUND WATER RESERVOIR (FOR FIRE)
 SIZE - 16.14 x 5.0 x 3.0
 CAPACITY - 1,50,000 LIT.

1. DOOR SCHEDULE

Sl. No.	Door No.	Material	Remarks
1	101	W.P.	
2	102	W.P.	
3	103	W.P.	
4	104	W.P.	
5	105	W.P.	
6	106	W.P.	
7	107	W.P.	
8	108	W.P.	
9	109	W.P.	
10	110	W.P.	
11	111	W.P.	
12	112	W.P.	
13	113	W.P.	
14	114	W.P.	
15	115	W.P.	
16	116	W.P.	
17	117	W.P.	
18	118	W.P.	
19	119	W.P.	
20	120	W.P.	

2. WINDOW SCHEDULE

Sl. No.	Window No.	Material	Remarks
1	101	W.P.	
2	102	W.P.	
3	103	W.P.	
4	104	W.P.	
5	105	W.P.	
6	106	W.P.	
7	107	W.P.	
8	108	W.P.	
9	109	W.P.	
10	110	W.P.	
11	111	W.P.	
12	112	W.P.	
13	113	W.P.	
14	114	W.P.	
15	115	W.P.	
16	116	W.P.	
17	117	W.P.	
18	118	W.P.	
19	119	W.P.	
20	120	W.P.	

- NOTES**
1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE MENTIONED.
 2. ALL EXTERNAL WALLS ARE 200 MM & INTERNAL WALLS ARE 100 MM THICK, IF NOT STATED IN 1:4 CEMENT SAND MORTAR.
 3. ALL CHANGES ARE EARTHEN & 200 MM DIA. PIPES.
 4. DEPTH OF UNDERSOILING WATER RESISTION SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
 5. GRADE OF CONCRETE IN GRADE OF STEEL USED ARE NOT TO VARY RESPECTIVELY.
 6. R.C.C. FRAMED STRUCTURE.
 7. ANY DISCREPANCY IN SCALE THE DRAWER DIMENSION SHALL PREVAIL.
 8. FOR SPECIFICATION OF MATERIALS & WORKMANSHIP I.E.C. 1994 TO BE FOLLOWED.
 9. OPEN TERRACE WITH SLOPE TERRACING OF RATIO 1:5.
 10. DAMP PROOF COURSE TO BE PROVIDED WITH R.C.C. (1:2:4).

CERTIFICATE OF OWNER

I HEREBY CERTIFY THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVEY IT FOR OUR USE OR ALLOW IT TO BE USED FOR SEPARATE PLATS / PER FLOOR CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING FOR SANITARY QUALITY INSUFFICIENCY IN WOODEN AND ALSO UNDER TAKE TO WORK BY THESE RULES TOWARDS THE CONSTRUCTION OF THE BUILDING CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMPLETION BEFORE THE DATE AND COMPLETION WOULD BE REPORTED WITHIN 30 DAYS WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO CORRECTION AND ANY CORRECTION TOWARDS THE CORRECTION IN RESPECT OF OUR PROPERTY AS PER PLAN & APPROVAL PROVIDED THEREAFTER WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IN FUTURE.

CERTIFICATE OF STRUCTURAL STABILITY

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLAN HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONCENTRATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.

PROJECT NAME


PROPOSED PLAN OF BLDG WITH STORED INDUSTRIAL RESIDENTIAL CIVIL MERCHANTS BUILDING AT R.S. DAG NO. 3996 3412, 3413 & 3414 DIST. NORTH 24 PGS. MOUZA GOPAL PUR. JL NO. 2, WARD NO. 04 UNDER RAJASARANI GOPAL PUR MUNICIPALITY, BICHANNAGAR MUNICIPAL CORPORATION.

TITLE

GROUND FLOOR PLAN

SCALE	DRAWN BY	CHECKED BY
1:100	MITUN	MITUN
	DATE	ERC. NO.
	15.12.12	KATA/206/CEEP/02

MAS&MOID ARCHITECTS
 101/102, CHAMBERS, 84/85, TOPSI ROAD (A), 2ND FLOOR, LANE NO. 25, THAKARA 2ND ST. P. O. 471003
 U. PIN. 471003
 U. PIN. 471003



PROJ 2-VI

LEAVE UNALTERED WITH
NO. 100/100/100/100
bshv
etg

1. DOOR SCHEDULE :

S.No	U.C.	Wdth	Hght	Unit
1	D1	1000	2100	2100
2	D2	1200	2100	2100
3	D3	1100	2100	2100
4	D4	1000	2100	2100
5	D5	800	2100	2100
6	D6	750	2100	2100
7	D7	1200	2100	2100
8	D8	1000	2100	2100
9	D9	1000	2100	2100

2. WINDOW SCHEDULE :

S.No	U.C.	Wdth	Hght	Unit	SH
1	W1	1800	1000	2100	200
2	W2	1200	1000	2100	200
3	W3	1500	1000	2100	200
4	W4	1200	1000	2100	200
5	W5	1000	1000	2100	200
6	W6	1000	1000	2100	200
7	W7	1200	1000	2100	200

- NOTE - NO INFLAMMABLE ARTICLES CAN BE USED IN STORE
- NOTES :
- ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED
 - ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125/75 THK IF NOT STATED IN 1:4 CEMENT SAND MORTAR
 - ALL CHAJJAS ARE 100THK & 500 MM. PROJECTED
 - DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION
 - GRADE OF CONCRETE & GRADE OF STEEL USED ARE M30 & Fe415 RESPECTIVELY
 - R.C.C. FRAMED STRUCTURE
 - ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN
 - FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C. 1984 TO BE FOLLOWED
 - OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:7
 - DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C. (1:2:4)

CERTIFICATE OF OWNER :

CERTIFIED THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVERT IT FOR "OUR USE" OR ALLOW IT TO BE USED FOR SEPARATE FLATS / PER FLOOR CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING HOLE FOR RAJARHAT GOPALPUR MUNICIPALITY IN YOGDE AND ALSO UNDER TAKE TO ABIDE BY THOSE RULES DURING AND AFTER CONSTRUCTION OF THE BUILDING CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMMENCEMENT BEFORE 7 DAYS AND COMPLETION WOULD BE REPORTED WITHIN 30 DAYS WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN BDMANWAR MUMBAI REGISTERED WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISE IN FUTURE.

Signature of Owner
Director

CERTIFICATE OF STRUCTURAL STABILITY :

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLOT HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.

Signature of Architect
Signature of Structural Engineer
Signature of Geotechnical Engineer


PROJECT NAME :

PROPOSED PLAN OF 8+G+VII STORED INDUSTRIAL RESIDENTIAL CUM MERCANTILE BUILDING AT R.S.DAG NO. -3999,3412,3413 & 3416 DIST. NORTH 24-PGS. MOUZA GOPAL PUR, J.L.NO.-2, WARD NO.-3 UNDER RAJARHAT GOPALPUR MUNICIPALITY BIDHAN NAGAR MUNICIPAL CORPORATION


TITLE :
BASEMENT FLOOR PLAN WITH SITE

SCALE	DRAWN BY	CHECKED BY
	MITHU	MITUL
DATE	DRG. NO.	
16.12.13	MAVA/080/CRP/03	

MASS & MOD ARCHITECTS
Hitach Chambers, 64 B/1, Topple Road (S)
2nd floor, Unit 2A, Hobbs Road 046
P. O. BOX 225153
© mass&mod@gmail.com
www.mass&mod.com



BASEMENT PLAN
SCALE - 1 : 100



BASEMENT PLAN WITH SITE
SCALE - 1 : 200

1. DOOR SCHEDULE :

No.	Size	Material	Weight	Level
1	1000	1200	2100	2100
2	1000	1200	2100	2100
3	1000	1200	2100	2100
4	1000	1200	2100	2100
5	1000	1200	2100	2100
6	1000	1200	2100	2100
7	1000	1200	2100	2100
8	1000	1200	2100	2100
9	1000	1200	2100	2100
10	1000	1200	2100	2100

2. WINDOW SCHEDULE :

No.	Size	Material	Weight	Level
1	1000	1200	2100	2100
2	1000	1200	2100	2100
3	1000	1200	2100	2100
4	1000	1200	2100	2100
5	1000	1200	2100	2100
6	1000	1200	2100	2100
7	1000	1200	2100	2100
8	1000	1200	2100	2100
9	1000	1200	2100	2100
10	1000	1200	2100	2100

- NOTE - NO INFLAMMABLE ARTICLES CAN BE USED IN STORE.
- NOTES :**
- ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED.
 - ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125/75 THK. IF NOT STATED IN 1:3 CEMENT SAND MORTAR.
 - ALL CHAJJAS ARE 100THK & 500 MM PROJECTED.
 - DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
 - GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe415 RESPECTIVELY.
 - R.C.C. FRAMED STRUCTURE.
 - ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN.
 - FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.E.C. 1984 TO BE FOLLOWED.
 - OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:7.
 - DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C. (1:2:4).

CERTIFICATE OF OWNER :

CERTIFIED THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVERT IT FOR OUR USE, OR ALLOW IT TO BE USED FOR SEPARATE FLATS / PER FLOOR. CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING RULES FOR RAJARHAT GOPALPUR MUNICIPALITY IN VOGUE, AND ALSO UNDER TAKE TO ABIDE BY THOSE RULES DURING AND AFTER CONSTRUCTION OF THE BUILDING. CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMMENCEMENT BEFORE 7 DAYS AND COMPLETION WOULD BE REPORTED WITHIN 30 DAYS. WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN. SIGNATURE OF OWNER WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISE IN FUTURE.

Signature of Owner

CERTIFICATE OF STRUCTURAL STABILITY :

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLOT HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.

Signature of Structural Engineer

Signature of Structural Reviewer

PROJECT NAME :


PROPOSED PLAN OF B+G+VII STORED INDUSTRIAL RESIDENTIAL CUM MERCANTILE BUILDING AT R.S.DAG NO. 3999, 3412, 3413 & 3415 DIST-NORTH 24-PGS. MOUZA GOPALPUR, J.L.NO.-2, WARD NO. 4 UNDER RAJARHAT GOPALPUR MUNICIPALITY, BIDHAN NAGAR MUNICIPAL CORPORATION.

TITLE :


MEZZANINE FLOOR PLAN & FIRST FLOOR PLAN

SCALE :	DRAWN BY :	CHECKED BY :
	MITHU	MITUL
	DATE	DRG. NO.
	16.12.13	MAVA/090/CORP/03


M&VOD ARCHITECTS
 3/1 Tech Chambers, 5A B/1 Topika Road (S)
 2nd floor, Unit 28, Kolkata 700 046
 P-91 33 22851083
 E-mava2033@gmail.com
 W- www.messandvoid.com



MEZZANINE FLOOR PLAN
SCALE - 1 : 100



FIRST FLOOR PLAN
SCALE - 1 : 100



TYP. FLOOR PLAN(3RD. & 5TH FL.)

SCALE - 1 : 100



TYP. FLOOR PLAN(3RD. & 5TH FL.) WITH SITE

SCALE - 1 : 200

1. DOOR SCHEDULE:

Sl. No.	Mat.	Width	Height	Level
1	D1	1000	2150	2150
2	D2	1200	2150	2150
3	D3	1100	2150	2150
4	D4	900	2150	2150
5	D5	750	2150	2150
6	D6	1000	2150	2150
7	D7	1100	2150	2150
8	D8	1300	2150	2150

2. WINDOW SCHEDULE:

Sl. No.	Mat.	Width	Height	Level	SS
1	W1	1800	1800	2100	250
2	W2	1200	1800	2100	250
3	W3	900	1800	2100	250
4	W4	1200	1100	2100	1000
5	W5	900	1100	2100	1000
6	W6	600	900	2100	1000
7	W7	1200	1200	2100	900

NOTE :- NO INFLAMMABLE ARTICLES CAN BE USED IN STORE

NOTES:

- 1 ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE MENTIONED
- 2 ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125/75 THK IF NOT STATED IN 1:4 CEMENT SAND MORTAR.
- 3 ALL CHAJJAS ARE 100THK & 500 MM. PROJECTED
- 4 DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
- 5 GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe415 RESPECTIVELY.
- 6 R.C.C. FRAMED STRUCTURE.
- 7 ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN.
- 8 FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C. 1984 TO BE FOLLOWED.
- 9 OPEN TERRACE WITH LIMÉ TERRACING OF RATIO 2:2:7
- 10 DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C. (1:2:4).

CERTIFICATE OF OWNER:

CERTIFIED THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVERT IT FOR OUR USE, OR ALLOW IT TO BE USED FOR SEPARATE FLATS / PER FLOOR CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING RULES FOR RAJARHAT GOPALPUR MUNICIPALITY IN VOGUE, AND ALSO UNDER TAKE TO ABIDE BY THOSE RULES DURING AND AFTER CONSTRUCTION OF THE BUILDING CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMMENCEMENT BEFORE 7 DAYS AND COMPLETION WOULD BE REPORTED WITHIN 90 DAYS WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN BIDDHAR MUNCIPAL CORPORATION WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISE IN FUTURE.

Signature of Owner

CERTIFICATE OF STRUCTURAL STABILITY:

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLOT HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.


Signature of Architect: *Mithu*
Signature of Structural Engineer: *Mitul*

Signature of Structural Reviewer: *Mahojanti*
Signature of Geotechnical Engineer: *Alok Roy*


PROJECT NAME:
PROPOSED PLAN OF B+G+VII STORIED INDUSTRIAL, RESIDENTIAL CUM MERCANTILE BUILDING AT R.S.DAG NO -3999,3412,3413 & 3416 DIST-NORTH 24-PGS. MOUZA GOPAL PUR, J.L.NO-2, WARD NO-4 UNDER RAJARHAT GOPALPUR MUNICIPALITY, BIDHAR NAGAR MUNICIPAL CORPORATION.

TITLE:
TYP. FLOOR PLAN(3RD. & 5TH FL.)

SCALE :	DRAWN BY:	CHECKED BY:
	MITHU	MITUL
	DATE	DRG. NO.
	16.12.13	MAVA/090/CORP/03



TYP. FLOOR PLAN (2ND, 4TH & 6TH FL.)
SCALE - 1 : 100



7TH. FLOOR PLAN
SCALE - 1 : 100

1. DOOR SCHEDULE :

Sl. No.	Door No.	Material	Size	Remarks
1	D1	1000	2100	1000
2	D2	1000	2100	1000
3	D3	1000	2100	1000
4	D4	1000	2100	1000
5	D5	1000	2100	1000
6	D6	1000	2100	1000
7	D7	1000	2100	1000
8	D8	1000	2100	1000
9	D9	1000	2100	1000
10	D10	1000	2100	1000

2. WINDOW SCHEDULE :

Sl. No.	Window No.	Material	Size	Remarks
1	W1	1000	1500	1000
2	W2	1000	1500	1000
3	W3	1000	1500	1000
4	W4	1000	1500	1000
5	W5	1000	1500	1000
6	W6	1000	1500	1000
7	W7	1000	1500	1000
8	W8	1000	1500	1000
9	W9	1000	1500	1000
10	W10	1000	1500	1000

- NOTE :- NO INFLAMMABLE ARTICLES CAN BE USED IN STORE.
- NOTES :
- 1 ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE MENTIONED
 - 2 ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125/75 THK IF NOT STATED IN 1:4 CEMENT SAND MORTAR.
 - 3 ALL CHAJJAS ARE 100THK & 500 MM. PROJECTED.
 - 4 DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
 - 5 GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe415 RESPECTIVELY.
 - 6 R.C.C. FRAMED STRUCTURE
 - 7 ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN
 - 8 FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C 1984 TO BE FOLLOWED.
 - 9 OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:4
 - 10 DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C (1:2:4)

CERTIFICATE OF OWNER :

CERTIFIED THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVERT IT FOR OUR USE, OR ALLOW IT TO BE USED FOR SEPARATE FLATS / PER FLOOR CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING RULES FOR RAJARHAT GOPALPUR MUNICIPALITY IN VOGUE, AND ALSO UNDER TAKE TO ABIDE BY THOSE RULES DURING AND AFTER CONSTRUCTION OF THE BUILDING CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMMENCEMENT BEFORE 7 DAYS AND COMPLETION WOULD BE REPORTED WITHIN 30 DAYS WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN BIDHANNAGAR MUNICIPAL CORPORATION WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISE IN FUTURE.

(Signature)
DIRECTOR
BIDHANNAGAR MUNICIPAL CORPORATION

CERTIFICATE OF STRUCTURAL STABILITY :

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLOT HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.

(Signature)
SIGNATURE OF ARCHITECT

(Signature)
SIGNATURE OF STRUCTURAL ENGINEER

(Signature)
SIGNATURE OF STRUCTURAL REVIEWER

(Signature)
SIGNATURE OF GEOTECHNICAL ENGINEER


PROJECT NAME :

PROPOSED PLAN OF B+G+VII STORIED INDUSTRIAL, RESIDENTIAL CUM MERCANTILE BUILDING AT R.S.DAG NO. 3989,3412,3413 & 3416 DIST.-NORTH 24-PGS. MOUZA GOPAL PUR, J.L.NO.-2, WARD NO.-7 UNDER RAJARHAT GOPALPUR MUNICIPALITY BIDHANNAGAR MUNICIPAL CORPORATION


TITLE :
TYP. FLOOR PLAN (2ND, 4TH & 6TH FL.) & 7TH FLOOR PLAN

SCALE :	DRAWN BY :	CHECKED BY :
	MITHU	MITUL
	DATE	DRG NO
	16.12.13	MAVA/050/CORP/03

MAY & VOID ARCHITECT
2nd Floor, Block 1, Sector 10, Gurgaon, Haryana
Gurgaon, Haryana - 122002
Phone: 98100 98100
www.mayandvoid.com



FRONT ELEVATION
SCALE - 1 : 100



ROOF PLAN
SCALE - 1 : 100

1. DOOR SCHEDULE :

S.No.	Mat.	Width	Height	Area
1	D1	1500	2100	3150
2	D2	1200	2100	2520
3	D3	1100	2100	2310
4	D4	1000	2100	2100
5	D5	900	2100	1890
6	D6	800	2100	1680
7	D7	700	2100	1470
8	D8	600	2100	1260
9	D9	500	2100	1050
10	D10	400	2100	840

2. WINDOW SCHEDULE :

S.No.	Mat.	Width	Height	Area
1	W1	1000	1800	1800
2	W2	1200	1800	2160
3	W3	1400	1800	2520
4	W4	1600	1800	2880
5	W5	1800	1800	3240
6	W6	2000	1800	3600
7	W7	2200	1800	3960
8	W8	2400	1800	4320
9	W9	2600	1800	4680
10	W10	2800	1800	5040

- NOTE - NO INFLAMMABLE ARTICLES CAN BE USED IN STORE.
- NOTES :
1. ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED.
 2. ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125/75 THK IF NOT STATED IN 1:4 CEMENT SAND MORTAR.
 3. ALL CHAJJAS ARE 100THK & 500 MM. PROJECTED.
 4. DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
 5. GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & F415 RESPECTIVELY.
 6. R.C.C. FRAMED STRUCTURE.
 7. ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN.
 8. FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C. 1984 TO BE FOLLOWED.
 9. OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:1.
 10. DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C. (1:2:4).

CERTIFICATE OF OWNER :

CERTIFIED THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVERT IT FOR OUR USE, OR ALLOW IT TO BE USED FOR SEPARATE FLATS / PER FLOOR CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING RULES FOR RAJAHNUT GOPALPUR MUNICIPALITY IN VOGUE, AND ALSO UNDER TAKE TO ABIDE BY THOSE RULES DURING AND AFTER CONSTRUCTION OF THE BUILDING CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMMENCEMENT BEFORE 7 DAYS AND COMPLETION WOULD BE REPORTED WITHIN 30 DAYS. WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN SUBMITTED TO MUNICIPAL CORPORATION. WE WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISE IN FUTURE.

Signature of Owner

CERTIFICATE OF STRUCTURAL STABILITY :

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLOT HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.

Signature of Architect

Signature of Structural Engineer

PROJECT NAME :

PROPOSED PLAN OF B+G+VII STORIED INDUSTRIAL RESIDENTIAL CUM MERCANTILE BUILDING AT R.S.DAG NO. -3999, 3412, 3413 & 3418 DIST. -NORTH 24-PGS. MOZA GOPAL PUR, J.L. NO. -2, WARD NO. -4 UNDER RAJAHNUT GOPALPUR MUNICIPALITY. BIKANER MUNICIPAL CORPORATION.

TITLE :

FRONT ELEVATION & ROOF PLAN

SCALE	DRAWN BY	CHECKED BY
	MITHU	MITUL
	DATE	DRG. NO.
	16.12.13	MAVA/090/CORP/03

MASS & VOID ARCHITECTS

Architects
Hitech Chambers, 8A/101, Taramani Road (S)
2nd Floor, Unit 9, 2R, Kothavala 100 046
P: +91 22 22651083
E: mava2003@gmail.com
W: www.massandvoid.com

NOTE :- NO INFLAMMABLE ARTICLES CAN BE USED IN STORE.

- NOTES:
1. ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED
 2. ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125/75 THK IF NOT STATED IN 1:4 CEMENT SAND MORTAR
 3. ALL CHAMJAS ARE 100THK & 500 MM PROJECTED
 4. DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION
 5. GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe415 RESPECTIVELY
 6. R.C.C. FRAMED STRUCTURE
 7. ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN
 8. FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C 1984 TO BE FOLLOWED
 9. OPEN TERRACE WITH LIME TERRACING OF RATIO 2:2:7
 10. DAMP-PROOF COURSE TO BE PROVIDED WITH P.C.C (1:2:4)

CERTIFICATE OF OWNER:

CERTIFIED THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVERT IT FOR OUR USE, OR ALLOW IT TO BE USED FOR SEPARATE PLATS / FET FLOOR CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING RULES FOR RAJAHAT GOPALPUR MUNICIPALITY IN YOGUR, AND ALSO UNDER TAKE TO ABIDE BY THOSE RULES DURING AND AFTER CONSTRUCTION OF THE BUILDING. CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMMENCEMENT BEFORE 7 DAYS AND COMPLETION WOULD BE REPORTED WITHIN 30 DAYS WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAINT FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN SUBMITTED FOR APPROVAL. WE WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISE IN FUTURE.

Mithu Mithu ARCHITECTS
 DIRECTOR
 SIGNATURE OF OWNER

CERTIFICATE OF STRUCTURAL STABILITY :

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLOT HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.

Mithu Mithu ARCHITECTS
 SIGNATURE OF ARCHITECT

Mithu Mithu ARCHITECTS
 SIGNATURE OF STRUCTURAL ENGINEER

ALEX ROY
 Registered Structural Engineer
 Public Member Corporation
 Class No. 57/151
 54, Anna Road,
 Kodaikanal - 626 004

Signature of Structural Reviewer SIGNATURE OF GEOTECHNICAL ENGINEER

PROJECT NAME:


PROPOSED PLAN OF B+G+VII STORIED INDUSTRIAL RESIDENTIAL CUM MERCANTILE BUILDING AT R.S DAG NO- 3899, 3412, 3413 & 3418 DIST. NORTH 24-PGS. MOUZA GOPAL PUR, J.L. NO.-2, WARD NO. 04 UNDER RAJAHAT GOPALPUR MUNICIPALITY BIDHANNAGAR MUNICIPAL CORPORATION.

TITLE:


SECTION AT 'AA' & SECTION AT 'BB'

SCALE :	DRAWN BY:	CHECKED BY:
	MITHU	MITUL
	DATE	DRG. NO.
	18.12.13	MVA/090/CORP/03


MASS & VOID
 ARCHITECTS
 Nittech Chambers, 2A/21 Topika Road (S)
 2nd Floor, Link 27, Red Hills, NO 049
 P. #1 33 22851083
 E mava2003@gmail.com
 W www.massandvoid.com



SECTION AT 'AA'
 SCALE - 1 : 100




SECTION AT 'BB'
 SCALE-1:100




ROOF PLAN
SCALE - 1 : 100




PART PLAN OF L.M.R.
SCALE - 1 : 100




3RD, 4TH & 5TH FLOOR PLAN
SCALE - 1 : 100




SECOND FLOOR PLAN
SCALE - 1 : 100




FIRST FLOOR PLAN
SCALE - 1 : 100



GROUND FLOOR PLAN
SCALE - 1 : 100



FRONT ELEVATION
SCALE - 1 : 100



SECTION AT 'CC'
SCALE - 1 : 100

1. DOOR SCHEDULE :

No.	Size	Material	Remarks
1	1200 x 2100	2100	2100
2	1200 x 2100	2100	2100
3	1200 x 2100	2100	2100
4	1200 x 2100	2100	2100
5	1200 x 2100	2100	2100
6	1200 x 2100	2100	2100
7	1200 x 2100	2100	2100
8	1200 x 2100	2100	2100
9	1200 x 2100	2100	2100
10	1200 x 2100	2100	2100

2. WINDOW SCHEDULE :

No.	Size	Material	Remarks
1	1200 x 2100	2100	2100
2	1200 x 2100	2100	2100
3	1200 x 2100	2100	2100
4	1200 x 2100	2100	2100
5	1200 x 2100	2100	2100
6	1200 x 2100	2100	2100
7	1200 x 2100	2100	2100
8	1200 x 2100	2100	2100
9	1200 x 2100	2100	2100
10	1200 x 2100	2100	2100

- NOTE :- NO INFLAMMABLE ARTICLES CAN BE USED IN STORE.
- NOTES :
1. ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED.
 2. ALL EXTERNAL WALLS ARE 200 THK & INTERNAL WALLS ARE 125/75 THK IF NOT STATED IN 1:4 CEMENT SAND MORTAR.
 3. ALL CHAJIAS ARE 100THK & 500 MM PROJECTED.
 4. DEPTH OF UNDERGROUND WATER RESERVOIR SHOULD NOT EXCEED THE DEPTH OF FOUNDATION.
 5. GRADE OF CONCRETE & GRADE OF STEEL USED ARE M20 & Fe415 RESPECTIVELY.
 6. R.C.C. FRAMED STRUCTURE.
 7. ANY DISCREPANCY IN SCALE, THE WRITTEN DIMENSION SHALL GOVERN.
 8. FOR SPECIFICATION OF MATERIALS & WORKMANSHIP N.B.C. 1984 TO BE FOLLOWED.
 9. OPEN TERRACE WITH LIME TERRACING OF RATIO 3:2:7.
 10. DAMP PROOF COURSE TO BE PROVIDED WITH P.C.C. (1:2:4).

CERTIFICATE OF OWNER :

CERTIFIED THAT WE SHALL NOT ON A LATER DATE MAKE ANY ADDITION OR ALTERATION TO THIS PLAN AS TO CONVERT IT FOR OUR USE OR ALLOW IT TO BE USED FOR SEPARATE FLATS / PER FLOOR CERTIFIED THAT WE HAVE GONE THROUGH THE BUILDING RULES FOR RAJARHAT GOPALPUR MUNICIPALITY IN YOGUE AND ALSO UNDER TAKE TO ABIDE BY THOSE RULES DURING AND AFTER CONSTRUCTION OF THE BUILDING CERTIFIED THAT WE ALSO UNDER TAKE TO REPORT OF COMMENCEMENT BEFORE 7 DAYS AND COMPLETION WOULD BE REPORTED WITHIN 30 DAYS WE ALSO UNDER TAKE TO REPORT THAT THERE IS NO COURT CASE OR ANY COMPLAIN FROM ANY CORNER IN RESPECT OF OUR PROPERTY AS PER PLAN BIDHANNAGAR MUNICIPAL CORPORATION WILL NOT BE LIABLE FOR ANY TYPE OF DISPUTE IF ARISE IN FUTURE.

Signature of Owner
MITHU SHUKLA BRANCHI
Signature of Owner

CERTIFICATE OF STRUCTURAL STABILITY :

WE HEREBY CERTIFY THAT THE FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING PROPOSED FOR CONSTRUCTION OF THE PLOT HAVE BEEN SO DESIGNED BY ME/US WILL MAKE SUCH FOUNDATION AND SUPERSTRUCTURE SAFE IN ALL RESPECT INCLUDING THE CONSIDERATION OF BEARING CAPACITY AND SETTLEMENT OF SOIL ETC.

MITHU SHUKLA BRANCHI
Signature of Architect

Maitraya Mahawada
D.C.E. M.C.E. (Struct)
10/12, 11/21 of CMR
STARBUCKS/AT/10/12
Signature of Structural Engineer

ALEX ROY
Registered Geotechnical Engineer
Indian Municipal Corporation
Class A, No. 57/111
5A, White Park,
Kolkata-700 064
Signature of Geotechnical Engineer

PROJECT NAME:

PROPOSED PLAN OF B+G+VII STORED INDUSTRIAL, RESIDENTIAL CUM MERCANTILE BUILDING AT R.S.DAG NO. 3999, 3412, 3413 & 3416 DIST. NORTH 24-PGS. MOUZA GOPAL PUR, J.L.NO.-2, WARD NO.-4 UNDER RAJARHAT GOPALPUR MUNICIPALITY, BIDHANNAGAR MUNICIPAL CORPORATION.

TITLE:

GROUND FLOOR, FIRST FLOOR PLAN, SECOND FLOOR PLAN 3RD TO 5TH FLOOR PLAN, ROOF PLAN, PART PLAN OF L.M.R. FRONT ELEVATION & SECTION AT 'CC' (CLUB HOUSE)

SCALE :	DRAWN BY :	CHECKED BY :
	MITHU	MITUL
	DATE	DRG. NO.
	16.12.13	MAVA/090/CGRP/03