

# PARTY'S COPY

Before starting any Construction the site must conform with the plans sanctioned and all the conditions as proposed in the plan should be fulfilled.  
The validity of the written permission to execute the work is subject to the above conditions.

Plan for Water Supply arrangement including SEMILI G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection/demolition.

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building incase unfiltered water from street main is not available.

No tap water pipe should be fixed or discharged on Road or Footpath.  
Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work.

Non Commencement of Erection/ Re-Erection within Two Year will Require Fresh Application for Sanction.

Design of all Structural Members including that of the foundation should conform to Standards specified in the National Building Code of India

THE SANCTION IS VALIED UP TO 12/06/2019



CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED U/S 496 (1) & (2) OF CMC ACT 1980. IN SUCH MANNER, SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS, VATS, BASEMENT CURING SITES, OPEN RECEPTACLES ETC. MUST BE EMPITED COMPLETELY TWICE A WEEK.

## RESIDENTIAL BUILDING

All Building Materials to necessary & construction should conform to standards specified in the National Building Code of India.

The building materials that will be stacked on Road/Passage or Foot-path beyond 3-months or after construction of G Floor, whichever is earlier may be seized forthwith by the K.M.C. at the cost and risk of the owner.

THE SANCTION IS VALIED UP TO 12-06-2024

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

## DEVIATION WOULD MEAN DEMOLITION

" Provision for use of solar energy in the form of solar heater and / or solar photo-cells shall be provided as required under Rule 147 of Building rules, 2009 and completion certificate will not be issued in case of building without having such provision "

Do not allow water to be allowed to flow on ground from construction

Approved By: 21/02/14  
The Building Committee 13/18/14



SANCTION RENEWED

Sub. order No. 13-06-2019.  
For five (5) years approved by D.G.(C) dt-25/6/19

Asstt. Engineer  
Building Department, Br.-XII  
The Kolkata Municipal Corporation

Executive Engineer (Civil)  
Building Deptt. Br.- XII  
The Kolkata Municipal Corporation