


CERTIFIED COPY

A suitable pump has to be provided for pumping unfiltered water for the distribution building inside unfiltered water from street main is not available.

The building materials that will be proposed on the terrace or roof-slab of G. Floor, whichever is earlier may be referred forward by the K.M.C. at the time of the submission.

Design of all Structural Members should conform to the Standards specified in the National Building Code of India.



DEMOTION WOULD BEAN RESOLUTION
 All Building Materials to necessary & construction should conform to the Building Code of India.

Before starting any Construction the site must be cleared and the permission should be valid. The validity of the written permission to execute the work is subject to the above conditions.

No rain water pipes should be fixed or disengaged on Road or Footpath. The Borough Executive Engineer's Office should be informed before the start of the work.

CONSTRUCTION SITE SHALL BE MAINTAINED TO THE SATISFACTION OF THE MUNICIPAL CORPORATION. SO THAT ALL WATER COLLECTION & PARTICULARLY REFRIGERATORS, ETC. MUST BE EXERTED COMPLETELY TWICE A WEEK.

Plan for Water Supply arrangement including S.E.M.U. & O. H. reservoirs should be submitted to the Office of the Executive Engineer, Water Supply and this sanction must be obtained before any construction is started. Any deviation may lead to discontinuation of the plan.

Sanctioned subject to demolition of existing structure to provide fire-escape within the building. Construction is started.

Approved By: ... [Signature] ...
 The Building Committee

UP TO ... [Signature] ...
 THE SANCTION IS VALID



RESIDENTIAL BUILDING

Specifications of S.W. Piping
 Chapter 20 - Schedule (2017-18) - Part No. 14

Materials:
 (a) Standard Cast Iron Pipes
 (b) Standard Cast Iron Fittings
 (c) Standard Cast Iron Flanges
 (d) Standard Cast Iron Gaskets
 (e) Standard Cast Iron Joints

Notes:
 1. The piping shall be of 150 mm diameter and shall be of class 150 or above.
 2. The piping shall be of 150 mm diameter and shall be of class 150 or above.
 3. The piping shall be of 150 mm diameter and shall be of class 150 or above.
 4. The piping shall be of 150 mm diameter and shall be of class 150 or above.
 5. The piping shall be of 150 mm diameter and shall be of class 150 or above.

Department of Municipal Engineering
 Kolkata Municipal Corporation

[Signatures and stamps]

KOLKATA MUNICIPAL CORPORATION
 BUILDING DEPARTMENT
 CERTIFIED COPY OF S.S. PLAN
 Borough No. ...
 Assistant Engineer R. P. ...

