



CIN No : U45309WB2017PTC220329

Corporate Address :

81, Golaghata, VIP Road, 1st floor, Radhakunj Apartment,
Near Bika Banquet, Kolkata - 700048

Phone : 033 6501 5151 | **Web :** www.evanieinfra.com

Email : info@evanieinfra.com

Ref No: EIPL/20/HIRA/legal/0350

Date: 12/10/2020

DECLARATION

Apropos the requirement of the HIRA authority regarding the project named Evanie Eco Nest (Phase-I) on the following facilities, declaration from the designated Architect of the Project i.e M/S Prakalpa Space Kraft Pvt. Ltd are attached herewith as Annexure I,II & III for your kind consideration....

- i) Drinking water facility is pointed out in the survey drawing and shall be arranged from appropriate sources.
- ii) Declaration on Airport Authority clearance is attached as Annexure I.
- iii) Declaration on Fire and Emergency services is attached as Annexure II
- iv) Declaration on Emergency Evacuation facilities is attached herewith as Annexure III
- v) It does not have provisions of Renewable Energy.

Deponent

EVANIE INFRASTRUCTURE PVT. LTD.


Director

SRI GOUTAM KUMAR SAHOO
DIRECTOR



TO WHOM IT MAY CONCERN

This is to certify that the proposed project is G+4 storied Residential Building with a height of 14.95 Mt. at Mouza- Hudarait, J.L. No- 54, L.R. Khatian Nos: 2780 & 2799, L.R. Dag Nos: 2357(P), 2358(P) & 2359(P) P.S.-Rajarhat, P.O.- Akandakeshori under Chandpur gram panchayat, Dist-24 Pgs (N),, does not falls under the purview of **AIRPORTS AUTHORITY OF INDIA**, Government Of India. So obtaining NOC from the aforesaid department is not applicable.



AMITAV BISWAS
Chartered Architect
CA/2010/47702

.....
Signature of Architect

Amitav Biswas.
(CA/2010/47702)

AN ISO 9001 : 2008 COMPANY

145, Nanigopal Roy Chowdhury Avenue, (CIT Road), Entally, Mezzanine, 2nd, 3rd & 4th Floor, Kolkata - 700 014
Phone : 033 6450 7757, 2265 0612, E-mail : prakalpa.arch@gmail.com, Website : www.prakalpa.in




PRAKALPA®
SPACE KRAFT PRIVATE LIMITED

ARCHITECTURE | INTERIOR | PLANNING | DESIGN
CIN : U70109WB2012PTC182021

To,
Evanie Infrastructure Pvt. Ltd.
81 Golaghata, VIP Road, 1st Floor,
Radhakunj Apartment, Kol-700048,

This is to certify that the proposed G+4 storied Residential Project at Mouza- Hudarait, J.L. No- 54 ,L.R. Khatian Nos: 2780 & 2799, L.R Dag Nos: 2357(P), 2358(P) & 2359(P) P.S.- Rajarhat, P.O.- Akandakeshori under Chandpur gram panchayat, Dist-24 Pgs (N), does not falls under the purview of **WEST BENGAL FIRE & EMERGENCY SERVICES**, Government Of West Bengal.

The reason being, the aforesaid project is a **G+4** storied single building (14.95 Mt.) and is under 15 Mt. of height only.


AMITAV BISWAS
Chartered Architect
CA/2010/47702

.....
Signature of Architect

Amitav Biswas.
(CA/2010/47702)

AN ISO 9001 : 2008 COMPANY

145, Nanigopal Roy Chowdhury Avenue, (CIT Road), Entally, Mezzanine, 2nd, 3rd & 4th Floor, Kolkata - 700 014
Phone : 033 6450 7757, 2265 0612, E-mail : prakalpa.arch@gmail.com, Website : www.prakalpa.in




**PROPOSED G+4 STORIED RESIDENTIAL COMPLEX AT MOUZA-
HUDARAIT, J.L. NO- 54, L.R. KHATIAN NOS: 2780 & 2799, L.R DAG NOS:
2357(P), 2358(P) & 2359(P) P.S.-RAJARHAT, P.O.- AKANDAKESHORI
UNDER CHANDPUR GRAM PANCHAYAT, DIST-24 PGS (N)**

EMERGENCY EVAQUATION SYSTEM

Here in this project for each block we are having 4 tenements in each floor catered by 1 stair which is about 1.85 Mtr. from the main entrance door and around 3.6 Mtr. from the furthest end of the tenement.

Hence we have proposed this staircase for the first way of emergency exit. Apart from this each floor will have a fire extinguisher of ABC type and a Ring Main Hydrant system all around the site.

In connection to this we are having a proper driveway of 4Mt. within the site for the movement of emergency vehicle at any time.


AMITAV BISWAS
Chartered Architect
CA/2010/47702.....

Signature of Architect

Amitav Biswas.
(CA/2010/47702)

AN ISO 9001 : 2008 COMPANY

145, Nanigopal Roy Chowdhury Avenue, (CIT Road), Entally, Mezzanine, 2nd, 3rd & 4th Floor, Kolkata - 700 014
Phone : 033 6450 7757, 2265 0612, E-mail : prakalpa.arch@gmail.com, Website : www.prakalpa.in