



**SCHEDULE OF PILE CAP BLOCK-1**

PILE CAP MKD.	NO. OF PILES UNDER SINGLE COLUMN	COL. MKD.	REINFORCEMENT DETAILS OF PILE CAP	
			BOTTOM REINFORCEMENT (AS1)	TOP REINFORCEMENT (AS2)
PC1	2	C1, C8, C30, C37, C3, C6, C19, C38, C32, C33, C34, C35.	16-125 C/C	12-150 C/C
PC2	3	C2, C7, C31, C36, C9, C14, C22, C29, C11, C12, C4, C71, C13, C21, C16, C20, C10, C13, C23, C28, C4, C3.	16-100 C/C	12-150 C/C
PC3	12	LIFT + C17, C18, C25, C26.	20-125 C/C	12-150 C/C

**SCHEDULE OF PILE CAP BLOCK-2**

PILE CAP MKD.	NO. OF PILES UNDER SINGLE COLUMN	COL. MKD.	REINFORCEMENT DETAILS OF PILE CAP	
			BOTTOM REINFORCEMENT (AS1)	TOP REINFORCEMENT (AS2)
PC1	2	C69, C39, C71, C74, C57, C60, C41, C42, C43, C44, C45, C46, C75, C76.	16-125 C/C	12-150 C/C
PC2	3	C70, C40, C63, C47, C65, C66, C49, C52, C54, C55, C56, C68, C62, C53, C60, C67, C64, C48, C72, C73.	16-100 C/C	12-150 C/C
PC3	12	LIFT + C50, C51, C58, C59.	20-125 C/C	12-150 C/C

**NOTES**

- GRADE OF CONCRET = M20 & M25
- GRADE OF STEEL FOR CONCRET Fe 500.
- SOIL INVESTIGATION HAS BEEN DONE BY GEO TEST
- CLEAR COVER:
  - a. FOUNDATION : 75mm.
  - b. COLUMN SIDES : 40mm.
  - c. BEAM : 25mm.
  - d. SLAB BOTH : 15 mm.
5. "L" OF COLUMN 40D

**CERTIFICATE OF L.R.A.**

I CERTIFY WITH FULL RESPONSIBILITY, THAT THE BUILDING PLAN HAS BEEN DRAWN AS PER PROVISIONS OF THE WEST BENGAL MUNICIPAL BUILDING RULES 2007. THE SITE CONDITION INCLUDING THE WIDTH OF THE ABUTTING ROAD AND NOT TANK OR FILLED UP TANK.

**CERTIFICATE OF E.S.E.**

I CERTIFY WITH FULL RESPONSIBILITY, THAT THE BUILDING PLAN HAS BEEN DESIGNED BY ME CONSIDERING ALL POSSIBLE LOADS INCLUDING THE SEISMIC LOAD AS PER THE NATIONAL BUILDING CODE OF INDIA AND ALSO CONSIDERING THE BEARING CAPACITY AND SETTLEMENT OF SOIL AND CERTIFY THAT THE BUILDING IS SAFE & STABLE IN ALL RESPECT.

**ASST. HEAD (L.E.S. (Struct.))**  
 ENR. NO. 205318381  
 487/230, Bidhan Sarani, Kolkata-700027

**ASST. HEAD (L.E.S. (Struct.))**  
 ENR. NO. 205318381  
 487/230, Bidhan Sarani, Kolkata-700027

**ASST. HEAD (L.E.S. (Struct.))**  
 ENR. NO. 205318381  
 487/230, Bidhan Sarani, Kolkata-700027

**PROJECT :** REVISED (G+V) RESIDENTIAL BUILDING AT MOUDA, GHOLA HOLDINGS NO. 32, M.D. KALACHAND ROAD, B-3 KALDAHAT NO. 1190, COOPERATION SOCIETY, L.R. KHATTIANI NO. 871 UNDER THE POLICE STATION OF GHOLA WITH IN THE LIMIT OF PARISHAD MUNICIPALITY IN WARD NO. 20 IN THE DISTRICT OF NORTH 24 PARAGANAS PREVIOUS SANCTION PLAN NO. \_\_\_\_\_

**CONSULTANTS :** Architects consultants  
 11702 DAKSHINADAR ROAD, KOLKATA-700046, INDIA  
 Tel: 3257 6595, 2334 0591, 49-4051 379792 Email: [architect@architects.com](mailto:architect@architects.com) or [architects@architects.com](mailto:architects@architects.com)

**RASHMI DEALER PVT. LTD.**  
 For SHEET SWAN ASNO PVT. LTD.  
 Director  
 For SHREEHAR CONSTRUCTION PVT. LTD.  
 Director  
 S. S. Saha  
 Director of OWNER

**RELEASER FOR :** PRELIMINARY  TENDER  INFORMATION  APPROVAL  CONSTRUCTION

**DRAWING STATUS :** ARCHITECTURAL  STRUCTURAL  ELECTRICAL  PLUMBING

NO.	DATE	BY	SCALE
01	20/04/2017	ASST. HEAD	1:100
02	20/04/2017	ASST. HEAD	2 OF 3
03			0



②

SPL

247 Date: 14 SEP 2018  
 The plan has been sanctioned subject to rules & the condition that Notice of commencement of work and certificate of completion/occupancy should be submitted to the municipality within one month of commencement and completion as per Rule 26 of the W.B.M. Act, 1996 as amended. This sanction shall remain of valid for three years from the date sanction

*Asst. Eng. 03/9/18*  
 Sub Assistant Engineer  
 Panihati Municipality

*D. D. Das*  
 Asst. Engineer  
 Panihati Municipality

BL-182

②  
 Structural  
 beyond of Rule  
 & Column

SANCTIONED  
*ABM*  
 CHAIRMAN  
 PANIHATI MUNICIPALITY  
 14 SEP 2018