SPECIAL NOTES

NOTES

SECTION A-A



TYPICAL FLOOR BEAM LAYOUT PLAN





FLOOR SLAB SCHEDULE

SLAB TYPE	DEPTH	REINF. AT SPAN BOTTOM	REINF. AT SUPPORT TOP
S1	125	10 ϕ @ 150 C/C	10 ϕ @ 150 C/C
S2	125	10 ϕ @ 150 C/C	10 ϕ @ 150 C/C

COLUMN SCHEDULE

SIZE	300 X 300	250 X 600	230 X 300
COLUMN TAG	C1, C2, C3	C5, C6, C16, C18, C19, C20	C4, C7, C8, C9, C10, C11, C12, C13, C14, C15, C17, C21



PLAN OF PC1

PLAN OF PC2

DETAIL OF PILE

PILE CAP	CUT OFF LVL	PILE TIP LVL	PILE LENGTH	LENGTH OF PILE CAP
PC1,PC4	(-) 1.425M	(-) 25.500	24.00	3.00
PC2	(-) 1.425M	(-) 25.500	24.00	3.00



PILE FOUNDATION LAYOUT PLAN

LONG SEC. OF PILE FOR COLUMN



SEC. AT X-X

TYPICAL DETAIL OF PC2

TYPE PC2 BOTTOM PLAN

TYPE PC2 TOP PLAN

SCHEDULE OF STAIR

SCHEDULE OF LIFT WALL

SCHEDULE OF PILE CAP

PILE CAP MARK	PILE CAP SIZE (mm)	PILE CAP DEPTH (mm)	NO. OF PILE	REINFORCEMENT AT BOTTOM LONGITUDINAL DIR.	REINFORCEMENT AT BOTTOM SHORTER DIR.	REINFORCEMENT AT TOP LONGITUDINAL DIR.	REINFORCEMENT AT TOP SHORTER DIR.	SIDE REINFORCEMENT ALONG DEPTH	LINK FOR PILE CAP
PC1	3900 x 2300	1000	6	20ϕ @ 150 C/C	20ϕ @ 150 C/C	12ϕ @ 150 C/C	12ϕ @ 150 C/C	12ϕ	10 ϕ 4L @ 300 C/C BOTH
PC4	3300 x 2300	1000	5	20ϕ @ 150 C/C	20ϕ @ 150 C/C	12ϕ @ 150 C/C	12ϕ @ 150 C/C	12ϕ	10 ϕ 4L @ 300 C/C BOTH
PC2	3900 x 2300	1000	6	20ϕ @ 150 C/C	20ϕ @ 150 C/C	12ϕ @ 150 C/C	12ϕ @ 150 C/C	12ϕ	10 ϕ 4L @ 300 C/C BOTH

FIRST FLOOR TO ROOF BEAM SCHEDULE AT DIFFERENT LVL

TIE BEAM SCHEDULE AT (+) 0.20M FROM P.C.L.

GENERAL NOTES OF APPROVAL

SANCTION DRAWING FOR BLOCK-A

STRUCTURAL DETAIL FOR G+6 & G+8 RCC STRUCTURE

D.C. CONSULTANTS & ASSOCIATES