PROJECT

PROPOSED ADDITION-ALTERATION PLAN OF FOUR(4) FLOORS OVER SANCTIONED G+14 STORIED RESIDENTIAL BUILDING VIDE B.P. NO. 648/14-15 DATED 31.03.2015 INCLUDING ADDITION OF A NEW BLOCK(G+7) STORIED REDSIDENTIAL BUILDING AT PREMISES NO. – 224 BBUA EAST ,AT R.S. DAG –146 KHATIAN NOS. – 240,250,278 &4,94,242,25 ,MOUZA-PATULI, PO-PATULI, P.S.- PATULI, 24 PARGANAS (SOUTH) BOROUGH NO- XI

TITLE :

SECTION –AA,BB,CC & FRONT ELEVATION

SPECIFICATION

1. ALL DIMENSIONS ARE IN MM UNLESS IT IS MENTIONED.
2. ALL EXTERNAL BRICK WALLS ARE 230 MM THICK AND INTERNAL 125 MM THICK UNLESS IT IS MENTIONED OTHERWISE.
3. ALL CONCRETING WORKS ARE AS PER IS 456 AND ALL REINFORCEMENT AS PER IS 1786.
4. ALL R.C.C. WORKS ARE OF M-40
5. ALL MATERIALS USED SHALL BE UNDER THE SUPERVISION OF ENGINEER.
6. DEPTH OF WATER RESERVOIR SHALL NOT BE MORE THAN THE DEPTH OF BEAM COLUMN JUNCTION.

DRG. NO.-A-03	DESIGNED
CHECKED -	SCALE-1:100
DRAWN - SHEIKH	DATE- 21-01-2015

ARCHITECT

ESPACE

OWNERS CERTIFICATE

* I / WE DO HEREBY DECLARE WITH FULL RESPONSIBILITY THAT
* I / WE SHALL EMPLOY ARCHITECT & E.S.E DURING CONSTRUCTION
* K.M.C. AUTHORITY WILL NOT BE RESPONSIBLE FOR STRUCTURAL STABILITY OF THE BUILDING & ADDING STRUCTURE.
* IF ANY DISMATTED DOCUMENTS ARE FOUND TO BE FAKE THEN K.M.C AUTHORITY WILL REVOKE THE SANCTION PLAN.
* THE CONSTRUCTION OF WATER RESERVOIR AND SEPTIC TANK WILL BE UNDERTAKEN UNDER THE GUIDANCE OF E.S.E. BEFORE STARTING OF BUILDING FOUNDATION WORK.
* DURING SITE INSPECTION I WAS PERSONALLY PRESENT AND ULLY IDENTIFIED THE PLOT.
* THE SAID LAND WAS NOT A POND OR FILLED UP TANK.

SIGNATURE OF STRUCTURAL ENGINEER & SEAL

KOUSHIK SENGUPTA
B.E.(CIVIL),M.E.(STRUCTURE)
2012 - U/19 (CAL)

SIGNATURE OF STRUCTURAL REVIEWER

BIBEK BIKASH MULLICK
B.E.,M.E. - 1/75
KOLKATA MUNICIPAL CORPORATION

STRUCTURAL ENGINEERS' CERTIFICATE

THE STRUCTURAL DESIGN AND DRAWINGS OF BOTH FOUNDATION & SUPERSTRUCTURE OF THE BUILDING HAS BEEN MADE BY ME CONSIDERING ALL POSSIBLE LOADS INCLUDING THE SEISMIC LOADS AS PER THE NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT IT IS SAFE AND STABLE IN ALL RESPECTS.
THE DESIGN HAS BEEN FRAMED ON THE BASIS OF SOIL INVESTIGATION REPORT BY PRASANTA KUMAR GHOSH (GEO-TECHNICAL ENGINEER) OF M/S GEOCON

SIGNATURE OF ARCHITECT & SEAL

DEBATOSH SAHA (CA/08/12566)

SIGNATURE OF OWNER & SEAL

ARPAN VANIJYA PVT LTD
Director / Authorised Signatory

ARCHITECTS' CERTIFICATE

THE PLOT HAS BEEN INSPECTED BY ME AND ON THAT BASIS I DO CERTIFY WITH FULL RESPONSIBILITY THAT THE PROPOSED BUILDING AS PER PROVISION OF K.M.C. BUILDING REGULATION 2008 AS AMENDED FROM TIME TO TIME MEETS IS PLAN HAS BEEN DRAWN DEMARCATED BY BOUNDARY WALL ON ALL FOUR SIDES. THE SITE PLAN AND LOCATION PLAN CONFORMS THE SITE.


THE KOLKATA MUNICIPAL CORPORATION
BUILDING PERMIT
Ex. Engineering Assistant
Ex. Engineering Assistant
Ex. Engineering Assistant