



<b>APPLICANT NAME &amp; ADDRESS</b>	SHRUTI INFRASTRUCTURE DEVELOPMENT CORPORATION LTD. Plot No. X-1, 253, Block EP, Sector V, Salt Lake City, Kolkata - 700 091.
<b>PRINCIPAL ARCHITECT:</b>	CP Kulkreja Associates Plot No. 11, Green Park New Delhi-110020 Phone - 26683953, Fax: 11-26686770 E-mail - cpka@cplkrcja.com
<b>CERTIFICATE OF THE ARCHITECT:</b>	CERTIFY THAT ALL THE ARCHITECTURAL DRAWINGS OF THE PROJECT AT PLOT NO.- ANI/ICBD2, NEW TOWN KOLKATA HAVE BEEN PREPARED BY ME COMPLYING WITH THE PROJECT AREA (BUILDING OPERATIONS) RULES, 2009 AND THE PROJECT AREA (BUILDING OPERATIONS) REGULATIONS, 2009. I SHALL BE HELD RESPONSIBLE IF ANY INCORRECT INFORMATION IS FURNISHED BY ME OR ANY VIOLATION OF PROVISIONS OF THESE RULES AND THE PROJECT AREA (BUILDING OPERATIONS) REGULATIONS, 2009 IS FOUND IN ANY OF THE DRAWINGS AND DOCUMENTS PREPARED BY ME AND SUBMITTED TO THE SANCTIONING AUTHORITY FOR OBTAINING SANCTION.  Sanjay Mandal CA08823921
<b>CERTIFICATE OF STRUCTURAL ENGINEER:</b>	Certified that the structural drawing and design of both the foundations and superstructure of the building has been made considering the Soil Test Report, as per the provisions of IS: 456: 2000 and IS: 800: 2009 and the proposed structure as per the Bureau of Indian Standard and National Building Code of India and certified that it is safe and stable in all respect and these provisions shall be adhered to during the construction.
<b>CERTIFICATE OF GEO-TECHNICAL ENGINEER:</b>	It is certified that the comprehensive Geo-technical Report on soil investigation has been prepared by me for design and calculation of the foundation by analyzing the soil sample for estimating the bearing capacity of the soil on which foundation of the structure will be constructed. I shall also check the nature of the soil after excavation at site so that foundation is extended up to appropriate depth that has been proposed in the Geo-technical Report.
<b>SPECIFICATION:</b>	1. 250mm THK BRICK WORK AT EXTERNAL WALL WITH 1:6 CEMENT SAND MORTAR. 2. 75mm THK BRICK WORK IN 1:4 CEMENT SAND MORTAR. 3. 75mm THK BRICK WORK IN 1:4 CEMENT SAND MORTAR INCLUDING H.B. NETTING EVERY AT TERRACE LAYER. 4. 20mm TH PLASTER WORK IN 1:6 CEMENT SAND MORTAR. 5. 15mm TH PLASTER WORK IN 1:4 CEMENT SAND MORTAR. 6. 10mm TH PLASTER WORK IN 1:4 CEMENT SAND MORTAR. 7. 100 MM THK(V/G) LIME TERRACING / ROOF TERRAZZO TILES. 8. ALL DIMENSION ARE IN MM.
<b>TITLE: ARCHITECTURAL DRAWING</b>	
<b>GROUND FLOOR &amp; FIRST FLOOR PLAN (TOWER 2)</b>	
<b>PROJECT:</b>	PROPOSED 5 STAR HOTEL COMPLEX AT RAJARHAT, NEW TOWN KOLKATA PLOT NO.- ANI/ICBD2, NEW TOWN KOLKATA
<b>DRAWING SHEET NO.:</b>	INI/246/CORP/AR/19
<b>DATE:</b>	10.04.2017
<b>SCALE:</b>	1:100
<b>NORTH POINT</b>	
THE DRAWING IS A PRIVATE AND CONFIDENTIAL DOCUMENT AND IT MUST NOT BE COPIED OR USED WITHOUT THE CONSENT OF ANIRBAN.	

**ANIRBAN BISWAS**  
TOWN PLANNER, TPER/NKDA/10/00019

**PRADIP BHAIUMIK**  
[STER/NKDA/107/00013]

**Geo-Technical Engineer:**  
PRADIP BHAIUMIK  
[STER/NKDA/1000025]

**SHRUTI INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.**  
Plot No. X-1, 253, Block EP, Sector V, Salt Lake City, Kolkata - 700 091.

**CP Kulkreja Associates**  
Plot No. 11, Green Park  
New Delhi-110020  
Phone - 26683953, Fax: 11-26686770  
E-mail - cpka@cplkrcja.com

**SHRUTI INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.**  
Plot No. X-1, 253, Block EP, Sector V, Salt Lake City, Kolkata - 700 091.

**CP Kulkreja Associates**  
Plot No. 11, Green Park  
New Delhi-110020  
Phone - 26683953, Fax: 11-26686770  
E-mail - cpka@cplkrcja.com

**SHRUTI INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.**  
Plot No. X-1, 253, Block EP, Sector V, Salt Lake City, Kolkata - 700 091.

**CP Kulkreja Associates**  
Plot No. 11, Green Park  
New Delhi-110020  
Phone - 26683953, Fax: 11-26686770  
E-mail - cpka@cplkrcja.com