

PLAN FIG. 1

PLAN FIG. 2



SCHEDULE OF COLUMN :-

COLUMN	SECTION	REINFORCEMENT UP TO 2ND FLOOR		REINFORCEMENT FROM 3RD FLOOR		
		LONGITUDINAL	TIES	SIZE	LONGITUDINAL	TIES
1	1	4-16 TOR	2-1 TOR 2-20CC	20x20	4-16 TOR 4-12 TOR	2-4 TOR 2-20CC
2	2	4-16 TOR	2-1 TOR 2-20CC	20x20	4-16 TOR 4-12 TOR	2-4 TOR 2-20CC


SCHEDULE OF SLAB :-

SLAB	THICKNESS (mm)	REINFORCEMENT AT SUPPORT				REINFORCEMENT AT SPAN			
		ALONG LONGER DIR.		ALONG SHORTER DIR.		ALONG LONGER DIR.		ALONG SHORTER DIR.	
		TOP	BOTTOM	TOP	BOTTOM	TOP	BOTTOM	TOP	BOTTOM
S	100	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC
S1	125	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC	8 TOR 2 123 CC


FOR EQUAL REINFORCEMENT AS PER IS:456-2000 WILL BE PROVIDED



PLAN



Steel Column Layout Plan  
Scale: 1:100



Column & Foundation Layout Plan  
Scale: 1:100