"D" (Specifications)

The building will be constructed as per sanctioned plan with some modifications and alteration for betterment of the internal arrangements subject to the rules and regulations of Rajpur Sonarpur Municipality.

- i) R.C.C. frame structure of column beams and slabs as per Rajpur Sonarpur Municipality sanction plan.
- ii) Brick Wall All exterior work shall be 200 mm thick with bricks of approved quality in C.M. (1:5). All partitions shall be 125mm / 75mm thick with bricks of approved quality in C.M. (1:4).
- iii) Toilet & W.C. Necessary sanitary and plumbing fitting and water connection in toilet (a) Cold and hot water line with Fittings (toilet), (b) Geezer point (at toilet), (c) Wash basin (white) one, (d) Shower, (e) Two taps, (f) Commode and PVC flash (W.C.).
- iv) Main Entrance of the building M.S. Grill gate of the building.
- v) Stair and landing White Marble flooring/Antiskid floor tiles
- vi) Plaster External and Internal plaster shall be strong-based sand, cement plaster.,
- vii) Flooring The flooring will be of off-white base (2'-0"X 2'-0")Vitrified Tiles with 4" skirting on all sides.
- viii) Toilet and Kitchen Floor and Wall Toilet floor will be anti skit floor (1'X1')tiles and Toilet wall will be glazed tiles at the height of 6 ft. from floor.
- ix) Door, Frame and Windows The main door will be of Quality wooden flash door with a night latch with oil painted and other inside doors will be of also quality wooden flash door with
 - handle, hinges and oil painted. All door-frames shall be sal wood. All windows shall Aluminum sliding Pallah with black glass (4 mm) along with plane front grill.
- x) Kitchen The kitchen will have a cooking platform with green polish marble top, sink (steel) with water connection. Two points with bib cocks will be provided in the kitchen. Glazed tiles will be in front of cooking base (6'-0" x 2'-6").
- xi) Interior walls coats All the interior walls will be finished with plaster of Paris.
- xii) Water Tanks The Promoters/Builders / Developers shall arrange regular supply of water from the sanctioned Rajpur Sonarpur Municipality water supply/ Deep-tube well through underground reservoir and overhead water tank only.
- xiii) Electric wiring / installation -Concealed wiring with main lines through ploy pipes, switch boards
 - (a) Bed room: 2 light points, 1 fan points one 5amp socket & one A.C point / power point (Master Bed)
 - (b) Liv/din: three light points3 fan points, two 5amp socket, one 15amp freeze point, one 5amp TV socket,
 - (c) Kitchen: one light point, one exhaust fan point, two 5amp socket and one 15 amp socket.
 - (d)Toilet: one light point, one exhaust fan point, one 15 amp socket
 - (e)W.C.:- one light point, one exhaust fan point,
 - (f)Verandah: one light point
 - (g) Calling Bell.
 - Switch brand Anchor or Heavels or equivalent ISI brand.
- xiv) LIFT: Adams or any equivalent
- xv) Intercom facility.
- xvi) A.C. Meeting Room (Common)
- xvii) Caretaker: Room for living of 100sq.ft (one) and Toilet (one) out-side. (Common)
- xviii) Treated Water Supply through Iron Remover.