

PARTY'S COPY

Before starting any Construction the site must conform with the plans sanctioned and all the conditions as proposed in the plan should be fulfilled.

The validity of the written permission to execute the work is subject to the above conditions.

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building. Incase unfiltered water from street main is not available,

**Non Commencement of Erection/
Re-Erection within Five year will
Require Fresh Application for Sanction**

Plan case no. 2018100400

MONITORING



The building materials that will be stacked on Road/Passage or Foot-path beyond 3-months or after construction of G. Floor, whichever is earlier may be seized forthwith by the K.M.C. at the cost and risk of the owner.

No rain water pipe should be fixed or discharged on Road or Footpath.

Design of all Structural Members
including that of the foundation
should conform to Standards
specified in the National Building
Code of India

THE SANCTION IS VALID
UP TO 05-05-2024

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED U/S 490 (1) & (2) OF CMC ACT 1980 IN SUCH MANNER SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS, VATS, BASEMENT CURING SITES, OPEN RECEPTACLES ETC. MUST BE EMPTIED COMPLETELY TWICE A WEEK

Necessary steps should be taken

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

All Building Materials to necessary
& construction should conform's to
standered specified in the National
Building Code of India.

Plan for Water Supply arrangement including SEMILI G. & O.H. reservoirs should be submitted at the Office of the Ex Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection/demolition

DEVIATION WOULD MEAN DEMOLITION