



Plan for Water Supply arrangements including SCHEDULE C, S. O. H. connections, should be submitted at the Office of the Executive Engineer, Supply and the sections concerned before proceeding with the work of Water Supply any deviation may lead to discontinuation of work.

No rain water pipe should be fixed or discharged on Road or Footpath. Storage tank should be situated at the Borough Engineer's Office and the sanction should be obtained before proceeding with the drainage work.

Design of all Structural Members including that of the foundation should conform to standards specified in the National Building Code of India.

A suitable pump has to be provided for pumping untreated water for the distribution to the further offices and urinals in the building where untreated water from street mains is not available.

All Building Materials to be used in construction should conform to standards specified in the National Building Code of India.

DEVIATION WOULD MEAN DEMOLITION

Non-compliance of Electrical Regulation within Two Year will require fresh application for sanction.

THE SANCTION IS VALID UP TO 01/11/2024

APPROVED AS PER RESOLUTION OF M.C. VIDE ITEM NO. 42/22 DATED 12/11/2022

Approved by J.L.C. on 19/11/22 The Executive Engineer

APPROVED



APPROVED BY ASSISTANT ENGINEER (C) BOROUGHS NO. 10

\*Provision for use of solar energy in the form of solar heater and/or solar photovoltaic shall be provided as required under Rule 147 of Building Rules, 2009 and completed certificate will not be issued in case of building which having such provision.

Sanctioned subject to demolition of existing structure to provide open space as per the above conditions in detail.

The building materials that will be stored on the premises or Footpath beyond 30 days or other construction activity authorized by the N.M.C. at the cost and risk of the owner.

OFFICE OF THE EXECUTIVE ENGINEER, BUILDING DEPARTMENT, KOLKATA MUNICIPAL CORPORATION

RESIDENTIAL BUILDING

Vertical text on the right side of the page, possibly a reference or note.

KOLKATA MUNICIPAL CORPORATION  
BUILDING DEPARTMENT  
CERTIFIED COPY OF S.P. PLAN  
No. 22/11/2022-31 Dtd 10/11/22  
Borough No. 10  
Assistant Engineer  
Executive Engineer