



- SPECIFICATIONS:-**
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED
 - ALL EXTERNAL WALLS ARE 200 B & ALL INTERNAL WALLS ARE 100 B & 75TH
 - THE DEPTH OF U.G.W.R. SHALL NEVER EXCEED THE DEPTH OF FOUNDATION
 - BRICK WORK 200 B. MORTAR 1:6 & BRICK WORK 100 B & 75TH MORTAR 1:4
 - ALL SHORTS OF PRECAUTIONARY MEASURE WILL BE TAKEN AT THE TIME OF CONSTRUCTION
 - OTHERS ITEM ARE AS PER I.S. SPECIFICATION

THE STRUCTURAL DESIGN & DRAWING OF BOTH FOUNDATION & SUPERSTRUCTURE OF THE BUILDING HAS BEEN MADE BY ME CONSIDERING ALL POSSIBLE LOADS INCLUDING THE SEISMIC LOAD AS PER THE NATIONAL BUILDING CODE OF INDIA & CERTIFIED THAT IT IS SAFE & STABLE IN ALL RESPECT.

(Signature)
SANJIV H. PAREKH
 M.E. STRUCT. & E. CONST. ENGR.
 R. C. E. REG. NO. 148202
 E. S. E. NO. 10410 R. M. C.

SIGN. OF STRUCTURAL ENGINEER

(Signature)
DEEPAK SINGH (INDIA) PVT. LTD.
 Director

SIGN. OF OWNER

(Signature)
SUBIR KUMAR BASU
 Registered Architect
 Regs. No.-CA784373

SIGN. OF ARCHITECT

DOOR / WINDOW OPENING SCHEDULE

SL. NO.	LEGEND	SIZE	LINTEL HT.	SILL HT.	SPECIFICATIONS
1	S0	-	2100	-	SLIDING DOOR
2	D1	1050 x 1000	2100	-	FLUSH DOOR
3	D2	900 x 1000	2100	-	FLUSH DOOR
4	D3	750 x 1000	2100	-	FLUSH DOOR
5	W1	1500 x 1400	2400	1000	CASEMENT WINDOW
6	W2	1200 x 1400	2400	1000	CASEMENT WINDOW
7	W3	900 x 1200	2400	1200	CASEMENT WINDOW
8	W4	600 x 900	2400	1500	CASEMENT WINDOW
9	W5	450 x 900	2400	1500	CASEMENT WINDOW

PROJECT TITLE:-
 PROPOSED G+4 STORED HOUSING COMPLEX AT MOUZA - AMTALA, P.S. BISHNUPUR, J.L. NO. - 73, RS DAG NO. 978, 979, 981, 982 & 985 & LR DAG NO. 1831, 1832, 1837, 1839 & 1836, KHATIAN NO.923, BLOCK - BISHNUPUR-2, GRAM PANCHAYET - CHANDI, DISTRICT - SOUTH 24 PARGANAS.

SHEET TITLE:- 1 BHK UNIT

FLOOR PLANS, ROOF PLAN, ELEVATION & SECTIONS

ARCHITECT

Subir Kumar Basu
 CONSULTING ARCHITECTS & ENGINEERS
 4, BROAD STREET
 KOLKATA-700019

DRAWN BY: MICHEMATA	DEALT BY: NORDIN	CHECKED BY: RAJIB BASU
SCALE: 1:500	SHEET NO. - 8 OF 8	DATE: 16.11.2017

DRAWING NO. - SKAMTALA/RS/NC/15/002