

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Pranisampad Bhavan, Block 'LB'-2, 5th Floor, Sector - III,

Salt Lake, Kolkata - 700 106

Telefax No. 033 2335 5246

Website : www.environmentwb.gov.in

No. 1379 / EN/T-II-1/038/2012

Date : 06 / 06 / 2018

To
M/s. South City Projects (Kolkata) Ltd.
South City Mall, Ground Floor
375, Prince Anwar Shah Road
Kolkata - 700 068

Subject : Environmental Clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata - 700053, West Bengal.

Sir,

This has a reference to your application submitted on 25/05/2012 and subsequent communications for Environmental Clearance for the proposed residential complex at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata - 700053, West Bengal.

The proposal has been examined and processed in accordance with EIA Notification, 2006. It is noted that the proposed proposal is for construction of residential building consisting of 4 blocks of G+18 and 2 blocks of G+19 with common basement.

It is noted that the salient features of the project for which Environmental clearance has been considered are as follows :

Salient Features	Proposed project
Land Area	21165.74 sqm
Gifted area to road	358.944 sqm (1.70%)
Expected Population	2554 persons
No. of Block and stories	4 Blocks A1, A2, B1 & B2 of G+18 and 2 Blocks A3 & A4 of G+19 with common basement. Recreation Centre Block is located in between Blocks A3 & A4 on ground and first floor.
Nos. of flats	356 Nos.
Total Water requirement	366 KLD
Fresh Water requirement	221 KLD (KMC supply)
Domestic water requirement	221 KLD
Wastewater generated	255 KLD
Treated Waste water discharged	110 KLD (to be discharged to KMC drainage)

Paul

Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata – 700053, West Bengal.

Salient Features	Proposed project
Waste water treated	255 KLD
Treated Waste water recycled	145 KLD (for toilet flushing, landscaping and car washing)
Solid waste disposal	1.225 TPD (through KMC)
Total Built-up Area	59472.483 sqm
Ground Coverage	3946.53 sqm (18.65%)
Total paved Area	5240.89 sqm (24.76%)
Exclusive Tree Plantation Area	4291.65 sqm (20.28%)
Swimming Pool Area	250 sqm (1.18%)
Extended Basement	2343.26 sqm (11.07%)
Semi Paved Area	1814.17 sqm (8.57%)
Water Body Area	2006.4 sqm (9.48%)
Service Area	537.88 sqm (2.54%)
Open parking Area	2732.7 sqm (12.91%)
Paved Area	2967.46 sqm (14.02%)
Total Green Area	6840.76 sqm (32.32%)
No. of plantation proposed	441 Nos.
No. of Parking spaces proposed	422 [Basement parking (covered)-112, ground floor parking (covered)-105, open parking-205]
Number of Solar lights	38 Nos.
Total Power requirement	1490 KVA, CESC
Use of solar power	At least 1% of total demand load to be met from solar power source.
Backup Power	DG Sets (1x750 KVA & 1x1200 KVA)

State Level Environment Impact Assessment Authority (SEIAA), examined the proposal and also perused recommendations of the State Level Expert Appraisal Committee (SEAC). After due consideration of the project proposal, and after considering the recommendations of the State Level Expert Appraisal Committee (SEAC), the State Level Environment Impact Assessment Authority accords Environmental Clearance to the project as per provisions of the EIA notification no. S.O. 1533 (E) dt. 14th September, 2006 of Ministry of Environment & Forests, GOI, subject to strict compliance of terms and conditions as mentioned below.

Sandy

Part A - SPECIFIC CONDITIONS

I. Construction Phase

(a) Facility of labourers during construction: -

- i. Provision of drinking water, wastewater disposal and solid waste management should be ensured for labour camps. Water usage during construction should be optimized to avoid any wastage.
- ii. Proper sanitation facilities should be provided for construction workers to ensure environmental sanitation. Sewage generated from the areas occupied by the construction labourers have to be directed into the existing sewage drain of the area. In case of non availability of the sewer system, an onsite treatment system has to be provided.
- iii. The scaffolds, stairs and platforms for construction works and the workers must be secured as far as possible to prevent any accident.
- iv. Health and safety of the workers should be ensured during construction. Personnel protective equipment like shoes, helmets, earmuffs, earplugs etc. should be provided to the workers. For vibration control damped tools must be used and the number of hours that a worker uses them must be limited. The Management must ensure that the workers put them while doing work that needs such protection, if any.
- v. Rest and convenience shelter for workers with crèche facility, if required, particularly for women, must be provided with proper toilet facilities.

(b) Steps to avoid disturbance during construction:-

- i. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas and external services. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- ii. All the topsoil excavated during construction activities should be under cover/stored by retaining walls for use in horticulture / landscape development within the project site. Adequate erosion and sediment control measures to be adopted before ensuing construction activities.
- iii. Prior permission should be obtained from the competent authority for demolition of the existing structure, if any. Waste recycling plans should be developed for prior to beginning of demolition and construction activity. The plans should identify wastes to be generated and designate handling, recycling and disposal method to be followed.
- iv. Disposal of muck including excavated material during construction phase should not create any adverse effects on the neighbouring communities and disposed off taking the necessary precautions for general safety and health aspects.
- v. Diesel generator sets during construction phase should have acoustic enclosures and should conform to E(P) Rules prescribed for air and noise emission standards.
- vi. Vehicles / equipment deployed during construction phase should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours. Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vii. Ambient noise levels should conform to residential standards both during day and night. Fortnightly monitoring of ambient air quality (PM, SO₂ and NO₂) and equivalent noise levels should be ensured during construction phase.
- viii. Construction spoils including bituminous material and other hazardous materials including oil from construction equipments must not be allowed to contaminate watercourses and the dump

[Handwritten Signature]

- sites for such material must be secured so that they should not leach into the ground water. If necessary, oil trap should be installed where there is deployment of heavy machineries.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016.
 - x. Regular supervision of the above and other measures should be in place all through the construction phase so as to avoid disturbance to the surroundings. Discomfort in the neighbourhood due to the proposed project activity should be minimized as far as practicable.
 - xi. Loading and unloading operations should not be carried out in open areas and should be preferably done during day time, if there is any major settlement in the surrounding areas. The construction activities including Piling work, Operation of Ready Mix Plant and Vibrator etc. should not be carried out during the night time (10 P.M. to 6 A.M.). Only essential operations, if any, may be carried out for a limited period during nighttime.
 - xii. The proponent must ensure that no driven piles shall be proposed for this project, if there is any major settlement in the surrounding areas.
 - xiii. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust / wind breaking walls all around the site (at least 3m height).
 - xiv. Use of Ready-Mix concrete is recommended for this project.
 - xv. Adequate measures to be adopted to avoid wastage of water for curing of concrete structures.
 - xvi. Adequate mitigative measures should be adopted to control dust emissions, noise and vibrations from construction activities. Vehicles and construction machineries should be properly maintained. Vehicles should conform to Pollution under control (PUC) norms.
 - xvii. Locally available materials with less transportation cost should be used preferably.
 - xviii. Promotion of use of cleaner fuel and fuel quality improvement should be done. Excessive energy consumption and fuel usage should be avoided.
 - xix. Accumulation / stagnation of water should be avoided to ensure vector control.
- (c) Selection of materials for better energy efficiency:-**
- i. Use of energy efficient construction materials should be ensured to achieve the desired thermal comfort.
 - ii. Design layout should ensure adequate solar access and ventilation. Proper planning and window design for daylight integration should be considered.
 - iii. Fly Ash is to be used for construction as per Notification No. S.O. 763(E) dated 14.09.1999 amended vide Notification No. S.O. 979(E) dated 27.08.2003, S.O. 2804(E) dated 03.11.2009 and S.O.254(E) dated 25.01.2016 of the Ministry of Environment & Forests, Govt. of India.
 - iv. Construction should conform to the requirements of local seismic regulations. The project proponent should obtain permission for the plans and designs including structural design, standard and specifications from concerned authority.
 - v. Construction technologies that require less material and possess high strength should be adopted. Materials with low embodied energy and high strength should be used preferably.
 - vi. The building will be constructed and provisioned to use natural sunlight to the maximum during the day time, during use.
 - vii. Use of alternate building materials and alternate construction techniques should be considered apart from the conventional materials and methods. Use of hollow unit masonry should be considered.

A. S. D.

Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata - 700053, West Bengal.

- viii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include fly ash bricks, hollow bricks, AACs, Fly ash lime gypsum blocks, compressed earth blocks and other environment friendly materials.
- ix. Use of energy efficient lighting systems e.g. LED etc. should be promoted. Solar energy should be used for outdoor lighting. Adequate no. of solar lights should be installed for external lighting as per norms. All outdoor & common area lighting will be LED system.
- x. Solar water heating arrangement will be provided to meet 20% of the hot water demand of the commercial and institutional building and as far as possible for residential buildings.
- xi. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design.
- xii. Proper insulation of roof should be provided to achieve desired thermal comfort. Use of light coloured, reflective roofs having an SRI (solar reflectance index) of 50% or more should be incorporated.
- xiii. Use of high albedo or reflective pavements to keep parking lots, pavements and inside roads cool should be incorporated.
- xiv. Guidelines to the occupants should include usage efficiency measures such as energy efficient lighting and water efficient system.
- xv. Reduce hard paving-onsite (open area surrounding building premises) and/or provide shade on hard paved surfaces to minimize heat island effect and imperviousness of the site.
- xvi. Adequate open space, greenery and water bodies to be provided as per rules.
- xvii. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured.
- xviii. Any proposed building with air-conditioning facility should follow the norms proposed in the ECBC regulations framed by the Bureau of Energy Efficiency. Chillers should be CFC & HCFC free.
- xix. Restrict the use of glazed surface as per National Building Code 2005 and as amended thereafter.
- xx. Wall, window and roof u-values shall be as per ECBC specifications.
- xxi. At least 1% of total demand load to be met from solar power source.

(d) Water Body Conservation:-

- i. Existing water body of 2006.69 sqm (9.64% of the land area) should not be lined and their embankments should not be cemented. The water body is to be kept in natural conditions without disturbing the ecological habitat.
- ii. No construction is allowed on wetland and water bodies.

(e) Plantation Proposal:-

- i. The unit should strictly abide by The West Bengal Trees (Protection and Conservation in Non-Forest Areas) Act, 2006 and subsequent rules. The proponent should undertake plantation of trees over at least 20% of the total area.
- ii. No tree can be felled without prior permission from the Tree Cutting Authority constituted as per the West Bengal Trees (Protection and Conservation in Non-Forest Areas) Act, 2006 and subsequent rules.
- iii. The proponent should plant at least 441 trees as proposed. Indicative list of species is given at Annexure - I. The landscape planning should include plantation of native species. The species

Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata – 700053, West Bengal.

- with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- iv. Provision for Roof Top Gardening is mandatory.
- (f) Water supply:-**
- i. Water requirement during construction phase shall be met from Kolkata.Municipal.Corporation (KMC) supply.. Ground water should not be abstracted without prior permission from the Competent Authority as per the West Bengal Ground Water Resources (Management, Control and Regulation) Act, 2005.
- (g) Sewage Treatment Plant:-**
- i. As per the proposal submitted by the proponent waste water shall be treated in septic tank to soak pit. Construction waste water to be collected in sedimentation trap with adequate retention time and to be reused.
- (h) Storm water Management & Mitigation of Heat Island Effect:-**
- i. Imperviousness of the site shall not exceed the NBC (National Building Code 2005 and as amended thereafter) standards for imperviousness factor applicable to different types of area.
- ii. At least 20% of the open spaces shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- iii. Total paved area of site under parking,,roads, paths or any other use should not exceed 25% of the site area.
- iv. Adequate storm water drainage network to be designed for the project without disturbing the surrounding settlements. Storm water management plan should be implemented so as to prevent sudden discharge of excessive volumes of storm water to the receiving waters thus reducing the shock load on the drainage system and impact on receiving water body.
- v. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site.
- vi. Disruption to the natural hydrology of the site should be minimised by reducing impervious cover, increasing on site infiltration and managing storm water run off.
- vii. Heat island effect should be minimized by use of shading or reflective surfaces, mainly the surfaces that contribute to the heat island effect i.e. streets, sidewalks, parking lots and buildings. White roofs should be provided in the buildings.
- (i) Rain Water Harvesting Scheme:-**
- i. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided.
- ii. The proponent must collect rainwater from roof-top catchments and reuse for various purposes after necessary cleaning. Adequate retention time and storage provisions should be provided for harvesting rainwater.
- iii. All recharge should be limited to shallow aquifer.
- iv. Adequate firefighting storage should be provided as per norms.
- (j) Solid Waste Management :-**
- i. Conform to the guidelines on Environment Management of Construction & Demolition Waste by CPCB, March 2017.
- ii. Adequate provision shall be made for storage and segregation of solid waste and adequate means of access shall be provided.

Sanku

Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata - 700053, West Bengal.

- iii. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016.

(k) Transport Management:-

- i. Both internal and external traffic planning and management should be adequate to ensure uninterrupted traffic movement in the area during construction as well as operation phase.
- ii. The design of service road and the entry and exit from the project area should conform to the norms & standards of competent authority for traffic management. Bell mouth type arrangement should be made at the entry & exit. Proper traffic management plan should be adopted in consultation with Traffic authorities.
- iii. Clarified Wastewater will be used for sprinkling water on the unpaved internal roads on a regular basis.

(l) Others:-

- i. Notification G.S.R. 94(E) dated 25.01.2018 issued by MoEF & CC, Government of India should be complied with.
- ii. Conform to the clause mentioned in the "Manual and standards for EC for large construction projects" published by MoEF & CC, Government of India.
- iii. All mandatory approvals and permission as required from Director of Explosives, Fire Department etc. should be obtained.
- iv. Provision of Effective Controls and Building Management Systems such as Automatic Fire Alarm and Fire Detection and Suppression System etc. must be ensured.
- v. Efficient management of indoor air quality must be ensured for health and safety of the users.
- vi. Adequate measures to be adopted for water conservation during construction and operation stage. Use of efficient irrigation equipment, evaporative cooling unit in air-conditioning system etc should be considered.
- vii. Rest room facilities should be provided for service population.
- viii. Adequate access to fire tenders should be provided.


II Operation Phase

(a) Water supply :-

- i. Water requirement during construction phase shall be met from KMC supply. Ground water should not be abstracted without prior permission of the Competent Authority as per the West Bengal Ground Water Resources (Management, Control and Regulation) Act, 2005.
- ii. Use of water meter conforming to ISO standards should be installed at the inlet point of water uptake to monitor the daily water consumption. Use of water efficient devices / fixtures and appliances should be promoted. Installation of dual flushing system should be considered to conserve water.
- iii. The proponent must practice rainwater harvesting on regular basis.

(b) Sewage Treatment Plant:-

- i. As per the proposal submitted by the proponent, waste water shall be treated in STP. Treated waste water shall be partly reused for toilet flushing, landscaping; car washing etc. Excess treated water shall be discharged as per CPCB norms.
- ii. Backup power for operation of STP during power failure should be kept.



Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata – 700053, West Bengal.

(c) Emission from Diesel Generator Set: -

- i. Noise barriers will be provided at appropriate locations so as to ensure that the noise levels do not exceed the prescribed standards. Diesel generator sets should be provided with integral acoustic enclosure at the manufacturing stage itself as per CPCB norms.
- ii. The stack height and emissions from D.G. sets should conform to the norms of Central Pollution Control Board. The certification of space design for DG sets should be done by competent authority.

(d) Ensure Energy Efficiency:-

- i. Use of energy efficient construction materials to achieve the desired thermal comfort should be incorporated. The desired level of R and U factors must be achieved. U factor for the top roof should not exceed 0.4 Watt/sq.m/degree centigrade with appropriate modifications of specifications and building technologies. The provisions of National Building Code 2005 and as amended thereafter should be strictly followed.
- ii. Use of energy efficient electrical systems should be promoted. High efficiency lamps with electronic ballasts should be used.
- iii. Energy efficient Motors and properly rated Transformers should be installed. Manufacturer's certificate to this effect shall be obtained and kept on record. Backup power supply should be based on cleaner fuel.
- iv. The power cabling shall be adequately sized as to maintain the distribution losses not to exceed 1% of the total power usage. Record of transmission losses shall be maintained. The proponent shall install permanent electrical metering to record demand (kVA), energy (kWh) and total power factor.
- v. At least 1% of total demand load to be met from solar power source.

(e) Transport Management: -

- i. Use of public mode of transportation should be promoted. Use of the least polluting type of transportation should be promoted. Adequate parking space should be provided as per norms.
- ii. Pathways should be covered or shadowed by tree canopy as far as practicable. Transport system should be such that traffic will be calm in neighbourhoods. Traffic within the project site should be restricted by regulation. Adequate vertical and horizontal clearances of overhead electric power and telecommunication lines should be provided.

(f) Solid Waste Management:-

- i. The proponent should abide by the Solid Waste Management Rules, 2016. The proponent must develop the Solid Waste Management and Disposal Scheme ensuring storage and segregation of biodegradable and non-biodegradable wastes. The solid waste is to be disposed off in consultation with concerned authority.
- ii. The proponent shall install onsite compost plant for treatment of biodegradable part of Municipal Solid Waste. Sufficient space for installation of onsite compost plant should be provided and operation of the compost plant considering full occupancy of the apartments i.e. the capacity of garbage disposal unit should be selected accordingly.
- iii. The handling agency should also take care of the recyclable wastes like plastic, paper board, glass etc. and also inert materials in case of respective municipal authorities want to avoid any kind of waste from the housing complex.
- iv. The proponent should have sufficient area for horticulture where the compost generated can be used as fertilizer and soil supplement and also have arrangement for sale of excess quantity of compost.

Sandy

Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata- 700053, West Bengal.


- v. Provision for treatment of leachate generated and odour control in on-site compost plant should be made.
- vi. Non-recyclable inorganics and rejects will be disposed off through concerned authority as proposed.
- vii. The proponent should provide different coloured bins for different categories of waste and ensure complete segregation of biodegradable and non-biodegradable wastes. The solid waste from different collection and storage bins should be finally collected at transfer stations. Further segregation will be done at transfer stations to collect recyclables such as plastic, polythene, glass, metals, textiles, rubbers, leathers, paper etc. Separate compartments shall be provided for each type of recyclables.
- viii. The proponent should abide by the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Collection and storage of hazardous wastes during Pre-construction and Post-construction activity should be planned properly. The expected hazardous wastes should be disposed off separately as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- ix. Spent oil from DG Sets should be stored in HDPE drums in isolated covered facility and disposed off as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Spent oil from DG Sets should be disposed off through registered recyclers only.
- x. The provisions of the Solid Waste Management Rules, 2016 and the E-waste (Management) Rules, 2016 and the Plastics Waste Management Rules 2016 shall be followed.

(g) Others :-

- i. The implementation of Environmental Management Plan should be carried out, as proposed. Regular monitoring should be carried out during construction and operation phases.
- ii. The project proponent should provide guidelines to the users to ensure conservation of energy and water. In-house environmental awareness campaigns should be carried out at regular intervals to ensure environmental protection.
- iii. Fire fighting systems should be designed in compliance with the WBFS and NBC norms. Preventive measures should be adopted for Risk & Disaster Management as per the provisions of the National Building Code 2005 and as amended thereafter.
- iv. The Enterprise Social Commitment (ESC) Plan with specific financial commitment should be implemented for the proposed project. At least 2.5% of the total project cost should be utilized for Corporate Social Responsibility programmes.
- v. The proponent should abide by the Direction issued by the Department of Environment, Government of West Bengal, vide No. EN/3170/T-IV-7/001/2009 dated 10.12.2009.
- vi. Environmental Management Information System shall be maintained properly.
- vii. The proponent should restrict the use of glazed surface as per National Building Code 2005 and as amended thereafter.
- viii. All the recommendation made in the EIA/EMP report should be complied with.

Part-B GENERAL CONDITIONS

- i. The environmental clearance accorded shall be valid for a period of 7 years for the proposed project.
- ii. Prior Consent-to-Establish (NOC) for the proposed project must be obtained from WBPCB by the proponent. All other statutory clearances should be obtained by project proponent from the competent authorities.



Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kolkata) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata - 700053, West Bengal.

- iii. The proponent should maintain a display board at the site, providing detailed information on the salient features of the proposed project.
- iv. The environmental safeguards contained in the EIA/EMP report should be implemented in letter and spirit.
- v. All the conditions, liabilities and legal provisions contained in the EC shall be equally applicable to the successor management of the project in the event of the project proponent transferring the ownership, maintenance of management of the project to any other entity.
- vi. Provision should be made for the supply of kerosene or cooking gas to the labourers during construction phase. All the labourers to be engaged for construction works should be screened for health and adequately treated before issue of work permits.
- vii. The project proponent should make financial provision in the total budget of the project for implementation of the suggested safeguard measures.
- viii. Six monthly monitoring reports should be submitted to the West Bengal Pollution Control Board, who would be monitoring the implementation of environmental safeguards and should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents should also be forwarded to the State Level Environment Impact Assessment Authority, West Bengal and to the Regional Office of MoEF&CC, Bhubaneswar.
- ix. In case of any violation of the conditions laid down in this Environmental Clearance, Section 16 of The Environment (Protection) Act, 1986, will be applicable. In case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEIAA, West Bengal.
- x. The State Level Environment Impact Assessment Authority, West Bengal reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time-bound and satisfactory manner.
- xi. The Project Proponent should inform the public that the proposed project has been accorded environmental clearance by the SEIAA, West Bengal and copies of the clearance letter are available with the State Pollution Control Board / Committee and may also be seen at website of the SEIAA, West Bengal (<http://environmentwb.gov.in>). This should be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned.
- xii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Civil Aviation Department (if required) etc. shall be obtained by project proponents from the competent authorities.
- xiii. Provision for incorporation of appropriate conditions in the Sale Agreement / Deed, for ensuring sustained Operation and Maintenance (O&M) of the common facilities (STP, Rainwater harvesting system, Solid waste management system, Solar street lights etc.) even after transfer of ownership of the project, should be made in explicit and transparent manner.
- xiv. The above stipulations would be enforced along with those under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, the Public Liability Insurance Act, 1991, the Environment Impact Assessment Notification 2006 and their amendments.


Paul

Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata - 700053, West Bengal.

xv. The contact details of the proponent and the name of the consultant are given below -

Name of the Contact person with Designation	Mr. Parimal Ajmera, Company Secretary
Address	375, Prince Anwar Shah Road, Kolkata-700 068
Email	ajmera@southcityprojects.com
Telephone Number; Fax Number	033-40012639, 033-40012621
Name of the Environmental Consultant	M/s. Envirotech East Pvt. Ltd., Kolkata

Yours faithfully,



(Sandipan Mukherjee, IFS)
Chief Environment Officer &
Member Secretary, SEIAA

Date : 06 / 06 /2018

No. 1379 / EN/ T-II-1/038 /2012/1(3)

Copy forwarded to :-

1. Secretary, SEAC & M.S. WBPCB
2. Officer-in-Charge, Regional Office (Eastern Zone), Ministry of Environment & Forests, Government of India, A-3, Chandrashekharapur, Bhubaneswar - 751 023, Orissa.
3. Guard file / Record file.

Sd/-

Chief Environment Officer &
Member Secretary, SEIAA

Conditions for environmental clearance for the proposed residential complex by M/s. South City Projects (Kol) Limited at 88A, B. L. Saha Road, JL No.10, Khatian Nos. 36, 38, 81 & 90, Borough No. XIII, P.O. & P.S. Behala, K.M.C. Ward No. 116, Kolkata - 700053, West Bengal.

Annexure - I

LIST OF TREES PROPOSED FOR PLANTATION

Sl. No.	BOTANICAL NAME	COMMON NAME	QUANTITY
1.	<i>Polyalthia longifolia</i>	Debdaru	41
2.	<i>Butea monosperma</i>	Palas	20
3.	<i>Alstonia scholaris</i>	Chhatim	20
4.	<i>Bombax ceiba</i>	Simul	20
5.	<i>Thespesia populnea</i>	Poros	50
6.	<i>Mimusops elengi</i>	Bakul	75
7.	<i>Cassia fistula</i>	Amaltas	50
8.	<i>Bauhinia variegata</i>	Raktakanchan	25
9.	<i>Lagerstroemia speciosa</i>	Jarul	75
10.	<i>Azadirachta indica</i>	Neem	25
11.	<i>Michelia champaca</i>	Champa	20
12.	<i>Pongamia pinnata</i>	Karanj	20
		Total	441

A. A. A.



Department of Environment
Government of West Bengal
Writers' Buildings, "G" Block, (2nd. Floor),
Kolkata-700 001.

No. EN/3170/T-IV-7/001/2009

Dated: December 10th, 2009.

DIRECTION

WHEREAS, Department of Environment, Govt. of West Bengal is entrusted to look after the execution of the different environmental laws within the territorial jurisdiction of West Bengal and also responsible for maintaining pollution free environment and also responsible for restraining different environment hazardous activities which are causing serious impact on human beings, other living creatures, plant, micro-organism, property or the environment;

AND WHEREAS, Department of Environment has already taken different steps for controlling air pollution in the atmosphere generated from the different sources i.e. industrial source, vehicular source and burning of biomass;

AND WHEREAS, Department of Environment in exercising the power conferred under section 19 of the Air (Prevention & Control of Pollution) Act, 1981, has already declared entire West Bengal as 'Air Pollution Control Area';

AND WHEREAS, West Bengal Pollution Control Board conducted a study with the help of the Asian Development Bank and it is revealed that the contribution of the construction activities is one of the source of air pollution in Kolkata and its surroundings;

AND WHEREAS, it is further revealed that burning of old tyres in hot mix plant as a fuel during construction and repairs of road for melting coal tar contributes significant obnoxious element into the air which cause a serious problem of the human beings;

HENCE, in view of the above and in consultation with the West Bengal Pollution Control Board and in exercise of the power conferred under Air (Prevention & Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986, all the municipalities, local authorities and all other concerned Govt. Departments within the State of West Bengal, are now directed to take immediate steps to implement the following norms which need to be strictly followed by the developers, contractors or any other infrastructure developers;

- Preventive measures need to be taken: -
 - a) Wrap construction area/buildings with geotextile fabric, installing dust barriers, or other actions, as appropriate for the location,
 - b) Apply water and maintain soils in a visible damp or crusted condition for temporary stabilization,
 - c) Apply water prior to levelling or any other earth moving activity to keep the soil moist throughout the process;
 - d) Limit vehicle speeds to 15 mph on the work site.
 - e) Clean wheels and undercarriage of haul trucks prior to leaving construction site.
 - f) Apply and maintain dust suppressant on haul routes.
 - g) Apply a cover or screen to stockpiles and stabilize stockpiles at completion of activity by water and maintain a dust palliative to all outer surfaces of the stockpiles;
 - h) Stabilize surface soils where loaders, support equipment and vehicles will operate by using water and maintain surface soils in a stabilized condition where loaders, support equipment and vehicles will operate;
 - i) Stabilize adjacent disturbed soils following paving activities with immediate landscaping activity or installation of vegetative or rock cover.
 - j) Maintain dust control during working hours and clean track out from paved surfaces at the end of the work shift/day. Track out must now extend 50 feet or more and must be cleaned daily, at the minimum.
 - k) Stabilize sloping surfaces using soil binders until vegetation or ground cover can effectively stabilize the slope;
 - l) Disposal of debris in consultation with the local authorities following proper environmental management practice.
 - m) During construction work, including cutting of marbles, ambient noise level should not exceed more than 65 dB(A).

• Practices to be discarded: -

- a) Don't dispose of debris indiscriminately,
- b) Don't allow the vehicles to run at high speed within the work site.
- c) Don't cut materials without proper dust control/noise control facility.
- d) Don't keep materials without effective cover.
- e) Don't allow access in the work area except workers to limit soil disturbance and prevent access by fencing, ditches, vegetation, berms or other suitable barrier.
- f) Don't leave the soil, sand and cement stack uncovered.
- g) Don't keep materials or debris on the roads or pavements.
- h) Burning of old tyres in hot mix plant as a fuel during construction and repair of the roads for melting coal tar should be discarded ;

NOW THEREFORE, it is made clear that any developers, contractors or infrastructure developers either Govt. or Private failed to comply with the aforementioned statutory norms, Department of Environment and West Bengal Pollution Control Board will take necessary action under Air (Prevention & Control of pollution) Act, 1981 and Environment (Protection) Act, 1986 which may lead to stoppage and prohibition of the work including closure and other legal action as warranted under the law including imposition of the 'Pollution Cost'.

It is further directed that all Municipal Corporations, Municipalities and Panchayats should also be at liberty to take necessary action against the violators under the Municipal Laws and Panchayat Law.

But it is made clear that Local Authorities i.e. Municipal Corporations, Municipalities and Panchayats are responsible to implement the aforementioned guidelines meticulously for the purpose of curbing air pollution and other environmental hazards of their respective jurisdiction.

Local Police Station is also directed to render all necessary help to the Local Authorities to implement the aforementioned direction in a befitting manner.

This order will take effect from 01-01-2010 through out the State of West Bengal.

By Order,
Sd/-
(M. L. Meena)
Principal Secretary to the Govt. of West Bengal.
Department of Environment.

No. EN/3170/T-IV-7/001/2009

Dated: December 10th, 2009.

Copy forwarded to :

- 1) The Principal *Secretary to the Govt. of West Bengal, Urban Development Department.
- 2) The Director General of Police, Govt. of West Bengal, Writers' Buildings, Kolkata-700001.
- 3) The Secretary to the Govt. of West Bengal, Municipal Affairs Department.
- 4) The Commissioner of Police, Kolkata.
- 5) The Member-Secretary, West Bengal Pollution Control Board.
- 6) The District Magistrate.....District, with a request to advice his good office to circulate this direction to all SDOs., BDOs., for necessary action.
- 7) The Commissioner.....Corporation.
- 8) The Executive Officer.....Municipality.
- 9) The Secretary,Zilla Parishads, with a request for circulate this direction through his good office to the Panchayat Samity and Gram Panchayat for implementation.
- 10) The P.S. to Principal Secretary to the Govt. of West Bengal, Department of Environment.
- 11) The P.S. to MIC, Environment Department, Govt. of West Bengal.

Sd/-
Chief Law Officer,
Department of Environment.