

RESIDENTIAL BUILDING

DEVIATION WOULD MEAN DEMOLITION

"CONSTRUCTION SITE SHALL BE JAINTAINED TO PREVENT MCCQUITO BEEDING BREQUIRED U/S 496(1) & (2) OF CMC ACT 1900, IN SUCH MANNER SO THAT ALL WATER COLLECTIONS PARTICULARLY LIFT WELLS, VATS, BASEMENT SURING SITES OPEN RECEPTACLES ETO AS EMPITED COMEPLETELY TWICE & WEAR"

water pipe should be fixed or discharged on Road or Footpath.
Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work

Before starting any Construction the site must conform with plans sanctioned and all the conditions as proposed in the plan should be fulfilled

The validity of the written permission to execute the work is subject to the above

A suitable pump has to be provided i.e. pumping unflitered water for the distribution to the flushing ciaterns and urinals in the building incase unflitered water from street main is not evolvable.

Plen for Weter Supply arregement including SEMILI G. & O. H. recervoirs should be submitted at the Office of the Fx-Engineer Water Supply and the sanction obtained before proceeding with the mark of Water Supply any contents may load to disconnection/demolition.

Non Comprendement of Erection/
Re-Erection within Two Year
will Require Fresh Application
for Sanction

All Building Materials to necessary & construct in should conform's to standared specified in the National Building Cope of India.

Design of all Structural Members including that of the foundation should conform to Standards specified in the National Building Code of India.

CHECKED AND VERIFIED

Kund. AE(C)/8;KE.(O)




Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

Structural plan and desing calculation as submitted by the structural engineer have been kept with B. P. No.-2016.140.31.6. Date 16103[11] for record of the Kolkata Municipal Corporation mid-sale variable from the submitted structural plan should be made at the time of creation without submitting frosh structural plan along with design calculation and stability cardicate in the prescribed from, necessary steps should be taken for the safety of the additional plan premises public and plantage properties and safety of human life during copstruction.

Techender is the rest. Engineer Br No- MILLS XW. XIV

SITE PLAN SCALE-1:600



THE SANCTION IS VALIE

Sanctioned subject to demolition of existing structure to provide open space as per plan before construction is started

Executive Engineer (6)
BR.X \

Asst. Engineer (C)

Technical Advisor
Br No- XIII & XIV

Br. PLAN XIV

APPROVED
ASSISTANT ENGINEER (C)
BOROUGH NO. - XIV