

TYPICAL FLOOR LVL. G.A. (7TH, 10TH, 13TH, 16TH, 19TH, 22TH & 25TH)
BLOCK-2

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE MENTIONED.
2. THE U.G.R. BELOW THE DRIVEWAY IS SO DESIGNED THAT IT IS CAPABLE OF TAKING THE LOAD OF HEAVY VEHICLES LIKE FIRE TRUCKS.
3. EXTERNAL WALLS ARE 200 THK. R.C. WALL & INTERNAL WALLS ARE 125 / 230 THK UNLESS OTHERWISE MENTIONED.
4. ALL THE RECOMMENDATION OF WEST GENERAL FIRE SERVICES, CUSTOMER'S ARCHITECT & CONSULTANTS ARE TO BE FOLLOWED AT SITE.
5. ALL STAIRS ARE TO BE PROVIDED WITH RAILING & HANDRAILS.
6. ALL STAIRS ARE TO BE PROVIDED WITH RAILING & HANDRAILS.

SIGNATURE OF OWNER
 M/S. DEVELOPERS LLP
Ramesh Kumar
 CONSTITUTED ATTORNEY

CERTIFICATE OF GEO-TECHNICAL ENGINEER
 IT IS CERTIFIED THAT THE COMPREHENSIVE GEO-TECHNICAL REPORT ON SOIL INVESTIGATION HAS BEEN PREPARED BY ME FOR DESIGN AND CALCULATION OF THE FOUNDATION BY ANALYZING THE SOIL SAMPLE FOR ESTIMATING THE BEARING CAPACITY OF THE SOIL ON SMALL SCALE. THE FOUNDATION DESIGN WILL BE CONSTRUCTED AT SITE SO THAT FOUNDATION IS EXTENDED UP TO APPROPRIATE DEPTH THAT HAS BEEN PREPARED IN THE GEO-TECHNICAL REPORT.

For C. E. Rajkumar
 Geotechnical Consultant
 Dr. M. N. Prasad
 R.E. (Civil) Ph. D. (Geotech)

SIGNATURE OF STRUCTURAL ENGINEER
 UTPALSANTRA
 R.E. (CIVIL) ALBERTA
 C. ENG. MEMBER OF THE ASSOCIATION OF PROFESSIONAL ENGINEERS (A.P.E.)
 R.A.C. EMPLOYED STRUCTURAL ENGINEER
 Chapter I, E. E. No. 219

SIGNATURE OF ARCHITECT
 Rajkumar Agarwal
 Member of Council of Architects


TITLE
 TYPICAL FLOOR LVL. G.A. (7TH, 10TH, 13TH, 16TH, 19TH, 22TH & 25TH) & SECTION DETAILS

PROJECT
 PROPOSED PLAN OF G+XIV (36.4 M. HT) STORED RESIDENTIAL BUILDING AT PRE. NO. 45, CHRISTOPHER ROAD, WARD NO. 58, BOROUGH-VI, P.S. TANGRA, KOLKATA-700046

CIVIL AND STRUCTURAL CONSULTANT:
 M.N. CONSULTANTS (Pvt) Ltd.
 IIII
 ISO 9001:2008 CERTIFIED
 1516, Baidyagarh Main Road,
 Kolkata - 700037

ARCHITECT
 RAJ AGRAWAL & ASSOCIATES
 88, ROYD STREET CALCUTTA - 16

Drawn: Arpita
 Checked: Rajkumar
 Date: 10-05-2016
 Scale: 1:100
 DWG. NO. 3. CORP-BAY-2528-07-01



NOTE

- ALL OUTLET LOCATION & SIZE AS PER ARCH. DRG.
- OPENING OF LIFT AS PER ARCH. SITE INSTRUCTION AND LIFT MANUFACTURER REQUIREMENT.
- ALL BKLT. AT OUT SIDE LOCATIONS AS PER ARCH. FOR FACADE.
- ALL RAILING & PARAPET WALL LOCATION & POSITION WILL BE AS PER ARCH.

THOUGH THE PRESENT DESIGN OF STRUCTURAL BUILDING IS (G+24) HOWEVER THE STRUCTURAL SYSTEM AND FOUNDATION DESIGN HAS BEEN SO PREPARED THAT IT CAN SAFELY WITHSTAND LOAD OF 4 MORE FLOORS i.e. (G+28)

CORPORATION

THIS DRAWING IS THE PROPERTY OF M.N. CONSULTANTS (PVT) LTD. AND IS NOT TO BE REPRODUCED OR USED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF M.N. CONSULTANTS (PVT) LTD.