

PARTY'S COPY

A suitable pump has to be provided for pumping unfiltered water for the distribution building in case unfiltered water from street main is not available

The building materials that will be stacked on Road/Passage or Foot-path beyond 3-months or after construction of G. Floor, whichever is earlier may be seized forthwith by the K.M.C., at the cost and risk of the owner.

Design of all Structural Members including that of the foundation should conform to Standards specified in the National Building Code of India

THE KOLKATA MUNICIPAL CORPORATION
BUILDING PERMIT
No. **2018/00022**
Date: **12/11/18** Borough No. **12**
Ex. Engineer / Asst. Engineer
Bor. No. **12** Bor. No. **12**
BUILDING DEPARTMENT

DEVIATION WOULD MEAN DEMOLITION
All Building Materials to necessary & construction should conform to standard specified in the National Building Code of India.

Before starting any Construction the site must conform with the Dams sanctioned and all the conditions as proposed in the plan should be fulfilled.
The validity of the written permission to execute the work is subject to the above conditions.

No rain water pipe should be fixed or discharged on Road or Footpath. Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED UNDER 496 (1) & (2) OF C.M.C. ACT 1960, IN SUCH MANNER SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS, WATS, BASEMENT CURING SITES, OPEN RECEPTACLES ETC. MUST BE EMPTIED COMPLETELY TWICE A WEEK.

Plan for Water Supply arrangement including SEMILLI G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection/demolition.

Non Commencement of Erection/ Re-Erection within Two Year will Require Fresh Application for Sanction.

ES&E is responsible and bound to comply Rule-52 (9) of K.M.C. Bldg. Rule-2009

Approved by: **RD/118**
The Building Committee

THE SANCTION IS VALUED UP TO 11/11/2023.

Application of Mr. S. S. Ghosh
14/1/2018
11, Belvedere Road, Kolkata-700017
P.T.O.

RECEIVED
Contents Not Verified
11 JUL 2018
11, Belvedere Road
BUILDING (BR. IX) DEPT.

RECEIVED
Contents Not Verified
11 JUL 2018
11, Belvedere Road
BUILDING (BR. IX) DEPT.

RECEIVED
Contents Not Verified
11 JUL 2018
11, Belvedere Road
BUILDING (BR. IX) DEPT.

RECEIVED
Contents Not Verified
11 JUL 2018
11, Belvedere Road
BUILDING (BR. IX) DEPT.

RESIDENTIAL BUILDING

THE KOLKATA MUNICIPAL CORPORATION
COMMUNICATIONS OFFICE
11, Belvedere Road
Kolkata-700017