

# PARTY'S COPY

Plan for Water Supply arrangement including SEMILI G. & D. H. reservoirs should be submitted at the Office of the Ex. Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection/demolition.

A suitable pump has to be provided for pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building hence unfiltered water from street main is not available.

No rain water pipe should be fixed or discharged on Road or Footpath. Drainage plan should be submitted at the Borough Engineering Officer's Office and the sanction obtained before proceeding with the drainage work.

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

DEVIATION WOULD MEAN DEMOLITION

THE SANCTION IS VALUED UP TO 250,000/-



The building materials that will be stacked on Road/Passage or Foot-path beyond 3-meters after construction of G. Floor whichever is earlier may be seized forthwith by the A.E.C. at the cost and risk of the owner.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED UNDER (1) & (2) OF C.M.P. ACT 1960 IN SUCH MANNER SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS, VATS, BASEMENS, CISTS & OTHER OPEN RECEIPTABLES ETC. MUST BE EMPTIED COMPLETELY TWICE A WEEK.

All Building Materials to necessary & construction should conform to the National Building Code of India.

Non Commencement of Erection/Re-Erection within Two Year will Require Fresh Application for Sanction.

Sanctioned subject to demolition of existing structure to provide open space in per part before construction is started.

Approved By: [Signature] 30/04/2014  
The Building Committee 30/04/2014

A. E. (C) BUILDING BR-VIII

"PROVISION FOR USE OF SOLAR ENERGY IN THE FORM OF SOLAR HEATER AND/OR SOLAR PHOTO-VOLTAIC SHALL BE PROVIDED AS REQUIRED UNDER SECTION 14 OF BUILDING RULES, 2009 AND THE CERTIFICATE WILL NOT BE VALID WITHOUT SUCH PROVISION"

[Signature] ASST. ENGINEER (A) BLDG-BR-VIII  
[Signature] ASST. ENGINEER (A) BLDG-BR-VIII

RESIDENTIAL BUILDING



[Faint, mostly illegible text from the reverse side of the document, including various stamps and handwritten notes.]

4