



भारतीय विमानपत्तन प्राधिकरण  
AIRPORTS AUTHORITY OF INDIA

फास्ट पोस्ट  
SPEED POST

AI/ER/NOC(244/11) 1867-1869.

Date: 23.9.2011.

To  
M/S Trimurti Grihanirman Pvt Ltd,  
1, Garstin Place,  
Kolkata-700001

(NOC FOR HEIGHT CLEARANCE ONLY.)

Sub: Issue of NOC.

1. Please refer to your letter no ..... dated...20.9.2011... on the subject mentioned above..
  2. This office has no objection to the construction of the proposed building by M/S Trimurti Grihanirman Pvt Ltd, here in after referred to as the applicant(s) at location 2/1, Hossain Shah Road, Kolkata-23 to height 44.32M Above Ground Level. So that the top of the proposed structure when erected shall not exceed ...4.M(Site Elevation) plus(+) 44.32M height of the structure i.e. 48.32M (Forty eight deci mel three two metres) Above Mean Sea Level.
  3. This No Objection Certificate is being issued on the express understanding that site elevation reduced level (Above Mean Sea Level) is 4M of the relative location of the proposed building/structure & its distances and bearings from the ARP/Runway ends as tendered by the applicant(s) are correct. If however, at any stage it is established that the said data as tendered by the said applicant is actually different from actual data which could adversely affect aircraft operations, the structure or part(s) there of in respect of which this NOC is being issued will have to be demolished at his own cost or as may be directed by the A.A.I.. The applicant(s) is/are therefore advised in his/their own interest to verify the elevation and other data furnished for the site, before embarking on the proposed construction.
  4. The issue of this NOC is further subject to the provisions of section 9-A of the Indian Aircraft Act 1934 and those of any notifications issued there under from time to time and under which the applicant may be called upon by the AAI to demolish in whole or in part the structure now being authorized vide this NOC.
  5. No Radio /TV Antenna, lighting arresters, staircase, Mumtee, Overhead water tank and attachments or fixtures of any kind shall project above the restricted height indicated as in para 2.
  6. This certificate is valid for a period of five years from the date of issue. If the building/structure/ chimney is not constructed & completed within the above mentioned period of five years the applicant(s) required to obtain a fresh No Objection Certificate from the Chairman, Airports Authority Of India and /or the General manager (Aerodrome) E.R.. The date of completion of building /structure/ chimney should be intimated to the Chairman/or the General Manager (Aerodrome) Eastern Region.
  7. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the nearby Airport shall be installed at the site at any time during or after the construction of the structure.
- \*\*\* Day Marking & Night lighting with secondary power supply should be provided as per ICAO standarder.
- \*\*\* This NOC is subject to clearance from Airport Operator, if any Defence Airfield (or one for which AAI is not the Aerodrome operator) is nearby.

Copy to:-

1) The General Manager (NOC), 3) Guard File.  
Airports Authority Of India,  
Safdarjung Airport, Rajib Gandhi Bhawan,  
New Delhi-110003. for information.

for AIRPORTS AUTHORITY OF INDIA

(B., Basu) - 23/09/2011  
Asstt. General Manager (ATC) NOC  
General Manager (AERO) ER

2) The Chairman-Borough No-IX,  
37/1, Balaram Bose Ghat Road,  
Kolkata-700025.

(B. Basu)