



# PARTY'S COPY

Plan for Water Supply arrangement including SEMI G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection/demolition.

Before starting any Construction the site must conform with the plans sanctioned and all the conditions as proposed in the plan should be fulfilled.  
The validity of the written permission to execute the work is subject to the above conditions.

No rain water pipe should be fixed or discharged on Road or Footpath. Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work.

Design of all Structural Members including that of the foundation should conform to Standards specified in the National Building Code of India

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED U/S 496 (1) & (2) OF CMC ACT 1980. IN SUCH MANNER SO THAT ALL WATER COLLECTION & PARTICULARLY LIFT WELLS, VATS, BASEMENT CURING SITES, OPEN RECEPACLES ETC. MUST BE EMPTIED COMPLETELY TWICE A WEEK.

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building incase unfiltered water from street main is not available.


All Building Materials to necessary & construction should conform to standards specified in the National Building Code of India.

DEVIATION WOULD MEAN DEMOLITION

Non Commencement of Erection/ Re-Erection within Two Year will Require Fresh Application for Sanction.

THE SANCTION IS VALID UP TO 21/11/2014

Approved By: *[Signature]*  
The Building Committee



APPROVED  
*[Signature]*  
ASSISTANT ENGINEER (C)  
BOROUGH NO. VI

The building materials that will be stacked on Road/Passage or Foot-path of G. Floor, whichever is earlier may be seized forthwith by the K.M.C. at the cost and risk of the owner.

" Provision for use of solar energy in the form of solar heater and / or solar photo-cells shall be provided as required under Rule 147 of Building rules, 2009 and completion certificate will not be issued in case of building without having such provision "

Sanctioned subject to demolition of existing structure to provide open space as per plan before construction is started.  
*[Signature]*  
Executive Engineer (C) BR. VI  
Asst. Engineer (C) Br. PLAN VI

Approved subject to Compliance of requisition of West Bengal Fire Services. If any.

RESIDENTIAL BUILDING

VEE DEE REALTORS PVT. LTD.

*[Signature]*  
Director

VEE DEE REALTORS Pvt. Ltd. CIN U70101 WB 2007 PTC 112989

Corporate Office:

AA-73, Salt Lake, Sector-1, Kolkata - 700064, Phone : 033 2334 1245 / 2359 3339, Fax : 033 2358 3339

Mail : [sdgroup@rediffmail.com](mailto:sdgroup@rediffmail.com), [sdgroupkolkata@gmail.com](mailto:sdgroupkolkata@gmail.com)

Regd. Office : Poddar Court, 18, Rabindra Sarani, Gate No. 2, 6th Floor, Room No. 37, Kolkata - 700 001