


Plan for Water Supply arrangement including S.E.M.I.L.I. G. & O. H. reservoirs, should be submitted at the Office of the Engineer-in-Charge, before the start of the work. The validity of the written permission to execute the work is subject to the above conditions.

No rain water pipe should be fixed or discharged on Road or Footpath. Drainage plan should be submitted at the Office of the Engineer-in-Charge and the sanction obtained before proceeding with the drainage work.

A suitable pump has to be provided, i.e. pumping unfiltered water for the distribution to the flushing systems and urinals in the building. In case unfiltered water from street main is not available.

**DEVIATION WOULD MEAN DEMOLITION**

Approved by  
The Building Committee



Provision for use of solar energy in the form of solar heater and / or solar protocols shall be provided as required under Rule 147 of Building Rules, 2005 and compliance certificate will not be issued in case of building without having such provision.

**CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED UNDER RULE 147 OF BUILDING RULES, 2005 AND SO THAT ALL WATER COLLECTION & PARTICULARLY RECEPTACLES ETC. MUST BE EMPTIED COMPLETELY TWICE A WEEK.**

**RESIDENTIAL BUILDING**

Before starting any construction the site must conform with the plans sanctioned and all discrepancies as proposed in the plan should be fulfilled. The validity of the written permission to execute the work is subject to the above conditions.

**Design of all Structural Members including that of the foundation shall conform to the provisions specified in the National Building Code of India.**

All Building Materials to be used & construction should conform to the standards specified in the National Building Code of India.

Non Commencement of Erection/Construction will Require Fresh Application for Sanction.

THE SANCTION IS VALID UP TO 12/12/2017



Approved subject to Compliance of requisition of West Bengal Fire Services, if any.

The building materials that will be stacked on Road or Footpath should be removed within 3-months or after construction is complete, whichever is earlier may be subject to the K.M.C. at the cost and risk of the owner.