

BETOP HOUSING DEVELOPERS PVT. LTD.

CITY OFFICE : 2½ NO. AIRPORT GATE, MALANCHA, KOLKATA-700 081 (NORTH 24 PARGANAS)
BR. OFFICE : 24/66, JESSORE ROAD, KOLKATA-700 028
MOB. : 9432648460 / 9830132000
CIN : U70102WB2012PTC189014

Ref. No.

Date 04/12/2019

Declaration Regarding arrangement of Fire Fighting Facility incorporated at project Madhumalancha at 262 Pulin Avenue, Rajbari, Dum Dum, Pin-700081.

The Board of Directors of the company hereby furnish there declaration regarding non applicability of fire license during sanction of building site plan, and subsequent building plan by Dum Dum Municipality.

During the course of construction of Block A,B and F, management of the company decided to make a provision for firefighting facility at the said project. Details of which are annexed with this declaration.

Twenty Four Hours drinking water facilities arranged by installing deep tube well in the project.

BETOP HOUSING DEVELOPERS PVT. LTD.

BETOP HOUSING DEVELOPERS PVT. LTD.
Ratna Kumar Sen Gupta
Director

BETOP HOUSING DEVELOPERS PVT. LTD.
Arjun Mallick
Director

BETOP HOUSING DEVELOPERS PVT. LTD.
Sanku Das
Director

BETOP HOUSING DEVELOPERS PVT. LTD.
Harish Chandra
Director

BILL OF MATERIALS AS PER DWG:

1.	Booster Pump & Motor capacity -900 LPM.	6	set	At Roof	Kirloskar	
2.	Booster pump & motor starter control panel.	6	set	At Roof	standard	
3.	Pressure Gauge 100 mm dial	12	Sets	At Roof	H.Guru	
4.	Air Release valve 20 mm dia	6	Set	At Roof	ISI-marked	
5.	Ball valve 15 mm dia	12	Sets	At Roof	LEADER	
6.	Ball valve 25 mm dia	42	Sets	All landing	LEADER	
7.	B/F valve 80 mm dia	6	Set	At Roof	KARTAR	
8.	B/F valve 50 mm dia	42	Sets	At Roof	KARTAR	
9.	N.R. Valve 50 mm dia	6	Set	At Roof	KARTAR	
10.	Foul/ Check valve 80 mm dia	6	Set	Water Tank	KARTAR	
11.	Hose Reel with drum 30 mtrs hose	36	Sets	All landing	FIRESHIELD	
12.	Fire Hydrant valve 63 mm dia	36	Sets	All landing	FIRESHIELD	
13.	Branch pipe with Nozzle	36	Sets	All landing	FIRESHIELD	
14.	RRL Hose 15 Mtrs long	72	Nos	All landing	FIRESHIELD	
15.	Fire Hose Box with lock and key	36	Nos	All landing	FIRESHIELD	
16.	B/F valve 80 mm dia	6	No	Ground floor	KARTAR	
17.	F. B. C , at ground floor.(2 way)	6	Set	Ground floor	FIRESHIELD	
18.	Fire Extinguisher ABC type 6.0 kgs capacity	36	Sets	Block- A+B+C+D+E+F	Ground to 5 th Floor	FIRESHIELD
19.	Fire Extinguisher Foam type 9 Ltrs Capacity	36	Sets	Block- A+D+C+D+E+F	Ground floor.	FIRESHIELD
20.	Co2 type Fire Extinguisher 4.5 kgs capacity	36	Sets	Block- A+B+C+D+E+F	Ground to 5 th Floor.	FIRESHIELD
	Fire Alarm Systems under; by Conventional type.					
21.	Conventional type Fire Alarm Control Pane 6-Zone Capacity.	6	Set	Control Room	Ground Floor.	Agni-suraskha
22.	Manual Call point with base	36	Sets	Block- A+B+C+D+E+F	Ground to 5 th Floor.	Agni-
23.	Hooter cum Sounder 6 watts capacity	36	Sets	Block- A+B+C+D+E+F	Ground to 5 th Floor	Agni-
24.	2x1.5 sq mm copper wire with PVC Rigid Conduit 20 mm dia.	4800	Mtrs	Block- A+B+C+D+E+F	Ground to 5 th floor.	Polycab
	Fire Sprinkler head 68 Degree					
25.	Fire Sprinkler Head 68 degree	70	Nos	Block-A	Ground floor	HD-FIRE
26.	Fire Sprinkler Head 68 degree	08	Nos	Block-B	Ground floor	HD-FIRE
27.	Fire Sprinkler Head 68 degree	18	Nos	Block-C	Ground floor	HD-FIRE
28.	Fire Sprinkler Head 68 degree	18	Nos	Block-D	Ground floor	HD-FIRE
29.	Fire Sprinkler Head 68 degree	12	Nos	Block-E	Ground floor	HD-FIRE
30.	Fire Sprinkler Head 68 degree	08	Nos	Block-F	Ground floor	HD-FIRE
NOTE:	THE ABOVE QTY IS TENTATIVE ,FINAL WILL BE AFTER DETAILS ENGG AS PER SITE POSITION:					



SCALE = 1:100

BLOCK 'F'



BLOCK 'F'

FIRST FLOOR PLAN