

3. 200 TH. FIRST CLASS BRICK WORK AT EXTERNAL WALLS WITH 1:6 CEMENT SAND MORTAR UNLESS OTHER WISE MENTIONED
- 4 75TH. FIRST CLASS BRICKWORKS AT INTERNAL WALLS WITH 1:4 CEMENT SANDMORTAR UNLESS OTHERWISE MENTIONED
5. 125TH. (AVG) LIME TERRACEING (2 2 7) ON ROOF RAIN TO SLOPE.
6. ALL DIMENSION ARE 1 mm UNLESS OTHERWISE MENTIONED
- 7 35TH. D.P.C WITH CEMENT CONCRETE (1 1 5 3) WITH 6mm DOWN STONECHIPS WITH WATER PROOFING COMPOUND.
- 8 19TH. CEMENT PLATER (1 6) TO EXTERNAL WALLS
9. 42TH CEMENT PLASTER (1 6) TO INTERNAL WALLS
10. 19TH. CEMENT PLASTER (1 4) TO BEAM CEILING ETC.
11. 32TH. CAST-IN- SIUT MOSAIC FLOOR.
12. SANITARY & PLUMBING FITTINGS TO BE USED AS PER DIRECTION.
13. WRITTEN DIMENTION ARE TO BE FLOWEED
14. 500mm CHAJJA PROJECTION.
15. DEPTH OF SEPTIC TANK AND S.U.G WATER RESER VOIR DOES NOT EXEED THE DEPTH OF BUILDING FOUNDATION.

✓ गीतुनी राम
 ✓ प्रदीप शर्मा
 ✓ ...
SIGNATURE OF OWNER

I HAVE CERTIFIED ON THE PLAN ITSELF WITH FULL RESPONSIBILITY THAT BUILDING RULES 1990 AS AMENDED FROM TIME TO TIME AND THAT THE SITE CONDITION INCLUDING THE ABOUTING THE ROAD CONFORM WITH THE PLAN AND THAT IT IS A BUILDABLE SITE AND NOT A TANK OR A NOT FIELDUP LAND.

S. B. Bhattacharjee
 S. B. BHATTACHARJEE
 B.E. (Civil)
 Civil & Structural Engineer, EBA-222
SIGNATURE OF E.B.S./E.B.A.

STRUCTURAL CERTIFICATE

THE STRUCTURAL DESIGN FOR BOTH FOUNDATION AND SUPER STRUCTURE OF BUILDING HAS BEEN MADE BY ME. CONSIDERING ALL POSSIBLE LOADS INCLUDING SEISMIC LOADS AS PER THE N B C OF INDIA & CERTIFIED THAT IT IS SAFE AND STABLE IN ALL RESPECT.

S. B. Bhattacharjee
 S. B. Bhattacharjee
 ESE No. 21
SIGNATURE OF ENG. (STRUCTURAL)

S. Santosh Kumar Chakraborty
DR. SANTOSH KUMAR CHAKRABORTY
 B.C.E. (Soil, Road & Water)
 Ph.D (Foundation Engineer)
 ISTE, IGS, ISMFE (London)
 G.T.E. of K.M.C. - 167, R.S.M. 411 (Class-I)
 G.T.E. IN CIVIL ENGINEERING
SIGNATURE OF GEO TECH ENGINEER

BASANTI

Basanti
 Civil Consultancy and Construction
Eng. Anjan Mahakar (I.C.E.) (E.B.S. of P.S.M.)
 Planner, Surveyer, Supervision, Contractor,
 Add:- Sangalpur, Boudhava, Panchpara, (Opposite of Pasooka Dargah)
 P.O. : In. 960102/2577/94810642348

FOR OFFICE USE ONLY



APPROVED

Plan No. 51/02/10/55 Date 12/02/2018

Valid upto 12/02/2023

M. K. Pat
 M. K. Pat
 Malesy Kumar Pat
 Assistant Engineer incharge P.W.D.
 RAJPUR-SONARPUR MUNICIPALITY

Dr. Pallab Das
 Dr. Pallab Das
 Chairman
 RAJPUR-SONARPUR MUNICIPALITY

CORRECTED
 E.B.A. I.E.S.B. No. 11
S. B. Bhattacharjee
 S. B. BHATTACHARJEE
 B.E. (Civil)
 Civil & Structural Engineer
 EBA-625

Checked by
M. K. Pat
 Sub-Assistant Engineer
 Local Office Engineer-in-Charge
 RAJPUR-SONARPUR MUNICIPALITY