BLOCK - 5



FRONT ELEVATION



LEFT SIDE ELEVATION



SECTION ON A5 - A5

NOTES

1. ALL DIMENSIONS ARE IN MM.
2. ALL EXTERNAL WALLS ARE 300 MM THK. AND INTERNAL WALLS 150 MM.
3. SEPTIC TANK CAPACITY IS FOR 75 PERSONS ASSUMED.
4. DEPTH OF SEPTIC TANK AND SOAK PIT OR WATER PROOF PIT WILL NOT EXCEED THE DEPTH OF BUILDING FOUNDATION.
5. ALL SORTS OF FIRE SAFETY MEASURES WILL BE TAKEN AT THE TIME OF CONSTRUCTION.

SPECIFICATIONS

1. 75 MM. 1ST. CLASS BRICK SOLING IN FOUNDATION & PLINTH.
2. 1:5:10 (1 CM (CEMENT, SAND & KHOA) CEMENT CONCRETE IN FOUNDATION & PLINTH.
3. FOUNDATION BRICK WORK WILL BE 1ST. CLASS BRICK WITH 1:6 CEMENT MORTAR.
4. 125 TH. & 75 TH. PARTITION BRICK WORK WILL BE 1:3 CEMENT MORTAR.
5. 200 TH. EXTERNAL WALLS WILL BE 1:6 CEMENT MORTAR.
6. 25 TH. D.P.C. WILL BE 1:2:4 WITH PROPER WATER PROOFING COMPOUND.
7. R.C.C. CONC. WILL BE 1:2:4 CEMENT SAND & STONE CHIPS MATERIALS AND MIXING.
8. ROOF AND LIME TERRACING WILL BE 100 TH. WITH TIRED PROPER.
9. CEILING AND ALL R.C. PLASTER WILL BE 12mm TH. 1:4 (1:3:6 MV) MORTAR.
10. 25 MM. TH. I.P.S. FLOORING.
11. GRADE OF CONCRETE M - 20.
12. ALL BUILDING MATERIALS WILL BE AS PER I.S. CODE & C.M.C. 1986.

STRUCTURAL CERTIFICATE

THE STRUCTURAL DESIGN AND DRAWING OF RCC FOUNDATION AND SUPERSTRUCTURE OF THE BUILDING HAS BEEN MADE BY ME AS PER NATIONAL BUILDING CODE OF INDIA AND CERTIFIED THAT IT IS SAFE AND STABLE IN ALL RESPECT.

SUJIT C. SANYAL
B.E.(C), M.I.E. (I)
REGD. NO. (C)
REGD. NO. (S)
M/S SANYALSON ASSOCIATES
CONSULTANT PLANNER & STRUCTURAL ENGINEERS
KOLKATA

DECLARATION OF T.O.A.

I HAVE CONTROLLED IN THE PLAN (TITLE WITH FULL RESPONSIBILITY THAT BUILDING WORKS DONE AS AMENDED PERMITTING TO TIME AND THAT THE SITE CONDITIONS INCLUDING THE ABUTTING ROAD CONFORM WITH THE PLAN AND THAT IT IS A BUILDING NOT EXCEEDING A TANK OR A SILO OF 12M.

SUJIT C. SANYAL
B.E.(C), M.I.E. (I)
REGD. NO. (C)
REGD. NO. (S)
M/S SANYALSON ASSOCIATES
CONSULTANT PLANNER & STRUCTURAL ENGINEERS
KOLKATA

SIGNATURE OF T.O.A.

SIGNATURE OF OWNER

DOOR & WINDOWS SCHEDULE

MARK	SIZE
V1	1500*1200
V2	1200*1200
V3	900*1200
V4	600*1200
VENT.	600*600
D1	1050*2100
D2	900*2100
D3	750*2100

CORRECTED

PROJECT

PROPOSED G + IV STORIED RESIDENTIAL BUILDING AT HOLDING NO. - 462/2/SUMBA, WARD NO.07, P.S.SONARPUR NO. - 1997, J.L.R. KHATIAN - 1849, R.S.DAG NO. 1371, 1751, L.R. DAG NO. - 1873, 1874, 21, NO. 59, MOUZA - KUSUMBRA, P.S. SONARPUR, DIST - 24PGS (SO.) UNDER RAJPUR SONARPUR MUNICIPALITY.

VIDE SANCTION PLAN NO. (BEING APPLIED)

DATED - 03/04/2015 VALID UP TO 03/04/2020

DRAWING NAME : RAJPUR GROUP

DRAWN	SUMITA	SCALE -
TRACED		DATE 02.03.2015
CHECKED		DWG NO.
APPROVED		

Sanyalson Associates
Consultant Pvt. Ltd.
CONSULTANT PLANNER & STRUCTURAL ENGINEERS

DWG NO. - 05/06 | BLOCK - 5

SHEET CONTENT : TYPICAL FLOOR PLAN, ROOF PLAN, SECTIONS & ELEVATIONS

CHECKED & OK

APPROVAL OF T.A.E.

APPROVED

Plan No. ... Dated ...

Valid upto ...

Partha Guria
Municipal Engineer

Dr. Pallab Das
Chairman

RAJPUR SONARPUR MUNICIPALITY

TYPICAL FLOOR PLAN
1ST TO 4TH



ROOF PLAN



SECTION ON B5 - B5