

The structural analysis reports & soil reports are kept for reference in this office. The clearance is accorded subject to certificate of architect, Str. Engineer, Geo.-Tech Engineer.


District Engineer
(N) 24 Parganas Zilla Parishad

Approval Order No.

Date

Valid up to

THIS DRAWING IS A PRIVATE AND CONFIDENTIAL COMMUNICATION AND THE PROPERTY OF MANIRAMKA AND ASSOCIATES AND MUST NOT BE COPIED OR LENT WITHOUT THE CONSENT OF MANIRAMKA AND ASSOCIATES.

SPECIFICATIONS

1. ALL DIMENSIONS ARE IN MM.
2. ALL EXTERNAL WALLS ARE 200/250THK. AND INTERNAL WALLS 75/125 THK. IN 1:4 CEMENT MORTAR.
3. EXTERNAL PLASTER IS 19 MM THK. INTERNAL PLASTER 12 M.M THK. IN 1:3 CEMENT MORTAR.
4. ALL DOOR FRAMES ARE OF GOOD QUALITY SAL WOOD.
5. GRADE OF CONCRETE IS M-20.
6. ALL WINDOWS ARE OF AL WITH 3 mm THK. FROSTED GLASS.
7. ALL REINFORCEMENT TO CONFORM WITH I.S. 456 1978.
8. ALL P.C.C. IS IN 1:3:6 (CEMENT SAND AGGREGATE).
9. LIME CONCRETE ON ROOF IS IN 2:2:4.

PLAN OF PROPOSED G+4 (14.5 M. HT.) STORIED
RESIDENTIAL COMPLEX AT L.R.DAG\NO- 1283,1286,
1292,1291,1285, UNDERKHATI ANNO.801/1,809/1,
622/1,1517,1518,358/1,1567,1205,633,592,309,3,
105,209,1738,358/1 MOUZA: MAYNAGADI, J.L.NO
.06, R.S NO.196, TOUZI NO.146, A.D S.R OFFICE AT
KADAMBAGACHI, P.S -BARASAT, UNDER THE LIMITS
OF KHILKAPUR GRAM PANCHAYAT, DISTRICT AND
COLLECTORATE-24 PARGANAS (NORTH)

SANCTION DRAWING SITE PLAN

GROUND FLOOR PLAN, SITE PLAN & LOCATION PLAN, DETAIL OF
SEPTIC TANK, DETAIL OF SEMI UNDER GROUND WATER RESERVOIR

STRUCTURAL CONSULTANTS : Mr. Chand Prasad Khanra
BE (CIVIL), ME (STRUC.), MIE (INDIA).

SHEET NO.
01

DATE : 18.08.15 SCALE : 1:250 DEALT : MAHUA DRG.NO.-BARASAT SHRACHI/SITE/01

ARCHITECTS :

MANIRAMKA AND ASSOCIATES

74 B, A. J. C. BOSE ROAD, KOLKATA-700 016

PHONE : (033) 2217 8329

E mail: maniramka@vsnl.net



R1

0004 (REV. 000)

BY RECEIVED COLOR FROM RUCHIR BARASAT SHRACHI SITE PLAN/001/01/02/22/00/1/00