

Page 11

# PARTY'S COPY

The building materials that will be stacked on Rear Passage or Footpath shall be removed within 3 months after completion of the work. The contractor shall be liable for any loss and risk at the time.

CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AND TO SO THAT IT DOES NOT OBSTRUCT THE PASSAGE OF PEDESTRIANS. PARTICULARLY LIFT WELLS, WASH MACHINES, CHANGING ROOMS, TOILETS, ETC. MUST BE INSTALLED COMPLETELY UNDER COVER.

All Building Materials to be removed & construction should conform to the standards specified in the National Building Code of India.

Non-Commencement of Electrical Work shall be permitted until the necessary sanction is obtained from the Municipal Corporation.

Sanctioned subject to demolition of the existing structure to provide open space as per the above condition is stated.

Approved by: *[Signature]*  
The Building Committee  
Date: 12.12.2019

Plan for Water Supply arrangements including S.E.M.I. & H. reservoirs should be submitted to the Corporation for approval. The contractor shall be liable for any loss and risk at the time.

A suitable pump has to be provided for pumping untreated water for use in the building, washing latrines and toilets in the building. Untreated water from street main is not allowed.

No rain water pipe should be allowed to discharge on Road or Footpath and the sanction obtained before proceeding with the drainage work.

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

DEVIATION WOULD BEAN CONVICTION

THE SANCTION IS VALID UP TO 12.12.2019



A. E. (C) BUILDING BR-VII

RESIDENTIAL BUILDING



PROVISION FOR USE OF SOLAR ENERGY SHALL BE MADE IN ALL NEW BUILDINGS AS REQUIRED UNDER PART 'E' OF PROVIDED SCHEDULE. THE CONTRACTOR SHALL BE LIABLE FOR ANY LOSS AND RISK AT THE TIME WITHOUT HAVING SUCH PROVISION.

A. E. (C) BUILDING BR-VII