

ILLAMBAZAR GRAM PANCHAYET

P.O. & P.S. :: ILLAMBAZAR ○ DIST. BIRBHUM PIN :: - 731214
email ID No - illambazar_gp@gmail.com



Ref No..... 337/IGP/2018

Date 04.10.2018

To

Sri Mrityunjoy Chokroborty
Vill- Surul , Jiban Krishna Palli
P.O:- Sriniketan , P.S- Bolpur
Dist:- Birbhum
Pin- 731236

Sub:- Reg NOC & Renewal of Sanction Plan (Approved Plan from Zilla Parishad Vide Memo No – 123/I/GENL/B.P/BZP Dt- 17.06.2014) for Proposed ' Residential Housing Project ' at Gopalnagar RS/LR Plot No – 679 , 681 , Kh No- 911 , Jl No – 132 , PS – Illambazar , Our office memo No – 136/IGP/2014 Dt- 01.07.2014

Sir,

In accordance to your application dated 01/10/2018 for the proposed housing project (G+IV) at Gopalnagar RS/LR Plot No – 679 , 681 , Kh No- 911 , Jl No – 132 , PS – Illambazar for NOC & Renewal of Sanction Plan, I have no objection to run the project and permission is hereby granted subjected to the following conditions.

The Construction Should be done as per the West Bengal Panchayet and Rural Development Rules said in 2006 & 2015 and the others West Bengal Government Laws applicable. The Construction should be done as per approved Plan from Zilla Parishad Vide Memo No – 123/I/GENL/B.P/BZP Dt- 17.06.2014 and our office Memo no- 136/IGP/2014 Dt- 01.07.2014

The underground water may be drawn from a suitable depth after taking the permission from the State Water Investigation Department (SWID).

It Is Mandatory to keep Clearance Vertical distance from highest point of the building (permanent or temporary) – L&MV(up to 440 Volt) 2.5 Mt (8 Ft) , HV (11KV) 3.7 Mt(12 Ft), HV (33 KV) – 3.7 Mt (12 Ft), Horizontal Clearance of OH line From the nearest Point of Building (Permanent or temporary) L&MV(up to 440 Volt) 1.2 Mt (4 Ft) , HV (11KV) 1.2 Mt(4 Ft), HV (33 KV) – 2 Mt (6.5 Ft) to avoid Electrical Safety for Rural Areas.

Permission for construction of the Building is valid for Occupancy of use of Residential purpose.


Permission for construction of the building is valid up to 03.04.2022

The building for which permission is granted shall have to completed within 03.04.2022

The construction will be undertaken as per Sanctioned plan and no deviation from the vetted plan and from the provisions of GO No 231/AD/PN/O/I/1A-07/2016 Dt 29.03.2018 of P&RD (Govt of West Bengal) will be Permitted

Thanking you

Yours Faithfully


Pradhan
Illambazar Gram Panchayat