

WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan',
Bldg. No. - 10A, Block - LA, Sector-III,
Salt Lake City, Kolkata - 700 098

Consent Letter Number : CD 106561

Memo Number : 163-2A/20/R/92-17



Date : 18/01/2018

Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and
Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended, and Rules and Orders made thereunder, hereby grants its consent to :

M/s. DISPLAY VINIMAY PVT. LTD. & 72 OTHERS



(Address of Regd. office/Head/Office/City Office)

(hereinafter referred to as Applicant) for its unit located at Mouzas Atghara, P.S: Baguiati, P.O: Rajarhat

Go Palpur, Dist: 24 Pgs. (North) PIN: 700 136

(Detailed address of the manufacturing unit)

for a period from Date of issue 30/09/2022

to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the industrial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.

For and on behalf of the State Board

Mukherjee 17/01/2018

(Member Secretary/Chief Engr./Sr. Env. Engr./Env. Engr./Asst. Env. Engr.)

Secretary (Industrial Engg.)
W.B. Pollution Control Board



ANNEXURE


Consent to M/s. DISPLAY VINIMAY PVT. LTD & 72 OTHERS
 or its unit at Mouzas: Atghara, P.S.: Baguati, PIN: 700 136
 P.O: Rajarhat Gopalpur, Dist : 24 Pgs (North)

Conditions :

11. This Consent is valid for the ~~Manufacture of / /~~ Residential Complex,

Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	(Building name: Urban Greens) consisting of 4 blocks of B + G + 7	
02	Storied building of total built up area 26750,686 Sqm. and no of	
03	flats 196	
04		
05		
06		
07		
08		
09		
10		
11		
12		

2. The Applicant shall remain responsible for quantity and quality of liquid effluent and air emissions.
3. Daily discharge of industrial liquid effluent shall not exceed KL.
4. Daily discharge of domestic liquid effluent shall not exceed 42 KL.
5. Daily discharge of mixed (industrial & domestic) liquid effluent shall not exceed KL.
6. The Applicant shall discharge liquid effluent to Municipal Drain (place of discharge) through 01 nos. outlets/outfalls.
7. To bring into any altered or new outlet/outfall or to change the place of discharge, the Applicant shall have to inform the Board and obtain prior permission of the Board in this effect.
8. The Applicant shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given in Table-I in page 03.


 (Member Secretary/Chief Engr./Sr. Env. Engr./Env. Engr./Asst. Env. Engr.)
 Senior Environmental Engineer
 W.B. Pollution Control Board

Continued.....



Consent to M/s. DISPLAY VINIMAY PVT. LTD., & 72 OTHERS,
 for its unit at Mouza: Atghara, P.S: Baguiati, PIN.: 700 136
 P.O: Rajarhat Gopalpur, Dist: 24 Pgd (North)

11. The Applicant shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board.
12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, etc., and this must be painted/displayed to facilitate identification.
13. The Applicant shall install comprehensive control system consisting of pollution control equipment as is warranted with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the Standard as given in Table-II below :

Table - II

Stack No.	Stack height from G.I., (in mts.)	Stack attached to (sources and control system, if any):	Volume Nm ³ /hr.	Velocity of gas emission m/sec	Concentrations of parameters not to exceed			Frequency of emission sampling
					SPM (mg/Nm ³)	CO (% v/v)		
S-1	21.34	01 X 380 KVA D.G. set			150	1		Yearly
S-2								
S-3								
S-4								
S-5								
S-6								
S-7								
S-8								
S-9								
S-10								

M. S. / 11/01/2018
 (Member Secretary/Chief Engr./Sr. Env. Engr./Env. Engr./Asst. Env. Engr.)

Senior Environmental Engineer
 West Bengal Pollution Control Board

Continued.....



sent to M/s. DISPLAY VINIMAY PVT. LTD., & 72 OTHERS
 its unit at Mouza: Atghara, P.S: Bagumati, PIN: 700 136
P.O: Rajarhat Gopalpur, Dist: 24 Pgs (North)

The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform, etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.

The Applicant shall observe the following fuel consumption pattern :-

S. No.	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel is used
01	H S D	52 l/hr	D.G. set
02			
03			
04			
05			

The Applicant shall maintain the generation and treatment / disposal of non-hazardous solid waste as specified below :

Type of waste	Quantity	Treatment	Disposal
Municipal Solid Waste	16.8 T/month		to be disposed as per solid waste Management Rules 2016

The Applicant shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below :

Time	Limit in dB(A)
Day Time (06 a.m. to 09 p.m.)	65
Night Time (09 p.m. to 06 a.m.)	45

The Applicant shall at all times maintain good house keeping, proper working order, and operate efficiently for control of pollution from all sources so as not to cause nuisance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.

The Applicant shall bring about at least 33% of the available open land under the green coverage/plantation.

The Applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the Applicant to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the Applicant shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.

The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution control devices.

The Applicant shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

The Applicant shall provide drainage system for conveying industrial and domestic liquid waste. Storm-water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste.

(Member Secretary/Chief Engr./Sr. Env. Engr./Env. Engr./Asst. Env. Engr.)

Senior Engr. in Charge
 W.B. Pollution Control Board

Continued....



Consent to M/s. DISPLAY VINIMAY PVT. LTD & 72 OTHERS
 for its unit at Mouza: Atghara, P.S: Bagmati, PIN: 700 136
 P.O: Rajarhat Gopalpur, Dist: 24 Pgs (North)

24. The Applicant shall maintain a separate register showing consumption of chemicals used in pollution control systems.
25. The Applicant Shall get the samples of hazardous wastes/leachates analysed at least once in..... from the laboratory recognised of the West Bengal Pollution Control Board and ensure that they conform to the limits stipulated. Test reports shall be sent to the Board.
26. The Applicant shall provide adequate and safe facility for collection of air, waste water and solid waste samples by the State Board's staff as well as State Board's authorised agencies.
27. The Applicant shall submit to the State Board by the 30th September of every year the Environmental Statement Report for the financial year ending 31st March of the ~~current year in the~~ prescribed form (Form - V) as required under the provisions of rule 14 of the Environment (Protection) [Second Amendment] Rules. 1992.
28. The Applicant shall allow the Officers of the State Board to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection with prevention & control of pollution.
29. The Applicant shall maintain an Inspection Book in the factory premises which shall be made available to Officers & employees of the State Board for inspection, review and to write down any direction or observation as is deemed necessary during the inspection from time to time.
30. The Applicant shall furnish to the State Board all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.
31. The Applicant shall maintain adequate number of qualified and trained personnel among his staff for proper maintenance and operation of the effluent treatment and / or emission control devices and for overall environment management of the industry.
32. The Applicant shall have to make registration for the use of groundwater if any, with Central Ground Water Authority.
33. The Applicant shall intimate to the State Board immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quality as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster. The Applicant Shall (i) take all steps adequate to prevent such accident discharge/release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment. (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous, noxious or pollutants to the environment.
34. The Applicant shall make an applicant to the State Board in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this Consent.
35. The Applicant shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.
36. The Applicant shall comply with the conditions as laid down in the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989.

Additional Conditions The unit shall abide by all the conditions as mentioned in EC (No EN/1678/T-IL-1/07 2/2021 dtd 30/06/2014) and NOC (Memo No. 632-2N-58/2021 (E) dtd 06/08/2014)

(Member-Secretary/Chief Engr./Sr. Engr./Env. Engr./Asst. Env. Engr.)

Head, Environmental Engineering
 W.B. Pollution Control Board




Register Post

INDIA
POSTAGE
₹ 32.00
N100351

RL
700027 30-01-2018
A1C3 714076



To
M/s. Display Virimay Pvt. Ltd. & 72 others.
Atghara, Rajarhat Main Road
P.O. - Rajarhat Gopalpur
24 Pgs (N) - 700136. 

N1 998878 MR
RW 84788869 6 IN



Environmental Engineer
West Bengal Pollution Control Board
Cameo Street Circle Office,
247, Deshbandhu Sashimal Road, 1st Floor,
KOLKATA-700 033



22nd Aug. 2017

The Deputy Director (S),
Ministry of Environment & Forest & Climate Change
Eastern Regional Office,
A/3, Chandrashekharpur,
Bhubaneswar - 751023

Sub: Status of Compliance of the Conditions of Environmental Clearance for Proposed expansion of Residential Complex at L.R. Dag Nos.444, 444/882, 445, 446, 447(P), 448(P), 457 - 469, 508 - 513, 518(P), 527 - 551, 551/883, 552 - 556, 556/884, 695, 707 - 711, and 720 - 724, Mouza - Atghara, J.L. No. - 10, RS No. - 133, Ward no. 9 under Rajarhat Gopalpur Municipality, P.S. - Rajarhat, Dist. - North 24 Parganas, Kolkata - 700136, West Bengal.

Ref: Your Letter No. 110-270/17/EPE dated 17.02.2017; Project Code- 110 - 270.

Sir,

With reference to above, this is for your kind information that the construction activities for the above mentioned expansion project are yet to be started at site.

We would assure you that after starting the construction activities six monthly compliance and monitoring report will be periodically submitted to WBPCB & SEIAA, following the recommendations mentioned in the Environmental Clearance.

A copy of the said compliance report will also be submitted to your good office, as per your instruction.

Thanking you,

Yours Sincerely,

For **DISPLAY VINIMAY PVT. LTD. & 72 OTHERS.**
DISPLAY VINIMAY PVT. LTD.


Authorised Signatory

(VIKASH DIWAN)
Authorised Signatory

SP BOMBAZAR PO 700012
GSTIN No: 19AAACPO731J1ZB
EW761756234IN
Counter Nos3, OP-Code:R0
To:THE DEP DIR,MINIS ENV FOREST
CHANDRASHEKHARPUR, PIN:751023
From:DISPLAY V P LTD , KOL-136
Wt:10grams, ,24/08/2017 ,14:43
Amt:41.00
POST @% 3 ,SGST @%: 3.00
<<Track on www.india-post.gov.in>>



DISPLAY VINIMAY PRIVATE LIMITED
Green Vista, Atghara, Rajarhat Main Road, Kolkata-700136, West Bengal, India
Tel.: 033 4065 2010 / 2011 | Web : www.urbangreens.co.in



31-01

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY
Poura Bhavan, Block 'FD'-415A, 4th Floor, Sector - III,
Salt Lake, Kolkata - 700 106
Telefax No. 033 2337 0268
Website : www.environmentwb.gov.in

No. 1139 - EN/T-II-1/088/2014

Date : 11 / 05 / 2015

M/s. Display Vinimay Pvt. Ltd. & 72 Ors.
DC-9/28, Shastri Bagan
Deshbandhunagar
Kolkata - 700 059.

SUB. : Environmental clearance application for the proposed Phase II of Residential Complex at L.R. Dag nos. 444, 444/882, 445, 446, 447(P), 457-469, 508-513, 518(P) & 527-551, 551/883, 552-556, 556/884, 695, 707-711 and 720-724 at Mouza - Atgahara, JL. No. 10, RS No. - 133, Touzi No. 172, Ward No. 9 under Rajarhat Gopalpur Municipality, PS - Rajarhat, Dist - North 24 Pgs., Kolkata - 700 136, West Bengal.

Sir,

This has a reference to your application submitted on 28/10/2014 for environmental clearance for the proposed Phase II of Residential Complex at L.R. Dag nos. 444, 444/882, 445, 446, 447(P), 457-469, 508-513, 518(P) & 527-551, 551/883, 552-556, 556/884, 695, 707-711 and 720-724 at Mouza - Atgahara, JL. No. 10, RS No. - 133, Touzi No. 172, Ward No. 9 under Rajarhat Gopalpur Municipality, PS - Rajarhat, Dist - North 24 Pgs., Kolkata - 700 136, West Bengal and presentation made by you before SEAC on 17/01/2015.

Based on your application for environmental clearance and presentation made by you, SEAC in its meeting dated 21.03.2015 has recommended a list of environmental conditions for the up coming project.

In addition to the SEAC's observations, it has been decided by SEIAA that the following issues are to be addressed appropriately while submitting sanctioned building plan for obtaining environmental clearance.

1. Fraction of covered area that can be illuminated by natural lighting only during normal sunny day to be reported. ✓
2. Microclimatic studies to be completed as per the indicative guidelines for high-rise building. ✓
3. Power consumption per unit ground coverage to be reported. ✓
4. Recycling of treated waste water to be increased by way of dual plumbing. ✓
5. Power required for air conditioning of the buildings and heat released by air conditioning machines at each building to be reported. ✓
6. At least 300 trees of recommended species to be planted. ✓

You are requested to prepare the construction plan incorporating those conditions before submission of same for building plan approval. The approved plan may kindly be submitted in the secretariat of SEAC at Paribesh Bhavan, Salt Lake. The SEIAA shall consider the case only when it is ensured that the conditions listed in the enclosure have been properly addressed in the building plan.

(Dr. Jose Mathew)
Member Secretary, SEIAA

No. 1139 - EN/T-II-1/088/2014/1(1)

Date : 11 / 05 / 2015

Copy forwarded for information to the Secretary, State Level Expert Appraisal Committee.

Sd/-
Member Secretary, SEIAA

