



RESIDENTIAL BUILDING

DEVIATION FROM PLAN APPROVAL

"CONSTRUCTION SITE SHALL BE MAINTAINED TO PREVENT MOSQUITO BREEDING AS REQUIRED U/S 496(1) & (2) OF CMC ACT 1980, IN SUCH MANNER SO THAT ALL WATER COLLECTIONS PARTICULARLY LIFE WELLS, VATS, BASEMENT SURING SITES OPEN RECEPTACLES ETC AS EMPITED COMPLETELY TWICE & WEAR"

CERTIFIED COPY

KOLKATA MUNICIPAL CORPORATION  
BUILDING DEPARTMENTS  
CERTIFIED COPY OF B.S. PLAN  
No. 2020130053 Dt. 13/7/20  
Borough No. XIII  
Assistant Engineer Executive Engineer

This is to be known that the work of preventing mosquito breeding at the said construction site...  
1. The site shall be kept free from stagnant water...  
2. If any rain water is collected in any form...  
3. The site shall be kept free from any other receptacles...  
4. The site shall be kept free from any other receptacles...  
5. The site shall be kept free from any other receptacles...

CONSTRUCTION SITE SHALL BE MAINTAINED FREE FROM AIR POLLUTION ACCORDING TO UNDERTAKING SUBMITTED AS PER AMENDMENT DT. 31.01.2018 VIDE NO. 95/MA/OIC-4/3R-7/2017 OF SCHEDULE-IV OF KMC BUILDING RULE 2009

Non Commencement of Erection/ Re-Erection within Five year will Require Fresh Application for Sanction

All Building Materials to necessary & construction should conform's to standered specified in the National Building Code of India.

Design of all Structural Members including that of the foundation should conform to Standards specified in the National Building Code of India.

No rain water pipe should be fixed or discharged on Road or Footpath. Drainage plan should be submitted at the Borough Executive Engineer's Office and the sanction obtained before proceeding with the drainage work

Before starting any Construction the site must conform with plans sanctioned and all the conditions as proposed in the plan should be fulfilled

The validity of the written permission to execute the work is subject to the above conditions

A suitable pump has to be provided i.e. pumping unfiltered water for the distribution to the flushing cisterns and urinals in the building incase unfiltered water from street main is not available.

Plan for Water Supply arrangement including SEMILI G. & O. H. reservoirs should be submitted at the Office of the Ex-Engineer Water Supply and the sanction obtained before proceeding with the work of Water Supply any deviation may lead to disconnection/demolition.

Necessary steps should be taken for the safety of the lives of the adjoining public and private properties during construction.

Structural plan and design calculation as submitted by the structural engineer have been kept with B. P. No. 2020130053 Date 13/7/20 for record of the Kolkata Municipal Corporation without verification No. deviation from the submitted structural plan should be made at the time of erection without submitting fresh structural plan along with design calculation and stability certificate in the prescribed form, necessary steps should be taken for the safety of the adjoining premises public and private properties and safety of human life during construction.  
Asst. Engineer/Technical Advisor / Executive Engineer  
BOROUGH NO.- XIII, XIV

RECEIVED AND VERIFIED  
u. Paramanik  
13/7/2020

Fresh Plan  
2019130394  
BUILDING DEPARTMENT  
KOLKATA MUNICIPAL CORPORATION  
13 JUL 2020