

SCHEDULE OF FLOOR AND ROOF SLAB


NO.	DESCRIPTION	THICKNESS (mm)	REINFORCEMENT
1	FLOOR SLAB	125	100mm
2	ROOF SLAB	125	100mm

SCHEDULE OF FOOTING

NO.	DESCRIPTION	THICKNESS (mm)	REINFORCEMENT
1	FOUNDATION	150	100mm
2	COLUMN	150	100mm
3	FLOOR BEAM	150	100mm
4	FLOOR SLAB	125	100mm

NOTES AND SPECIFICATION

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE MENTIONED
 2. ANY AMBIGUITY IN THE DRAWINGS SHOULD BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING WORK
 3. SUPER STRUCTURE SUPER STRUCTURE SHALL BE OF 1ST CLASS
 4. THE DRAWING SHALL BE READ ALONG WITH ALL RELEVANT ARCHITECTURAL DRAWINGS
 5. ALL GRADE OF CONCRETE AND CEMENT & SAND RATIO SHALL BE OF 1ST CLASS
 6. ALL MATERIALS SHALL CONFORM TO RELEVANT IS CODES
 7. FOR STEEL GRADE IS 500 AS PER IS 1786-2008
 8. ALL DISTRIBUTION BARS ARE 100mm TO BE PROVIDED
 9. ALL CHAIRS ARE 100mm TO BE PROVIDED UNLESS SPECIFIED
 10. ALL SPACER BARS ARE 25mm TO BE PROVIDED UNLESS SPECIFIED
 11. LAPS, SPACES & BOND LENGTH SHALL BE AS PER IS 456-2000
 12. FOUNDATION & PILING WORKS & FOUNDATION & PILING SHALL BE OF 1ST CLASSIFICATION IN 1:2 CEMENT MORTAR
 13. MINIMUM CLEAR COVER TO MAIN REINFORCEMENT IS AS FOLLOWS:
- | MEMBER | TOP | BOTTOM | SIDE |
|---------------|-----|--------|------|
| 1. FOUNDATION | 50 | 50 | 50 |
| 2. COLUMN | 40 | 40 | 40 |
| 3. FLOOR BEAM | 30 | 30 | 30 |
| 4. FLOOR SLAB | 20 | 20 | 20 |
14. SPECIFIC COVER TO BE PROVIDED SHALL BE MAINTAINED AT ALL TIMES DURING THE CONSTRUCTION OF WORK.



FOUNDATION LAYOUT PLAN

SCALE: 1:50



TYPICAL DETAIL OF COLUMN


APPROVAL:



Approved

Risav Gupta
Architect (B.Arch.)
Reg. No. - CA/2017/83723

29/07/17



DETAIL OF BEAM

PROPOSED TWO STORED RINSAWAM 4.75
DAS 4.75 MOLA, KAWARDI, L. NO
18 UNDER P. S. BISHNUPUR P. O. SASARPUR,
DIST. SOUTH 24 PARGANAS, UNDER
HASARPURIA GRAM PANCHAYAT.

RISAV GUPTA
ARCHITECT (B.Arch.)
Reg No.-CA/2017/83723

Shiv Niketan Pvt. Ltd.
Director

NO.	REVISION	DATE
1	ISSUED FOR PERMIT	29/07/17