

SCHEDULE OF FLOOR AND ROOF SLAB

NO.	DESCRIPTION	THICKNESS	REINFORCEMENT
1	FLOOR SLAB	120	10mm
2	ROOF SLAB	150	12mm

SCHEDULE OF FOOTING

NO.	DESCRIPTION	THICKNESS	REINFORCEMENT
1	ISOLATION FOOTING	150	12mm
2	RAISED FOOTING	300	16mm



NOTES AND SPECIFICATIONS

- ALL DIMENSIONS ARE IN MM. UNLESS OTHERWISE MENTIONED.
- ANY AMBIGUITY IN THE DRAWINGS SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT ARCHITECT.
- SUPER STRUCTURE: SUPER STRUCTURE AND ALL OF ST. CLASS. WORK IN THE GENERAL WORK.
- THIS DRAWING IS TO BE READ ALONG WITH ALL OTHER ARCHITECTURAL DRAWINGS.
- ALL GRADE OF CONCRETE AND FINISH AS MENTIONED.
- ALL MATERIALS SHALL CONFORM TO REFERRED STANDARDS.
- FOR STEEL GRADE Fe 500 AS PER IS 1786:2008.
- ALL DISTRIBUTION BARS ARE @ 250 C/C AND TO BE PROVIDED.
- ALL CHAIRS ARE 10" AND TO BE PROVIDED WHEREVER REQUIRED.
- ALL SPACER BARS ARE 25" @ 300 C/C AND TO BE PROVIDED.
- LAPS, SPACES & BOND LENGTH SHALL BE AS PER IS 456:2000.
- FOUNDATION & FINISH: PROVISION AS PER SECTION & FINISH SHALL BE OF 1ST CLASSIFICATION AS PER IS 10262:2009.
- MINIMUM CLEAR COVER TO MAIN REINFORCEMENT SHALL BE AS PER MEMBER

MEMBER	BY	THICKNESS	COVER
a. FOUNDATION	40	150	50
b. COLUMN	40	300	40
c. FLOOR BEAM	40	250	40
d. RO. BEAM	40	300	40
e. FLOOR SLAB	40	120	40

1. SPECIAL CARE OF THE MATERIAL SHALL BE MAINTAINED AT ALL TIMES TO BE MAINTAINED.

25th FEBRUARY 2017
 OVER 10:00 AM
 DETAIL OF COLUMN
 M/S. [Name]
 [Address]

PROPOSED TWO STOREY BUILDING AT B-5
 D-3 NO. 206/13/8/1, M.L. 7A-NOWABAD, J.L.
 NO. 1 IN LINE P.S. P. CHANDUR P.O.
 HANAPINJA, DIST. SOUTH-24 PRADHANAS
 UNDER PASAPUNJA GRAM PANCHAYAT

RISAV GUPTA
 ARCHITECT (B.Arch.)
 Reg. No. CA/2017/R3723

APPROVAL

Approved

(Signature)
 [Name]
 Pasapunj Gram Panchayat
 Pasapunj Gram Panchayat, B-5
 South-24 Pradhanas

Shiv Niketan Pvt. Ltd.
 Director

FILE