

CERTIFICATE OF STRUCTURAL ENGINEER
 CERTIFIED THAT THE STRUCTURAL DESIGN & DRAWINGS OF BOTH FOUNDATION & SUPER STRUCTURE OF THE BUILDING HAS BEEN MADE BY ME CONSIDERING ALL POSSIBLE LOADS INCLUDING THE SEISMIC LOAD AS PER THE NATIONAL BUILDING CODE OF INDIA & CERTIFIED THAT IT IS SAFE & STABLE IN ALL RESPECTS.

M. Manik

MANIK MAJUMDAR
 B.C.E., M.C.E. (Struct)
 STR. ENGR. REG. NO. 100000
 07/RESPON/RES/11-12

SIGN. OF STRUCTURAL ENGINEER

BLOCK - 1

SOUTH EAST SIDE ELEVATION, SECTION AT CC & SECTION AT DD

PROJECT


PROPOSED G+H STORED (5.5 MT. HT.) RESIDENTIAL BUILDING AT LT. NO. - 29 DAG NOS. - 223, 224 KHATAN NOS. - 6847, 6843, 6844, NOVA PASCHINTHAPUR, UNDER BAKASVA MUNICIPALITY, DIST. NORTH 24 PARGANAS

DATE	JOB NO.	DEALT	CHECKED	SHEET NO.
24.08.17	ARCH/632/2017	SMRIT		04 OF 07

ARCHITECT
 SCALE - 1:100
RAJ AGARWAL & ASSOCIATES
 88/80/7 STREET, KOLKATA-16

APPROVED BY:-

CERTIFICATE OF L.B.A./L.B.S.
 THE L.B.A. HAS CERTIFIED ON THE PLAN ITSELF WITH FULL RESPONSIBILITY THAT THE BUILDING PLAN HAS BEEN DRAWN UP AS PER PROVISION OF WEST BENGAL MUNICIPAL BLDG. RULES 2007, AND AMENDMENT 2016 AND THAT THE SITE CONDITION INCLUDING THE WIDTH OF THE ADJUTING ROAD CONFIRM WITH THE PLAN AND IT IS A BUILDABLE SITE AND NOT A TANK OR A FILLED UP TANK.



FOR OFFICE USE ONLY
 Sanctioned / Approved
 Chairman
 Barasat Municipality

Building Plan Sanctioned
 Meeting Date: 10/10/17
 Checked & Verified
 Assistant Engineer
 Barasat Municipality

SCHEDULE OF DOORS & WINDOWS

TYPE	SILL LIMIT	SIZE	TYPE	SHL	UNIT	SIZE
D	2100	1500x2100	WT	2100	2100	1500x2100
D1	2100	1100x2100	WT	2100	2100	1200x1825
D2	2100	900x2100	WT	2100	2100	900x1825
D3	2100	250x2100	WT	900	2100	900x1050
D4	2100	1500x2100	WT	900	2100	900x1050
W	1200	2100	WT	2100	2100	600x300

SPECIFICATION OF BUILDING

1. ALL DIMENSIONS ARE IN MM.
2. 1ST CLASS CEMENT BRICK WORK IN SUPER STRUCTURE.
3. 125X75 MM THK. 1ST CLASS BRICK WORK 1:4 WITH H.B. WIRE NETTING.
4. LEV. CONC. 1:3:6 WITH 16 MM. DOWN GRADED STONCHIPS.
5. R.C.C. WORK FOR ROOF SLAB, UNIT, BEAM, COLUMN (M-15).
6. CEMENT SAND PLASTER 13 MM. THK. ON OUTSIDE & INSIDE WALLS.
7. ON 12 MM. & 16 MM. THK. IN CEILING & R.C.C. CHALK.
8. 20 MM. THK. 12.5 FLOORING WITH BEST CORNET AT TOP W.C. SKRINK.
9. A BRICK FLAT SOLING IN FLOORING & FOUNDATION.
10. MILD STEEL T BARS FOR COLUMNS, BEAMS, LINTELS & SLABS INCLUDING DISTRIBUTORS & BANDERS.
11. HIRE & LABOUR FOR SHUTTERING OF R.C.C. WORKS INCLUDING STONE PROP TO BE PLACED AS PER DIRECTION.
12. SANITARY & PLUMBING, FITTING & FIXING COMPLETE AS PER DIRECTION.
13. ALL OUTSIDE WALLS 250 MM. THK. & INSIDE WALLS 125 & 75 MM. THK. AS STATED WITH H.B. WIRE NETTING IN EVERY 3RD LAYER.

SIGNATURE OF OWNER

M. Manik

SIGNATURE OF OWNER

M. Manik

CERTIFICATE OF L.B.A./L.B.S.

SIGNATURE OF L.B.A./L.B.S.
 Raj Kumar Agarwal
 Architect
 Member of Council of Architecture CA / 94 / 17940

